1998 Index
IEEE Transactions on Circuits and Systems II: Analog and Digital Signal Processing
Vol. 45

This index covers all technical items - papers, correspondence, reviews, etc. that appeared in this periodical during 1998, and items from previous years that were commented upon or corrected in 1998. In the case of magazines, departments and other items may be also covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Subject cross-references are included to assist in finding items of interest. Note that the item title is found only under the primary entry in the Author Index.

AUTHOR INDEX

A

Abdel-Aty-Zohdy, S.H., *see* Hiasat, A.A., *T-CAS2 Feb 98* 204-209
Abuelmaatti, M.T., and M.A. Al-Qahtani. A new current-controlled multiphase sinusoidal oscillator using translinear current conveyors; *T-CAS2 Jul 98* 881-885
Adler, V., and E.G. Friedman. Repeater design to reduce delay and power in resistive interconnect; *T-CAS2 May 98* 607-616
Agathoklis, P., *see* Chengshan Xiao, *T-CAS2 Sep 98* 1279-1288
Aggoun, A., M.K. Ibrahim, and A. Ashur. Bit-level pipelined digit-serial array processors, *T-CAS2 Jul 98* 857-868
Ahmad, M.O., *see* Sundararajan, D., *T-CAS2 Apr 98* 449-461
Ahmad, M.O.,*see* Zhu, W.-P., *T-CAS2 Aug 98* 1161-1165
Aiazzi, B., L. Aparone, S. Baronti, and G. Borri. Pyramid-based multiresolution adaptive filters for additive and multiplicative image noise; *T-CAS2 Aug 98* 1092-1097
Al-Alaoui, M.A. A stable inverting integrator with an extended high-frequency range; *T-CAS2 Mar 98* 399-402
Alexander, W.E., *see* Wu, S.M., *T-CAS2 Jun 98* 754-757
Allen, P.E., *see* Rincon-Mora, G.A., *T-CAS2 Jun 98* 703-708
Allen, P.E., *see* Bialock, B.J., *T-CAS2 Jul 98* 769-780
Alnaweiri, H.M., and D. Gange. An asynchronous weightless neural network for discrete relaxation problems; *T-CAS2 Feb 98* 210-216
Al-Qahtani, M.A., *see* Abuelmaatti, M.T., *T-CAS2 Jul 98* 881-885
Altuwaijri, M.M., and M.A. Bayoumi. A thinning algorithm for Arabic characters using ART2 neural network; *T-CAS2 Feb 98* 260-264
Andreou, A.G., *see* Kumar, N., *T-CAS2 May 98* 600-606
Androutsos, D., *see* Plataniotis, K.N., *T-CAS2 Oct 98* 1414-1419
Antoniou, A., *see* Bhattacharya, D., *T-CAS2 Apr 98* 527-531
Antoniou, A., *see* Wu-Sheng Lu, *T-CAS2 Jul 98* 922-926
Antoniou, A., *see* Wu-Sheng Lu, *T-CAS2 Aug 98* 1146-1150
Aparone, L., *see* Aiazzi, B., *T-CAS2 Aug 98* 1092-1097
Ashur, A., *see* Aggoun, A., *T-CAS2 Jul 98* 857-868
Atanackovic, P.B., *see* Willis, A.P., *T-CAS2 Dec 98* 1597-1599

B

Baganne, A., J.-L. Philippe, and E. Martin. A formal technique for hardware interface design; *T-CAS2 May 98* 584-591
Bai Er-Wei, *see* Tongwen Chen, *T-CAS2 Aug 98* 948-958
Bamberger, R.H., *see* Chuang, S., *T-CAS2 May 98* 535-546
Baronti, S., *see* Aiazzi, B., *T-CAS2 Aug 98* 1092-1097
Bayoumi, M.A., *see* Altuwaijri, M.M., *T-CAS2 Feb 98* 260-264
Bazarjani, S., and W.M. Snelgrove. A 160-MHz fourth-order double-sampled SC bandpass sigma-delta modulator; *T-CAS2 May 98* 547-555
Beck, G., *see* Manku, T., *T-CAS2 Oct 98* 1408-1413
Bellaouar, A., A. Fridi, M.J. Elmasry, and K. Itoh. Supply voltage scaling for temperature insensitive CMOS circuit operation; *T-CAS2 Mar 98* 415-417
Bhardwaj, M., *see* Premkumar, A.B., *T-CAS2 Jul 98* 903-908
Bhattacharya, D., and A. Antoniou. Design of equiripple FIR filters using a feedback neural network; *T-CAS2 Apr 98* 527-531
Bi Guoan, *see* Guoan Bi, *T-CAS2 Jun 98* 685-690
Bilski, J., and L. Rutkowski. A fast training algorithm for neural networks; *T-CAS2 Jun 98* 749-753
Bialock, B.J., P.E. Allen, and G.A. Rincon-Mora. Designing 1-V op amps using standard digital CMOS technology; *T-CAS2 Jul 98* 769-780
Bolcskei, H., and F. Hlawatsch. Oversampled cosine modulated filter banks with perfect reconstruction; *T-CAS2 Aug 98* 1057-1071
Boni, A., and C. Morandi. Harmonic distortion in high-speed differential A/D converters; *T-CAS2 Mar 98* 403-406
Boo, M., J.D. Bruguera, and T. Lang. A VLSI architecture for arithmetic coding of multilevel images; *T-CAS2 Jan 98* 163-168
Borchers, C. Symbolic behavioral model generation of nonlinear analog circuits; *T-CAS2 Oct 98* 1362-1371
Bor Jenn-Chyou, *see* Jenn-Chyou Bor, *T-CAS2 Jan 98* 96-107
Borri, G., *see* Aiazzi, B., *T-CAS2 Aug 98* 1092-1097
Bose, T., Mei-Qin Chen, Kyung Sub Joo, and Guo-Fang Xu. Stability of two-dimensional discrete systems with periodic coefficients; *T-CAS2 Jul 98* 839-847
Bovik, A.C., *see* Dong Wei, *T-CAS2 Aug 98* 988-1001
Bruce, L.M. Isolation criteria for the wavelet transform mod-max method; *T-CAS2 Aug 98* 1084-1087
Bruguera, J.D., *see* Boo, M., *T-CAS2 Jan 98* 163-168
Bull, D.R., *see* Perry, R., *T-CAS2 Jul 98* 868-873
Burrus, C.S., *see* Selesnick, I.W., *T-CAS2 Jan 98* 53-68
Burrus, C.S., *see* Rieder, P., *T-CAS2 Feb 98* 217-226
Byung-Moo Min, and Soo-Won Kim. New clock-feedthrough compensation scheme for switched-current circuits; *T-CAS2 Nov 98* 1508-1511

C

Card, H.C., *see* Schneider, R.S., *T-CAS2 Mar 98* 352-360
Casper, B.K., D.J. Comer, and T. Comer. An integrable 60-Hz notch filter; *T-CAS2 Dec 98* 1621-1625
Cauwenberghs, G., *see* Kumar, N., *T-CAS2 May 98* 600-606
Chakrabarti, C., *see* Hsiang-Ling Li, *T-CAS2 Jun 98* 80-95
Chambers, J.A., *see* Lambotharan, S., *T-CAS2 Jan 98* 108-114
Chandra, D.V.S. Error analysis of FIR filters implemented using logarithmic arithmetic; *T-CAS2 Jun 98* 744-747
Chang, Y.-N., J.H. Satyanarayana, and K.K. Parhi. Systematic design of high-speed and low-power digital-serial multipliers; *T-CAS2 Dec 98* 1585-1596
Changku Hwang, *see* Motamed, A., *T-CAS2 Jul 98* 800-811
Chang Tian-Sheuan, *see* Ching-Chao Yang, *T-CAS2 Jul 98* 908-913
Chen, D.C., and B.J. Sheu. A compact neural-network-based CDMA receiver; *T-CAS2 Mar 98* 384-387
Chen, J., and K.J.R. Liu. A complete pipelined parallel CORDIC architecture for motion estimation; *T-CAS2 May 98* 653-660
Chen, K.-D., and T.-H. Kuo. An improved technique for reducing baseband tones in sigma-delta modulators employing data weighted averaging algorithm without adding dither; *T-CAS2 Dec 98* 1615-1621
Chen Chien-In Henry, *see* Hamid, M.E., *T-CAS2 Sep 98* 1304-1307
Chen Chih-Cheng, *see* Chih-Cheng Chen, *T-CAS2 Jan 98* 28-40
Cheng, G., *see* Hong, L., *T-CAS2 Feb 98* 237-241
Chengshan Xiao, and P. Agathoklis. Design and implementation of approximately linear phase two-dimensional IIR filters; *T-CAS2 Sep 98* 1279-1288
Chen Mei-Qin, *see* Bose, T., *T-CAS2 Jul 98* 839-847
Chen Po-Cheng, *see* Wen-Rong Wu, *T-CAS2 Aug 98* 1072-1083
Chen Tongwen, *see* Tongwen Chen, *T-CAS2 Aug 98* 948-958
Chen Tsu-Lin, *see* Shyh-Jye Jou, *T-CAS2 May 98* 617-625
Chen Yan Qiu, *see* Guoan Bi, *T-CAS2 Jun 98* 685-690
Cheung, S.K., *see* Li, Y.Y., *T-CAS2 May 98* 563-574
Chien-Cheng Tseng, *see* Soo-Chang Pei, *T-CAS2 Feb 98* 232-237
Chien-Cheng Tseng, *see* Soo-Chang Pei, *T-CAS2 May 98* 649-653
Chien-Cheng Tseng, *see* Soo-Chang Pei, *T-CAS2 Jun 98* 665-675
Chien-In Henry Chen, *see* Hamid, M.E., *T-CAS2 Sep 98* 1304-1307
Chien-Wei Jen, *see* Ching-Chao Yang, *T-CAS2 Jul 98* 908-913
Chih-Cheng Chen, and Chung-Yu Wu. Design techniques for 1.5-V low-power CMOS current-mode cyclic analog-to-digital converters; *T-CAS2 Jan 98* 28-40
Chih-Peng Fan, and Jar-Ferr Yang. Fast center weighted Hadamard transform algorithms; *T-CAS2 Mar 98* 429-432
Chi-Kwong Li, *see* Ringo Wai-Kit Lam, *T-CAS2 Mar 98* 387-391
Ching, P.C., and S.Q. Wu. On approximated sampling theorem and wavelet denoising for arbitrary waveform restoration; *T-CAS2 Aug 98* 1102-1106
Ching-Chao Yang, Tian-Sheuan Chang, and Chien-Wei Jen. A new RSA cryptosystem hardware design based on Montgomery's algorithm; *T-CAS2 Jul 98* 908-913
Chin-Long Wey, *see* Renyuan Huang, *T-CAS2 Mar 98* 395-399
Chion-Ting Hsu, and Ja-Ling Wu. Multiresolution watermarking for digital images; *T-CAS2 Aug 98* 1097-1101
Chiueh Tzi-Dar, *see* Shang-Yi Lin, *T-CAS2 Mar 98* 441-446
Choma, J., Jr., *see* Lee, C.-H., *T-CAS2 May 98* 626-631
Chorng-Kuang Wang, *see* Shyh-Jye Jou, *T-CAS2 Nov 98* 1487-1494
Chou, E.Y., B.J. Sheu, and M.Y. Wang. A compact neural network for VLSI PRML detectors: scalable architecture; *T-CAS2 Jun 98* 709-719
Chou, E.Y., B.J. Sheu, and M.Y. Wang. A compact neural network for partial-response maximum-likelihood detectors: algorithmic study; *T-CAS2 Jul 98* 848-856
Choy, C.S.-T., and Wan-Chi Siu. Analysis of the convergence and divergence of a constrained anti-Hebbian learning algorithm; *T-CAS2 Nov 98* 1494-1502
Chren, W.-A., Jr. One-hot residue coding for low delay-power product CMOS design; *T-CAS2 Mar 98* 303-313
Chuang, S., H. Liu, X. Yu, T.L. Sculley, and R.H. Bamberger. Design and implementation of bandpass delta-sigma modulators using half-delay integrators; *T-CAS2 May 98* 535-546
Chuan Wang, *see* Edmonson, W., *T-CAS2 Mar 98* 379-384
Chui, C.K., *see* Hong, L., *T-CAS2 Feb 98* 237-241
Chung-Yu Wu, *see* Chih-Cheng Chen, *T-CAS2 Jan 98* 28-40
Chung-Yu Wu, *see* Jenn-Chyou Bor, *T-CAS2 Jan 98* 96-107
Chwen-Jye Sze, Hong-Yuan Mark Liao, Hai-Lung Hung, Kuo-Chin Fan, and Jun-Wei Hsieh. Multiscale edge detection on range images via normal changes; *T-CAS2 Aug 98* 1087-1092
Comer, D.J., *see* Casper, B.K., *T-CAS2 Dec 98* 1621-1625
Comer, T., *see* Casper, B.K., *T-CAS2 Dec 98* 1621-1625

Copeland, M.A., *see* Filiol, N.M., *T-CAS2 Jan 98* 3-12
Cornish, J., *see* Lee, C.-H., *T-CAS2 May 98* 626-631
Cotronei, M., L.B. Montefusco, and L. Puccio. Multiwavelet analysis and signal processing; *T-CAS2 Aug 98* 970-987
Coulombe, S., and E. Dubois. Linear phase and symmetries for multidimensional FIR filters over lattices; *T-CAS2 Apr 98* 473-481
Crols, J., and M.S.J. Steyaert. Low-IF topologies for high-performance analog front ends of fully integrated receivers; *T-CAS2 Mar 98* 269-282

D

Dalton, D., G. Spalding, H. Reyhani, T. Murphy, K. Deevy, M. Walsh, and P. Griffin. A 200-MSPS 6-bit flash ADC in 0.6-μm CMOS; *T-CAS2 Nov 98* 1433-1444
Daniel Pak-Kong Lun, *see* Tai-Chiu Hsung, *T-CAS2 May 98* 640-644
Dec, A., L. Toth, and K. Suyama. Noise analysis of a class of oscillators; *T-CAS2 Jun 98* 757-760
Deevy, K., *see* Dalton, D., *T-CAS2 Nov 98* 1433-1444
De Gyvez, J.P., *see* Manganaro, G., *T-CAS2 Jul 98* 791-799
De Jong, L.P., *see* Otte, R., *T-CAS2 Jul 98* 901-903
Dempster, A.G., and M.D. Macleod. Comments on "Minimum number of adders for implementing a multiplier and its application to the design of multiplierless digital filters"; *T-CAS2 Feb 98* 242-243
Dempster, A.G., and M.D. Macleod. IIR digital filter design using minimum adder multiplier blocks; *T-CAS2 Jun 98* 761-763
Deng Tian-Bo, *see* Tian-Bo Deng, *T-CAS2 Mar 98* 330-339
Denk, T.C., and K.K. Parhi. Exhaustive scheduling and retiming of digital signal processing systems; *T-CAS2 Jul 98* 821-838
De Saint-Martin, F.M., *see* Gosse, K., *T-CAS2 Aug 98* 1044-1056
DeWeerth, S.P., see Morris, T.G., *T-CAS2 Dec 98* 1564-1572
Dhurkadas, A. Comments on "A high speed realization of a residue to binary number system converter"; *T-CAS2 Mar 98* 446-447
Diniz, P.S.R., *see* Resende, F.G.V., Jr., *T-CAS2 May 98* 592-599
Dobrovolny, P., *see* Wambacq, P., *T-CAS2 Oct 98* 1342-1350
Doi, T., *see* Takagi, K., *T-CAS2 Nov 98* 1505-1507
Dong Wei, and A.C. Bovik. Generalized coiflets with nonzero-centered vanishing moments; *T-CAS2 Aug 98* 988-1001
Dubois, E., *see* Coulombe, S., *T-CAS2 Apr 98* 473-481
Duhamel, P., *see* Gosse, K., *T-CAS2 Aug 98* 1044-1056
Du Plessis, M., *see* Seevinck, E., *T-CAS2 Sep 98* 1250-1254

E

Edmonson, W., J. Principe, K. Srinivasan, and Chuan Wang. A global least mean square algorithm for adaptive IIR filtering; *T-CAS2 Mar 98* 379-384
Edwards, P.J., and A.F. Murray. Fault tolerance via weight noise in analog VLSI implementations of MLPs-a case study with EPSILON; *T-CAS2 Sep 98* 1255-1262
Efthivoulidis, G., L. Toth, and Y.P. Tsividis. Noise in Gm-C filters; *T-CAS2 Mar 98* 295-302
Efthivoulidis, G., L. Toth, and Y.P. Tsividis. Further results for noise in active RC and MOSFET-C filters; *T-CAS2 Sep 98* 1311-1315
El-Gamal, M., and G.W. Roberts. Very high-frequency log-domain bandpass filters; *T-CAS2 Sep 98* 1188-1198
El-Masry, E.I., *see* Jie Wu, *T-CAS2 Nov 98* 1445-1454
Elmasry, M.I., *see* Bellaouar, A., *T-CAS2 Mar 98* 415-417
Er-Wei Bai, *see* Tongwen Chen, *T-CAS2 Aug 98* 948-958
Etter, D.M., *see* Ford, C., *T-CAS2 Aug 98* 1165-1168
Eul-Sung Kang, see Jong-Han Kim, *T-CAS2 Aug 98* 1137-1140
Eweda, E. Tracking analysis of the sign algorithm without the Gaussian constraint; *T-CAS2 Jan 98* 115-122
Eweda, E. Maximum and minimum tracking performances of adaptive filtering algorithms over target weight cross correlations; *T-CAS2 Jun 98* 123-132
Exposito, A.G., *see* Macias, J.A.R., *T-CAS2 Apr 98* 525-527

F

Fan Chih-Peng, *see* Chih-Peng Fan, *T-CAS2 Mar 98* 429-432
Fan Kuo-Chin, *see* Chwen-Jye Sze, *T-CAS2 Aug 98* 1087-1092
Farrell, R., and O. Feely. Bounding the integrator outputs of second-order sigma-delta modulators; *T-CAS2 Jun 98* 691-702
Fedi, G., R. Giomi, A. Luchetta, S. Manetti, and M.C. Piccirilli. On the application of symbolic techniques to the multiple fault location in low testability analog circuits; *T-CAS2 Oct 98* 1383-1388
Feely, O., *see* Farrell, R., *T-CAS2 Jun 98* 691-702
Fernandez, F.V., O. Guerra, J. Rodriguez-Garcia, and A. Rodriguez-Vazquez. Symbolic analysis of large analog integrated circuits: the numerical reference generation problem; *T-CAS2 Oct 98* 1351-1361
Filiol, N.M., C. Plett, T.A.D. Riley, and M.A. Copeland. An interpolated frequency-hopping spread-spectrum transceiver; *T-CAS2 Jan 98* 3-12
Fliege, N.J., H. Kikuchi, T.Q. Nguyen, and P.P. Vaidyanathan. Guest editorial: Special issue on multirate systems, filter banks, wavelets, and applications [intro.]; *T-CAS2 Aug 98* 929-931
Ford, C., and D.M. Etter. Wavelet basis reconstruction of nonuniformly sampled data; *T-CAS2 Aug 98* 1165-1168
Fox, R.M. Design-oriented analysis of log-domain circuits; *T-CAS2 Jul 98* 918-921
Franca, J.E., see Goes, J., *T-CAS2 Dec 98* 1513-1526
Frey, D.R. State-space synthesis and analysis of log-domain filters; *T-CAS2 Sep 98* 1205-1211
Fridi, A., *see* Bellaouar, A., *T-CAS2 Mar 98* 415-417
Friedman, E.G., *see* Adler, V., *T-CAS2 May 98* 607-616

G

Galton, I., *see* Jensen, H.T., *T-CAS2 Jan 98* 13-27
Galton, I., see Jensen, H.T., *T-CAS2 Dec 98* 1538-1549
Gange, D., *see* Alnuweiri, H.M., *T-CAS2 Feb 98* 210-216
Gao, W., and W.M. Snelgrove. A linear integrated LC bandpass filter with Q-enhancement; *T-CAS2 May 98* 635-639
Gastaud, R., *see* Starck, J.-L., *T-CAS2 Aug 98* 1118-1124
Gielen, G.E., see Wambacq, P., *T-CAS2 Oct 98* 1331-1341
Gielen, G.G.E., and M.M. Hassoun. Guest editorial: Special section on symbolic circuit analysis techniques [intro.]; *T-CAS2 Oct 98* 1330-1331
Gielen, G.G.E., see Wambacq, P., *T-CAS2 Oct 98* 1342-1350
Giomi, R., see Fedi, G., *T-CAS2 Oct 98* 1383-1388
Goes, J., J.C. Vital, and J.E. Franca. Systematic design for optimization of high-speed self-calibrated pipelined A/D converters; *T-CAS2 Dec 98* 1513-1526
Goh, C.K., and Y.C. Lim. Novel approach for the design of two channel perfect reconstruction linear phase FIR filter banks; *T-CAS2 Aug 98* 1141-1146
Gomez Exposito, A., *see* Rosendo Macias, J.A., *T-CAS2 Feb 98* 256-260
Gosse, K., T. Karp, F.M. De Saint-Martin, P. Duhamel, and A. Mertins. MMSE design of modulated and tree-structured filter banks for efficient tradeoffs between rate, distortion, and decoder complexity; *T-CAS2 Aug 98* 1044-1056
Gotze, J., *see* Rieder, P., *T-CAS2 Feb 98* 217-226
Griffin, P., see Dalton, D., *T-CAS2 Nov 98* 1433-1444
Griffiths, D., *see* Willis, A.P., *T-CAS2 Dec 98* 1597-1599
Guan, L., see Kong, H., *T-CAS2 Mar 98* 422-428
Guerra, O., *see* Fernandez, F.V., *T-CAS2 Oct 98* 1351-1361
Guoan Bi, and Yan Qiu Chen. Fast DFT algorithms for length N=q*2^m; *T-CAS2 Jun 98* 685-690
Guo-Fang Xu, *see* Bose, T., *T-CAS2 Jul 98* 839-847
Guo Ning, *see* Ning Guo, *T-CAS2 Sep 98* 1299-1303

H

Hai-Lung Hung, *see* Chwen-Jye Sze, *T-CAS2 Aug 98* 1087-1092
Hamid, M.E., and Chien-In Henry Chen. A note to low-power linear feedback shift registers; *T-CAS2 Sep 98* 1304-1307
Han, G., and F. Sanchez-Sinencio. CMOS transconductance multipliers: A tutorial; *T-CAS2 Dec 98* 1550-1563
Handel, P. Markov-based single-tone frequency estimation; *T-CAS2 Feb 98* 230-232
Hardin, D.P., and D.W. Roach. Multiwavelet prefilters. I. Orthogonal prefilters preserving approximation order p/2; *T-CAS2 Aug 98* 1106-1112
Harjani, R., and T.A. Lee. FRC: a method for extending the resolution of Nyquist rate converters using oversampling; *T-CAS2 Apr 98* 482-494
Hartimo, I., *see* Kauraniemi, J., *T-CAS2 Jan 98* 41-52
Hashimoto, Y., *see* Kobayashi, M., *T-CAS2 Aug 98* 1125-1129
Hassoun, M.M., see Gielen, G.G.E., *T-CAS2 Oct 98* 1330-1331
Hassoun, M.M., *see* Shah, J.C., *T-CAS2 Oct 98* 1372-1382
Haurie, X., and G.W. Roberts. Arbitrary-precision signal generation for mixed-signal built-in-self-test; *T-CAS2 Nov 98* 1425-1432
Hegde, R., and B.A. Shenoi. Magnitude approximation of digital filters with specified degrees of flatness and constant group delay characteristics; *T-CAS2 Nov 98* 1476-1486
Helfenstein, M., and G.S. Moschytz. Improved two-step clock-feedthrough compensation technique for switched-current circuits; *T-CAS2 Jun 98* 739-743
Henry Chen Chien-In, see Hamid, M.E., *T-CAS2 Sep 98* 1304-1307
Herrmann, O.E., see Othon Glentis, G., *T-CAS2 Feb 98* 251-256
Hiasat, A.A., and S.H. Abdel-Aty-Zohdy. Residue-to-binary arithmetic converter for the moduli set (2^k, 2^k-1, 2^k-1); *T-CAS2 Feb 98* 204-209
Higa, Y., H. Ochi, and S. Kinjo. A subband adaptive filter with the statistically optimum analysis filter bank; *T-CAS2 Aug 98* 1150-1154
Himmelbauer, W., see Kumar, N., *T-CAS2 May 98* 600-606
Hlawatsch, F., see Bolcskei, H., *T-CAS2 Aug 98* 1057-1071
Hoi-Jun Yoo Dual-V_T self-timed CMOS logic for low subthreshold current multigigabit synchronous DRAM; *T-CAS2 Sep 98* 1263-1271
Ho Lee Moon, see Seung-Rae Lee, *T-CAS2 Mar 98* 436-441
Hong, L., G. Cheng, and C.K. Chui. A filter-bank-based Kalman filtering technique for wavelet estimation and decomposition of random signals; *T-CAS2 Feb 98* 237-241
Hong Ma, see Tang, Y.Y., *T-CAS2 Aug 98* 1130-1134
Hong-Yuan Mark Liao, see Chwen-Jye Sze, *T-CAS2 Aug 98* 1087-1092
Hoon Lee Yong, see Joon Tae Kim, *T-CAS2 Aug 98* 1031-1043
Horiuchi, T.K., see Morris, T.G., *T-CAS2 Dec 98* 1564-1572
Hsiang-Ling Li, and C. Chakrabarti. Hardware design of a 2-D motion estimation system based on the Hough transform; *T-CAS2 Jan 98* 80-95
Hsieh Jun-Wei, see Chwen-Jye Sze, *T-CAS2 Aug 98* 1087-1092
Hsu Chion-Ting, see Chion-Ting Hsu, *T-CAS2 Aug 98* 1097-1101
Hsu Liangchi, see Liangchi Hsu, *T-CAS2 Aug 98* 1002-1014
Hsung Tai-Chiu, see Tai-Chiu Hsung, *T-CAS2 May 98* 640-644
Huang, T.S., see Stroming, J.W., *T-CAS2 May 98* 556-562
Huang Ren-Jiun, see Shang-Yi Lin, *T-CAS2 Mar 98* 441-446
Huang Renyuan, see Renyuan Huang, *T-CAS2 Mar 98* 395-399
Hua Xu, see Wu-Sheng Lu, *T-CAS2 Jul 98* 922-926
Hua Xu, see Wu-Sheng Lu, *T-CAS2 Aug 98* 1146-1150
Hung Hai-Lung, see Chwen-Jye Sze, *T-CAS2 Aug 98* 1087-1092
Hu Yu-Hen, see Won-Ha Kim, *T-CAS2 Aug 98* 1015-1030
Hwang, J.-N., see Sun, M.-T., *T-CAS2 May 98* 644-648
Hwang Changku, see Motamed, A., *T-CAS2 Jul 98* 800-811
HyungJun Kim, and C.C. Li. Lossless and lossy image compression using biorthogonal wavelet transforms with multiplierless operations; *T-CAS2 Aug 98* 1113-1118
Hyun Nam Seung, see Seung Hyun Nam, *T-CAS2 Apr 98* 508-512

I

Ibrahim, M.K., *see* Aggoun, A., *T-CAS2 Jul 98* 857-868
Imai, M., *see* Kotani, K., *T-CAS2 Apr 98* 518-522
Innocenti, F., see Nesi, P., *T-CAS2 Mar 98* 361-375
Inoue, G., see Miyake, J., *T-CAS2 Sep 98* 1272-1278
Ismail, M., see Motamed, A., *T-CAS2 Jul 98* 800-811
Isshiki, T., see Joon Tae Kim, *T-CAS2 Aug 98* 1031-1043

Itoh, K., *see* Bellaouar, A., *T-CAS2 Mar 98* 415-417
Itoh, Y., *see* Kobayashi, M., *T-CAS2 Jun 98* 676-684

J

Jae-Yong Lee, *see* Jong-Han Kim, *T-CAS2 Aug 98* 1137-1140
Ja-Ling Wu, *see* Chion-Ting Hsu, *T-CAS2 Aug 98* 1097-1101
Jar-Ferr Yang, *see* Chih-Peng Fan, *T-CAS2 Mar 98* 429-432
Jen Chien-Wei, *see* Ching-Chao Yang, *T-CAS2 Jul 98* 908-913
Jens-Chyou Bor, and Chung-Yu Wu. Realization of the CMOS pulsewidth-modulation (PWM) neural network with on-chip learning; *T-CAS2 Jan 98* 96-107
Jensen, H.T., and I. Galton. A low-complexity dynamic element matching DAC for direct digital synthesis; *T-CAS2 Jan 98* 13-27
Jensen, H.T., and I. Galton. An analysis of the partial randomization dynamic element matching technique; *T-CAS2 Dec 98* 1538-1549
Jiang, J., *see* Tan, L., *T-CAS2 Dec 98* 1610-1615
Jian Li, *see* Zheng-She Liu, *T-CAS2 Mar 98* 321-329
Jie Wu, and E.I. El-Masry. Design of current-mode ladder filters using coupled-biquads; *T-CAS2 Nov 98* 1445-1454
Jiming Lin, *see* Tang, Y.Y., *T-CAS2 Aug 98* 1130-1134
Jing-Jou Tang, *see* Kuen-Jong Lee, *T-CAS2 Jan 98* 133-137
Johns, D.A., *see* Shakiba, M.H., *T-CAS2 Dec 98* 1527-1537
Jong-Han Kim, Jae-Yong Lee, Eui-Sung Kang, and Sung-Jea Ko. Region-based wavelet transform for image compression; *T-CAS2 Aug 98* 1137-1140
Jong-Jy Shyu, *see* Soo-Chang Pei, *T-CAS2 Jun 98* 665-675
Joo Kyung Sub, *see* Bose, T., *T-CAS2 Jul 98* 839-847
Joon Tae Kim, Yong Hoon Lee, T. Isshiki, and H. Kunieda. Scalable VLSI architectures for lattice structure-based discrete wavelet transform; *T-CAS2 Aug 98* 1031-1043
Jorge, P.J.S.G. A comment on the approximation of signals by Gaussian functions; *T-CAS2 Feb 98* 250-251
Jouberti, T.-H., *see* Seevinck, E., *T-CAS2 Sep 98* 1250-1254
Jou Shyh-Jye, *see* Shyh-Jye Jou, *T-CAS2 May 98* 617-625
Jou Shyh-Jye, *see* Shyh-Jye Jou, *T-CAS2 Nov 98* 1487-1494
Jun-Wei Hsieh, *see* Chwen-Jye Sze, *T-CAS2 Aug 98* 1087-1092

K

Kaneko, M., *see* Resende, F.G.V., Jr., *T-CAS2 May 98* 592-599
Kang, S.M., *see* Stroming, J.W., *T-CAS2 May 98* 556-562
Kang, V., *see* Stroming, J.W., *T-CAS2 May 98* 556-562
Kang Eui-Sung, *see* Jong-Han Kim, *T-CAS2 Aug 98* 1137-1140
Karp, T., *see* Gosse, K., *T-CAS2 Aug 98* 1044-1056
Karybakas, C.A., *see* Papazoglou, C.A., *T-CAS2 Jul 98* 894-898
Katti, R.S. Test pattern generation and signature analysis for burst errors; *T-CAS2 Mar 98* 410-414
Kauraniemi, J., T.I. Laakso, I. Hartimo, and S.J. Ovaska. Delta operator realizations of direct-form IIR filters; *T-CAS2 Jan 98* 41-52
Keramat, M., and R. Kielbasa. A study of stratified sampling in variance reduction techniques for parametric yield estimation; *T-CAS2 May 98* 575-583
Key Lee Moon, *see* Seung Hyun Nam, *T-CAS2 Apr 98* 508-512
Khoury, J.M. On the design of constant settling time AGC circuits; *T-CAS2 Mar 98* 283-294
Kielbasa, R., *see* Keramat, M., *T-CAS2 May 98* 575-583
Ki-Il Kum, *see* Seehyun Kim, *T-CAS2 Nov 98* 1455-1464
Kikuchi, H., *see* Fliege, N.J., *T-CAS2 Aug 98* 929-931
Kim, J.H., and K.S. Yoon. An 8-bit CMOS 3.3-V-65-MHz digital-to-analog converter with a symmetric two-stage current cell matrix architecture; *T-CAS2 Dec 98* 1605-1609
Kim HyungJun, *see* HyungJun Kim, *T-CAS2 Aug 98* 1113-1118
Kim Jong-Han, *see* Jong-Han Kim, *T-CAS2 Aug 98* 1137-1140
Kim Joon Tae, *see* Joon Tae Kim, *T-CAS2 Aug 98* 1031-1043
Kim Seehyun, *see* Seehyun Kim, *T-CAS2 Nov 98* 1455-1464
Kim Soo-Won, *see* Byung-Moo Min, *T-CAS2 Nov 98* 1508-1511
Kim Won-Ha, *see* Won-Ha Kim, *T-CAS2 Aug 98* 1015-1030
Kinjo, S., *see* Higa, Y., *T-CAS2 Aug 98* 1150-1154
Kirac, A., *see* Vaidyanathan, P.P., *T-CAS2 Aug 98* 932-947
Kobayashi, M., Y. Takagi, J. Okello, and Y. Itoh. An IIR adaptive filter based on estimation of all-pass system; *T-CAS2 Jun 98* 676-684
Kobayashi, M., M. Sakamoto, T. Saito, Y. Hashimoto, M. Nishimura, and K. Suzuki. Wavelet analysis used in text-to-speech synthesis; *T-CAS2 Aug 98* 1125-1129
Kobayashi, Y., *see* Xiao, Y., *T-CAS2 Apr 98* 462-472
Kong, H., and L. Guan. A noise-exclusive adaptive filtering framework for removing impulse noise in digital images; *T-CAS2 Mar 98* 422-428
Ko Sung-Jea, *see* Jong-Han Kim, *T-CAS2 Aug 98* 1137-1140
Kotani, K., T. Shibata, M. Imai, and T. Ohmi. Clock-controlled neuron-MOS logic gates; *T-CAS2 Apr 98* 518-522
Kouwenhoven, M.H.L., *see* Mulder, J., *T-CAS2 Sep 98* 1199-1204
Krishnapura, N., *see* Toth, L., *T-CAS2 Sep 98* 1242-1249
Kuen-Jong Lee, and Jing-Jou Tang. A built-in current sensor based on current-mode design; *T-CAS2 Jan 98* 133-137
Kuh, E.S., and I.W. Sandberg. In memoriam - Sidney Darlington (July 18, 1906-October 31, 1997); *T-CAS2 Jan 98* 1-2
Kumar, N., W. Himmelbauer, G. Cauwenberghs, and A.G. Andreou. An analog VLSI chip with asynchronous interface for auditory feature extraction; *T-CAS2 May 98* 600-606
Kum Ki-Il, *see* Seehyun Kim, *T-CAS2 Nov 98* 1455-1464
Kunieda, H., *see* Joon Tae Kim, *T-CAS2 Aug 98* 1031-1043
Kuo, T.-H., *see* Chen, K.-D., *T-CAS2 Dec 98* 1615-1621
Kuo-Chin Fan, *see* Chwen-Jye Sze, *T-CAS2 Aug 98* 1087-1092
Kyung Sub Joo, *see* Bose, T., *T-CAS2 Jul 98* 839-847

L

Laakso, T.I., *see* Kauraniemi, J., *T-CAS2 Jan 98* 41-52
Lacaita, A.L., *see* Samori, C., *T-CAS2 Jul 98* 781-790
Lacaita, A.L., and C. Samori. Phase-noise performance of crystal-like LC tanks; *T-CAS2 Jul 98* 898-900
Lambotharan, S., and J.A. Chambers. A new blind equalization structure for deep-null communication channels; *T-CAS2 Jan 98* 108-114
Lam Ringo Wai-Kit, *see* Ringo Wai-Kit Lam, *T-CAS2 Mar 98* 387-391
Lang, T., *see* Boo, M., *T-CAS2 Jan 98* 163-168
Larsson, P. A simulator core for charge-pump PLLs; *T-CAS2 Sep 98* 1323-1326
Lee, C.-H., J. Cornish, K. McClellan, and J. Choma, Jr. Current-mode approach for wide-gain bandwidth product architecture; *T-CAS2 May 98* 626-631
Lee, T.A., *see* Harjani, R., *T-CAS2 Apr 98* 482-494
Lee Jae-Yong, *see* Jong-Han Kim, *T-CAS2 Aug 98* 1137-1140
Lee Kuen-Jong, *see* Kuen-Jong Lee, *T-CAS2 Jan 98* 133-137
Lee Moon Ho, *see* Seung-Rae Lee, *T-CAS2 Mar 98* 436-441
Lee Moon Key, *see* Seung Hyun Nam, *T-CAS2 Apr 98* 508-512
Lee Seung-Rae, *see* Seung-Rae Lee, *T-CAS2 Mar 98* 436-441
Lee Te-Won, *see* Motamed, M., *T-CAS2 Jan 98* 144-147
Lee Yong Hoon, *see* Joon Tae Kim, *T-CAS2 Aug 98* 1031-1043
Lehmann, T. Classical conditioning with pulsed integrated neural networks: circuits and system; *T-CAS2 Jun 98* 720-728
Lehther, D., and S.S. Sapatnekar. Moment-based techniques for RLC clock tree construction; *T-CAS2 Jan 98* 69-79
Leung, K.S., *see* Li, Y.Y., *T-CAS2 May 98* 563-574
Leung, Y.-W., *see* Zhang, Q., *T-CAS2 Dec 98* 1599-1601
Li, B.F., *see* Tang, Y.Y., *T-CAS2 Aug 98* 1130-1134
Li, C.C., *see* HyungJun Kim, *T-CAS2 Aug 98* 1113-1118
Li, Y.Y., S.K. Cheung, K.S. Leung, and C.K. Wong. Steiner tree constructions in λ_3-metric; *T-CAS2 May 98* 563-574
Liangchi Hsu, and K.R. Rao. Wavelet and lapped orthogonal transforms with overlapped motion-compensation for multiresolution coding of HDTV; *T-CAS2 Aug 98* 1002-1014
Liao Hong-Yuan Mark, *see* Chwen-Jye Sze, *T-CAS2 Aug 98* 1087-1092
Li Chi-Kwong, *see* Ringo Wai-Kit Lam, *T-CAS2 Mar 98* 387-391
Li Hsiang-Ling, *see* Hsiang-Ling Li, *T-CAS2 Jan 98* 80-95
Li Jian, *see* Zheng-She Liu, *T-CAS2 Mar 98* 321-329
Lim, Y.C., *see* Goh, C.K., *T-CAS2 Aug 98* 1141-1146
Lim, Y.C., and S.H. Low. Frequency-response masking approach for the synthesis of sharp two-dimensional diamond-shaped filters; *T-CAS2 Dec 98* 1573-1584
Lin Jiming, *see* Tang, Y.Y., *T-CAS2 Aug 98* 1130-1134
Lin Shang-Yi, *see* Shang-Yi Lin, *T-CAS2 Mar 98* 441-446
Lin Yih-Chuan, *see* Yih-Chuan Lin, *T-CAS2 Mar 98* 432-435
Lin Yuan-Pei, *see* Yuan-Pei Lin, *T-CAS2 Mar 98* 340-351
Lipo Wang Learning and retrieving spatio-temporal sequences with any static associative neural network; *T-CAS2 Jun 98* 729-738
Lipo Wang On the dynamics of discrete-time, continuous-state Hopfield neural networks; *T-CAS2 Jun 98* 747-749
Li Qiu, *see* Tongwen Chen, *T-CAS2 Aug 98* 948-958
Liu, D., *see* Lu, Z., *T-CAS2 Dec 98* 1601-1605
Liu, H., *see* Chuang, S., *T-CAS2 May 98* 535-546
Liu, K.J.R., *see* Chen, J., *T-CAS2 May 98* 653-660
Liu Zheng-She, *see* Zheng-She Liu, *T-CAS2 Mar 98* 321-329
Low, S.H., *see* Lim, Y.C., *T-CAS2 Dec 98* 1573-1584
Lu, A.K., and G.W. Roberts. An oversampling-based analog multitone signal generator; *T-CAS2 Mar 98* 391-394
Lu, Z., and D. Liu. A new synthesis procedure for a class of cellular neural networks with space-invariant cloning template; *T-CAS2 Dec 98* 1601-1605
Luchetta, A., *see* Fedi, G., *T-CAS2 Oct 98* 1383-1388
Lun Daniel Pak-Kong, *see* Tai-Chiu Hsung, *T-CAS2 May 98* 640-644
Luong, H.C., *see* Shing-Tak Yan, *T-CAS2 Jul 98* 876-880
Lu Wu-Sheng, *see* Wu-Sheng Lu, *T-CAS2 Mar 98* 417-422
Lu Wu-Sheng, *see* Wu-Sheng Lu, *T-CAS2 Jul 98* 922-926
Lu Wu-Sheng, *see* Wu-Sheng Lu, *T-CAS2 Aug 98* 1146-1150
Lu Wu-Sheng, *see* Wu-Sheng Lu, *T-CAS2 Sep 98* 1289-1298

M

Macias, J.A.R., and A.G. Exposito. Recursive formulation of short-time discrete trigonometric transforms; *T-CAS2 Apr 98* 525-527
Macleod, M.D., *see* Dempster, A.G., *T-CAS2 Feb 98* 242-243
Macleod, M.D., *see* Dempster, A.G., *T-CAS2 Jun 98* 761-763
Mahattanasai, J., and C. Toumazou. Current-mode versus voltage-mode G_m-C biquad filters: what the theory says; *T-CAS2 Feb 98* 173-186
Mahmoud, S.A., and A.M. Soliman. The differential difference operational floating amplifier: a new block for analog signal processing in MOS technology; *T-CAS2 Jan 98* 148-158
Ma Hong, *see* Tang, Y.Y., *T-CAS2 Aug 98* 1130-1134
Majumdar, M., and K.K. Parhi. Design of data format converters using two-dimensional register allocation; *T-CAS2 Apr 98* 504-508
Maloberti, F., and W.-C. Siu. Guest editorial: Introduction to the special issue on ISCAS'97; *T-CAS2 May 98* 533
Manetti, S., *see* Fedi, G., *T-CAS2 Oct 98* 1383-1388
Manganaro, G., and J.P. De Gyvez. A four-quadrant S^2I switched-current multiplier; *T-CAS2 Jul 98* 791-799
Manku, T., G. Beck, and J. Shin. A low-voltage design technique for RF integrated circuits; *T-CAS2 Oct 98* 1408-1413
Mark Liao Hong-Yuan, *see* Chwen-Jye Sze, *T-CAS2 Aug 98* 1087-1092
Marques, A., V. Peluso, M.S. Steyaert, and W.M. Sansen. Optimal parameters for $\Delta\Sigma$ modulator topologies; *T-CAS2 Sep 98* 1232-1241
Martin, E., *see* Baganne, A., *T-CAS2 May 98* 584-591
Martin, K.W. Small side-lobe filter design for multitone data-communication applications; *T-CAS2 Aug 98* 1155-1161
Martin, K.W., *see* Shakiba, M.H., *T-CAS2 Dec 98* 1527-1537
Martinez, D. Time-adaptive vector A/D conversion; *T-CAS2 Oct 98* 1420-1424
Martins, R.P., *see* Tam, K.W., *T-CAS2 May 98* 632-634

Mason, R., B. Simon, and K.Runtz. Integrated circuit signal measurements using an undersampling approach; *T-CAS2 Nov 98* 1502-1504
Mastorakis, N.E. A method for computing the 2-D stability margin; *T-CAS2 Mar 98* 376-379
Mattisson, S., *see* Sjoland, H., *T-CAS2 Jul 98* 873-875
McClellan, K., *see* Lee, C.-H., *T-CAS2 May 98* 626-631
McCormick, W.S., *see* Miller, D.F., *T-CAS2 Jan 98* 158-162
Mehr, I., and T.L. Sculley. Oversampling current sample/hold structures for digital CMOS process implementation; *T-CAS2 Feb 98* 196-203
Mei-Qin Chen, *see* Bose, T., *T-CAS2 Jul 98* 839-847
Mertins, A., *see* Gosse, K., *T-CAS2 Aug 98* 1044-1056
Meyer-Base, U., S. Wolf, and F. Taylor. Accumulator-synthesizer with error-compensation; *T-CAS2 Jul 98* 885-890
Mickle, M.H., *see* Paul, J.M., *T-CAS2 Nov 98* 1465-1475
Miller, D.F., and W.S. McCormick. An arithmetic free parallel mixed-radix conversion algorithm; *T-CAS2 Jan 98* 158-162
Milor, L.S. A tutorial introduction to research on analog and mixed-signal circuit testing; *T-CAS2 Oct 98* 1389-1407
Min Byung-Moo, *see* Byung-Moo Min, *T-CAS2 Nov 98* 1508-1511
Min-Hung Yeh, *see* Soo-Chang Pei, *T-CAS2 Jun 98* 665-675
Miyake, J., M. Urano, G. Inoue, J. Yano, S. Tsubata, T. Nishiyama, and S. Yamaguchi. Architecture of 23GOPS video signal processor with programmable systolic array; *T-CAS2 Sep 98* 1272-1278
Montefusco, L.B., *see* Cotronei, M., *T-CAS2 Aug 98* 970-987
Monteiro, M.A.M., *see* Petraglia, A., *T-CAS2 Jul 98* 890-894
Moody, E.B. An efficient frequency-domain algorithm for discrete orthogonal basis restoration; *T-CAS2 Apr 98* 522-525
Moon Ho Lee, *see* Seung-Rae Lee, *T-CAS2 Mar 98* 436-441
Moon Key Lee, *see* Seung Hyun Nam, *T-CAS2 Apr 98* 508-512
Morandi, C., *see* Boni, A., *T-CAS2 Mar 98* 403-406
Morris, T.G., T.K. Horiuchi, and S.P. DeWeerth. Object-based selection within an analog VLSI visual attention system; *T-CAS2 Dec 98* 1564-1572
Moschytz, G.S., *see* Helfenstein, M., *T-CAS2 Jun 98* 739-743
Motamed, A., Changku Hwang, and M. Ismail. A low-voltage low-power wide-range CMOS variable gain amplifier; *T-CAS2 Jul 98* 800-811
Motamed, M., A. Zakhor, S. Sanders, and Te-Won Lee. Spectral characteristics of the double-loop sigma-delta modulator; *T-CAS2 Jan 98* 144-147
Mulder, J., M.H.L. Kouwenhoven, W.A. Serdijin, A.C. Van der Woerd, and A.H.M. Van Roermund. Noise considerations for translinear filters; *T-CAS2 Sep 98* 1199-1204
Mulgrew, B., *see* Patra, S.K., *T-CAS2 Jul 98* 812-820
Murphy, T., *see* Dalton, D., *T-CAS2 Nov 98* 1433-1444
Murray, A.F., *see* Edwards, P.J., *T-CAS2 Sep 98* 1255-1262
Murtagh, F., *see* Starck, J.-L., *T-CAS2 Aug 98* 1118-1124
Myler, H.R., *see* Rabadi, W.A., *T-CAS2 Aug 98* 1134-1136

N

Nam Seung Hyun, *see* Seung Hyun Nam, *T-CAS2 Apr 98* 508-512
Nesi, P., F. Innocenti, and P. Pezzati. RETIMAC: REal-TIme Motion Analysis Chip; *T-CAS2 Mar 98* 361-375
Newcomb, R.W., *see* Sellami, L., *T-CAS2 Apr 98* 512-518
Nguyen, T.Q., *see* Fliege, N.J., *T-CAS2 Aug 98* 929-931
Nguyen, T.Q., *see* Won-Ha Kim, *T-CAS2 Aug 98* 1015-1030
Ning Guo, and R. Raut. Realization of low power wide-band analog systems using a CMOS transconductor; *T-CAS2 Sep 98* 1299-1303
Nishihara, A., *see* Resende, F.G.V., Jr., *T-CAS2 May 98* 592-599
Nishimura, M., *see* Kobayashi, M., *T-CAS2 Aug 98* 1125-1129
Nishiyama, T., *see* Miyake, J., *T-CAS2 Sep 98* 1272-1278
Nix, A., *see* Perry, R., *T-CAS2 Jul 98* 868-873
Nordebo, S., *see* Nordholm, S.E., *T-CAS2 Jan 98* 141-143
Nordholm, S.E., V. Rehbock, K.L. Tee, and S. Nordebo. Chebyshev optimization for the design of broadband beamformers in the near field; *T-CAS2 Jan 98* 141-143
Nossek, J.S., *see* Rieder, P., *T-CAS2 Feb 98* 217-226
Nuri, V. Space-frequency adaptive subband image coding; *T-CAS2 Aug 98* 1168-1173

O

Ochi, H., *see* Higa, Y., *T-CAS2 Aug 98* 1150-1154
Ochoa, A., Jr. A systematic approach to the analysis of general and feedback circuits and systems using signal flow graphs and driving-point impedance; *T-CAS2 Feb 98* 187-195
Ogawa, K., T. Shibata, T. Ohmi, M. Takatsu, and N. Yokoyama. Multiple-input neuron MOS operational amplifier for voltage-mode multivalued full adders; *T-CAS2 Sep 98* 1307-1311
Ohmi, T., *see* Yu, N.M., *T-CAS2 Apr 98* 495-503
Ohmi, T., *see* Kotani, K., *T-CAS2 Apr 98* 518-522
Ohmi, T., *see* Ogawa, K., *T-CAS2 Sep 98* 1307-1311
Okello, J., *see* Kobayashi, M., *T-CAS2 Jun 98* 676-684
Opris, I.E. Rail-to-rail multiple-input min/max circuit; *T-CAS2 Jan 98* 137-140
Othon Glentis, G., C.H. Slump, and O.E. Herrmann. A versatile algorithm for two-dimensional symmetric noncausal modeling; *T-CAS2 Feb 98* 251-256
Otte, R., L.P. De Jong, and A.H.M. Van Roermund. Slot synchronization by reducing the PPM pulsewidth in wireless optical systems; *T-CAS2 Jul 98* 901-903
Ovaska, S.J., *see* Kauraniemi, J., *T-CAS2 Jan 98* 41-52

P

Pak-Kong Lun Daniel, *see* Tai-Chiu Hsung, *T-CAS2 May 98* 640-644
Palmisano, G., G. Palumbo, and S. Pennisi. Harmonic distortion on class AB CMOS current output stages; *T-CAS2 Feb 98* 243-250
Palumbo, G., *see* Palmisano, G., *T-CAS2 Feb 98* 243-250
Papavassiliou, C., *see* Payne, A., *T-CAS2 Sep 98* 1220-1231
Papazoglou, C.A., and C.A. Karybakas. A transformation to obtain CCII-based adjoint of op.-amp.-based circuits; *T-CAS2 Jul 98* 894-898
Parhi, K.K., *see* Majumdar, M., *T-CAS2 Apr 98* 504-508
Parhi, K.K., *see* Denk, T.C., *T-CAS2 Jul 98* 821-838
Parhi, K.K., *see* Chang, Y.-N., *T-CAS2 Dec 98* 1585-1596
Patra, S.K., and B. Mulgrew. Efficient architecture for Bayesian equalization using fuzzy filters; *T-CAS2 Jul 98* 812-820
Paul, J.M., and M.H. Mickle. Three-dimensional computational pipelining with minimal latency and maximum throughput for L-U factorization; *T-CAS2 Nov 98* 1465-1475
Payne, A., and C. Toumazou. Guest editorial: Special section on instantaneous companding in analog signal processing [intro.]; *T-CAS2 Sep 98* 1179-1180
Payne, A., N. Thanachayanont, and C. Papavassiliou. A 150-MHz translinear phase-locked loop; *T-CAS2 Sep 98* 1220-1231
Pei, S.-C., see Wu-Sheng Lu, *T-CAS2 Mar 98* 417-422
Pei Soo-Chang, see Soo-Chang Pei, *T-CAS2 Feb 98* 232-237
Pei Soo-Chang, see Soo-Chang Pei, *T-CAS2 May 98* 649-653
Pei Soo-Chang, see Soo-Chang Pei, *T-CAS2 Jun 98* 665-675
Peluso, V., *see* Marques, A., *T-CAS2 Sep 98* 1232-1241
Pennisi, S., *see* Palmisano, G., *T-CAS2 Feb 98* 243-250
Perry, R., D.R. Bull, and A. Nix. Pipelined DFE architectures using delayed coefficient adaptation; *T-CAS2 Jul 98* 868-873
Petraglia, A., and M.A.M. Monteiro. A switched-capacitor filter having very low sensitivity to capacitance ratio errors and to finite amplifier gains; *T-CAS2 Jul 98* 890-894
Pezzati, P., *see* Nesi, P., *T-CAS2 Mar 98* 361-375
Philippe, J.-L., see Baganne, A., *T-CAS2 May 98* 584-591
Piccirilli, M.C., see Fedi, G., *T-CAS2 Oct 98* 1383-1388
Pitas, I., *see* Siskos, S., *T-CAS2 Jul 98* 913-918
Plataniotis, K.N., D. Androutsos, and A.N. Venetsanopoulos. Color image processing using adaptive vector directional filters; *T-CAS2 Oct 98* 1414-1419
Plett, C., *see* Filiol, N.M., *T-CAS2 Jan 98* 3-12
Po-Cheng Chen, see Wen-Rong Wu, *T-CAS2 Aug 98* 1072-1083
Premkumar, A.B., M. Bhardwaj, and T. Srikanthan. High-speed and low-cost reverse converters for the (2n-1, 2n, 2n+1) moduli set; *T-CAS2 Jul 98* 903-908
Principe, J., see Edmonson, W., *T-CAS2 Mar 98* 379-384
Puccio, L., *see* Cotronei, M., *T-CAS2 Aug 98* 970-987

Q

Qiu Chen Yan, see Guoan Bi, *T-CAS2 Jul 98* 685-690
Qiu Li, see Tongwen Chen, *T-CAS2 Aug 98* 948-958

R

Rabadi, W.A., and H.R. Myler. A fast wavelet-based algorithm for signal recovery from partial Fourier domain information; *T-CAS2 Aug 98* 1134-1136
Rao, K.R., *see* Liangchi Hsu, *T-CAS2 Aug 98* 1002-1014
Raut, R., see Ning Guo, *T-CAS2 Sep 98* 1299-1303
Rehbock, V., see Nordholm, S.E., *T-CAS2 Jan 98* 141-143
Ren-Jiun Huang, see Shang-Yi Lin, *T-CAS2 Mar 98* 441-446
Renyuan Huang, and Chin-Long Wey. A high-accuracy CMOS oversampling switched-current sample/hold (S/H) circuit using feedforward approach; *T-CAS2 Mar 98* 395-399
Resende, F.G.V., Jr., P.S.R. Diniz, K. Tokuda, M. Kaneko, and A. Nishihara. New adaptive algorithms based on multi-band decomposition of the error signal; *T-CAS2 May 98* 592-599
Reyhani, H., see Dalton, D., *T-CAS2 Nov 98* 1433-1444
Rieder, P., J. Gotze, J.S. Nossek, and C.S. Burrus. Parameterization of orthogonal wavelet transforms and their implementation; *T-CAS2 Feb 98* 217-226
Riley, T.A.D., see Filiol, N.M., *T-CAS2 Jan 98* 3-12
Rincon-Mora, G.A., and P.E. Allen. Optimized frequency-shaping circuit topologies for LDOs; *T-CAS2 Jun 98* 703-708
Rincon-Mora, G.A., see Bialock, B.J., *T-CAS2 Jul 98* 769-780
Ringo Wai-Kit Lam, and Chi-Kwong Li. A fast algorithm for morphological operations with flat structuring element; *T-CAS2 Mar 98* 387-391
Roach, D.W., *see* Hardin, D.P., *T-CAS2 Aug 98* 1106-1112
Roberts, G.W., see Lu, A.K., *T-CAS2 Mar 98* 391-394
Roberts, G.W., see El-Gamal, M., *T-CAS2 Sep 98* 1188-1198
Roberts, G.W., see Haurie, X., *T-CAS2 Nov 98* 1425-1432
Rodriguez-Garcia, J., *see* Fernandez, F.V., *T-CAS2 Oct 98* 1351-1361
Rodriguez-Vazquez, A., see Fernandez, F.V., *T-CAS2 Oct 98* 1351-1361
Rombouts, P., and L. Weyten. A digital error-averaging technique for pipelined A/D conversion; *T-CAS2 Sep 98* 1321-1323
Rosendo Macias, J.A., and A. Gomez Exposito. Efficient moving-window DFT algorithms; *T-CAS2 Feb 98* 256-260
Runtz, K., see Mason, R., *T-CAS2 Nov 98* 1502-1504
Rutkowski, L., see Bilski, J., *T-CAS2 Jun 98* 749-753

S

Saito, T., *see* Kobayashi, M., *T-CAS2 Aug 98* 1125-1129
Sakamoto, M., see Kobayashi, M., *T-CAS2 Aug 98* 1125-1129
Samori, C., A.L. Lacaita, F. Villa, and F. Zappa. Spectrum folding and phase noise in LC tuned oscillators; *T-CAS2 Jul 98* 781-790
Samori, C., see Lacaita, A.L., *T-CAS2 Jul 98* 898-900
Sanchez-Sinencio, E., see Han, G., *T-CAS2 Dec 98* 1550-1563
Sandberg, I.W., *see* Kuh, E.S., *T-CAS2 Jan 98* 1-2
Sanders, S., see Motamed, M., *T-CAS2 Jan 98* 144-147
Sansen, W., see Wambacq, P., *T-CAS2 Oct 98* 1331-1341
Sansen, W., see Wambacq, P., *T-CAS2 Oct 98* 1342-1350
Sansen, W.M., see Marques, A., *T-CAS2 Sep 98* 1232-1241
Sapatnekar, S.S., see Lehther, D., *T-CAS2 Jan 98* 69-79
Sapatnekar, S.S., see Shah, J.C., *T-CAS2 Oct 98* 1372-1382
Satyanarayana, J.H., see Chang, Y.-N., *T-CAS2 Dec 98* 1585-1596
Schaumann, R. Simulating lossless ladders with transconductance-C circuits; *T-CAS2 Mar 98* 407-410

Schneider, R.S., and H.C. Card. Analog hardware implementation issues in deterministic Boltzmann machines; *T-CAS2 Mar 98* 352-360
Sculley, T.L., *see* Mehr, I., *T-CAS2 Feb 98* 196-203
Sculley, T.L., *see* Chuang, S., *T-CAS2 May 98* 535-546
Seehyun Kim, Ki-Il Kum, and Wonyong Sung. Fixed-point optimization utility for C and C++ based digital signal processing programs; *T-CAS2 Nov 98* 1455-1464
Seevinck, E., M. Du Plessis, T.-H. Joubert, and A.E. Theron. Active-bootstrapped gain-enhancement technique for low-voltage circuits; *T-CAS2 Sep 98* 1250-1254
Selesnick, I.W., and C.S. Burrus. Maximally flat low-pass FIR filters with reduced delay; *T-CAS2 Jan 98* 53-68
Sellami, L., and R.W. Newcomb. Lossy synthesis of digital lattice filters; *T-CAS2 Apr 98* 512-518
Serdijin, W.A., *see* Mulder, J., *T-CAS2 Sep 98* 1199-1204
Serikawa, S., *see* Takagi, K., *T-CAS2 Nov 98* 1505-1507
Seung Hyun Nam, and Moon Key Lee. High-throughput block-matching VLSI architecture with low memory bandwidth; *T-CAS2 Apr 98* 508-512
Seung-Rae Lee, and Moon Ho Lee. On the reverse jacket matrix for weighted Hadamard transform; *T-CAS2 Mar 98* 436-441
Shah, J.C., A.A. Younis, S.S. Sapatnekar, and M.M. Hassoun. An algorithm for simulating power/ground networks using Pade approximants and its symbolic implementation; *T-CAS2 Oct 98* 1372-1382
Shakiba, M.H., D.A. Johns, and K.W. Martin. BiCMOS circuits for analog Viterbi decoders; *T-CAS2 Dec 98* 1527-1537
Shang-Yi Lin, Ren-Jiun Huang, and Tzi-Dar Chiueh. A tunable Gaussian/square function computation circuit for analog neural networks; *T-CAS2 Mar 98* 441-446
Shen-Chuan Tai, *see* Yih-Chuan Lin, *T-CAS2 Mar 98* 432-435
Shenoi, B.A., *see* Hegde, R., *T-CAS2 Nov 98* 1476-1486
Shenoy, R.G. Multirate specifications via alias-component matrices; *T-CAS2 Mar 98* 314-320
Sheu, B.J., *see* Chen, D.C., *T-CAS2 Mar 98* 384-387
Sheu, B.J., *see* Chou, E.Y., *T-CAS2 Jun 98* 709-719
Sheu, B.J., *see* Chou, E.Y., *T-CAS2 Jul 98* 848-856
Shibata, T., *see* Yu, N.M., *T-CAS2 Apr 98* 495-503
Shibata, T., *see* Kotani, K., *T-CAS2 Apr 98* 518-522
Shibata, T., *see* Ogawa, K., *T-CAS2 Sep 98* 1307-1311
Shin, E.J., *see* Manku, T., *T-CAS2 Oct 98* 1408-1413
Shing-Tak Yan, and H.C. Luong. A 3-V 1.3-to-1.8-GHz CMOS voltage-controlled oscillator with 0.3-ps jitter; *T-CAS2 Jul 98* 876-880
Shou-Yang Wu, see Shyh-Jye Jou, *T-CAS2 Nov 98* 1487-1494
Shyh-Jye Jou, and Tsu-Lin Chen. On-chip voltage down converter for low-power digital system; *T-CAS2 May 98* 617-625
Shyh-Jye Jou, Shou-Yang Wu, and Chorng-Kuang Wang. Low-power multirate architecture for IF digital frequency down converter; *T-CAS2 Nov 98* 1487-1494
Shyu Jong-Jy, see Soo-Chang Pei, *T-CAS2 Jun 98* 665-675
Simon, B., see Mason, R., *T-CAS2 Nov 98* 1502-1504
Siskos, S., S. Vlassis, and I. Pitas. Analog implementation of fast min/max filtering; *T-CAS2 Jul 98* 913-918
Siu, W.-C., see Maloberti, F., *T-CAS2 May 98* 533
Siu Wan-Chi, see Choy, C.S.-T., *T-CAS2 Nov 98* 1494-1502
Sjoland, H., and S. Mattisson. Intermodulation noise related to THD in dynamic nonlinear wide-band amplifiers; *T-CAS2 Jul 98* 873-875
Slump, C.H., see Othon Glentis, G., *T-CAS2 Feb 98* 251-256
Snelgrove, W.M., see Bazarjani, S., *T-CAS2 May 98* 547-555
Snelgrove, W.M., see Gao, W., *T-CAS2 May 98* 635-639
Soliman, A.M., see Mahmoud, S.A., *T-CAS2 Jan 98* 148-158
Soo-Chang Pei, Chien-Cheng Tseng, and Wen-Sing Yang. FIR filter designs with linear constraints using the eigenfilter approach; *T-CAS2 Feb 98* 232-237
Soo-Chang Pei, and Chien-Cheng Tseng. A comb filter design using fractional-sample delay; *T-CAS2 May 98* 649-653
Soo-Chang Pei, Chien-Cheng Tseng, Min-Hung Yeh, and Jong-Jy Shyu. Discrete fractional Hartley and Fourier transforms; *T-CAS2 Jun 98* 665-675
Soo-Won Kim, see Byung-Moo Min, *T-CAS2 Nov 98* 1508-1511
Spalding, G., see Dalton, D., *T-CAS2 Nov 98* 1433-1444
Srikanthan, T., see Premkumar, A.B., *T-CAS2 Jul 98* 903-908
Srinivasan, K., see Edmonson, W., *T-CAS2 Mar 98* 379-384
Starck, J.-L., F. Murtagh, and R. Gastaud. A new entropy measure based on the wavelet transform and noise modeling [image compression]; *T-CAS2 Aug 98* 1118-1124
Steyaert, M.S., see Marques, A., *T-CAS2 Sep 98* 1232-1241
Steyaert, M.S.J., see Crols, J., *T-CAS2 Mar 98* 269-282
Stroming, J.W., Y. Kang, S.M. Kang, and T.S. Huang. New architectures for M4R shape coding; *T-CAS2 May 98* 556-562
Sub Joo Kyung, see Bose, T., *T-CAS2 Jul 98* 839-847
Sun, M.-T., T.-D. Wu, and J.-N. Hwang. Dynamic bit allocation in video combining for multipoint conferencing; *T-CAS2 May 98* 644-648
Sundararajan, D., M.O. Ahmad, and M.N.S. Swamy. Vector computation of the discrete Fourier transform; *T-CAS2 Apr 98* 449-461
Sung-Jea Ko, see Jong-Han Kim, *T-CAS2 Aug 98* 1137-1140
Sung Wonyong, see Seehyun Kim, *T-CAS2 Nov 98* 1455-1464
Suyama, K., see Dec, A., *T-CAS2 Jun 98* 757-760
Suzuki, K., see Kobayashi, M., *T-CAS2 Aug 98* 1125-1129
Swamy, M.N.S., see Sundararajan, D., *T-CAS2 Apr 98* 449-461
Swamy, M.N.S., see Zhu, W.-P., *T-CAS2 Aug 98* 1161-1165
Sze Chwen-Jye, see Chwen-Jye Sze, *T-CAS2 Aug 98* 1087-1092

T

Tadokoro, Y., see Xiao, Y., *T-CAS2 Apr 98* 462-472
Tae Kim Joon, see Joon Tae Kim, *T-CAS2 Aug 98* 1031-1043
Tai-Chiu Hsung, and Daniel Pak-Kong Lun. Application of singularity detection for the deblocking of JPEG decoded images; *T-CAS2 May 98* 640-644
Tai Shen-Chuan, see Yih-Chuan Lin, *T-CAS2 Mar 98* 432-435
Takagi, K., S. Serikawa, and T. Doi. A method to reduce the phase noise in bipolar transistor circuits; *T-CAS2 Nov 98* 1505-1507
Takagi, Y., see Kobayashi, M., *T-CAS2 Jun 98* 676-684
Takatsu, M., see Ogawa, K., *T-CAS2 Sep 98* 1307-1311
Tam, K.W., P. Vitor, and R.P. Martins. MMIC active filter with tuned transversal element; *T-CAS2 May 98* 632-634
Tan, L., and J. Jiang. An adaptive technique for modeling second-order Volterra systems with sparse kernels; *T-CAS2 Dec 98* 1610-1615
Tang, Y.Y., B.F. Li, Hong Ma, and Jiming Lin. Ring-projection-wavelet-fractal signatures: a novel approach to feature extraction; *T-CAS2 Aug 98* 1130-1134
Tang Jing-Jou, see Kuen-Jong Lee, *T-CAS2 Jan 98* 133-137
Taylor, F., see Meyer-Base, U., *T-CAS2 Jul 98* 885-890
Tee, K.L., see Nordholm, S.E., *T-CAS2 Jan 98* 141-143
Te-Wen Lee, see Mohamed, M., *T-CAS2 Jan 98* 144-147
Thanachayanont, A., see Payne, A., *T-CAS2 Sep 98* 1220-1231
Thao, N.T. Systematic approach to the digital compensation for deterministic nonideal characteristics in ΣΔ modulation; *T-CAS2 Sep 98* 1315-1321
Theron, A.E., see Seevinck, E., *T-CAS2 Sep 98* 1250-1254
Tian-Bo Deng Design of linear phase variable 2-D digital filters using real-complex decomposition; *T-CAS2 Mar 98* 330-339
Tian-Sheuan Chang, see Ching-Chao Yang, *T-CAS2 Jul 98* 908-913
Tokuda, K., see Resende, F.G.V., Jr., *T-CAS2 May 98* 592-599
Tomescu, B. A unified approach to class E versus quasi-resonant switch topologies; *T-CAS2 Jun 98* 763-766
Tongwen Chen, Li Qiu, and Er-Wei Bai. General multirate building structures with application to nonuniform filter banks; *T-CAS2 Aug 98* 948-958
Toth, L., see Efthivoulidis, G., *T-CAS2 Mar 98* 295-302
Toth, L., see Dec, A., *T-CAS2 Jun 98* 757-760
Toth, L., Y.P. Tsividis, and N. Krishnapura. On the analysis of noise and interference in instantaneously companding signal processors; *T-CAS2 Sep 98* 1242-1249
Toth, L., see Efthivoulidis, G., *T-CAS2 Sep 98* 1311-1315
Toumazou, C., see Mahattanakul, J., *T-CAS2 Feb 98* 173-186
Toumazou, C., see Payne, A., *T-CAS2 Sep 98* 1179-1180
Toumazou, C., see Worapishet, A., *T-CAS2 Sep 98* 1212-1219
Tseng Chien-Cheng, see Soo-Chang Pei, *T-CAS2 Feb 98* 232-237
Tseng Chien-Cheng, see Soo-Chang Pei, *T-CAS2 May 98* 649-653
Tseng Chien-Cheng, see Soo-Chang Pei, *T-CAS2 Jun 98* 665-675
Tsividis, Y.P., see Efthivoulidis, G., *T-CAS2 Mar 98* 295-302
Tsividis, Y.P. Externally linear integrators; *T-CAS2 Sep 98* 1181-1187
Tsividis, Y.P., see Toth, L., *T-CAS2 Sep 98* 1242-1249
Tsividis, Y.P., see Efthivoulidis, G., *T-CAS2 Sep 98* 1311-1315
Tsubata, S., see Miyake, J., *T-CAS2 Sep 98* 1272-1278
Tsu-Lin Chen, see Shyh-Jye Jou, *T-CAS2 May 98* 617-625
Tzi-Dar Chiueh, see Shang-Yi Lin, *T-CAS2 Mar 98* 441-446

U

Unser, M., and J. Zerubia. A generalized sampling theory without band-limiting constraints; *T-CAS2 Aug 98* 959-969
Urano, M., see Miyake, J., *T-CAS2 Sep 98* 1272-1278

V

Vaidyanathan, P.P., see Yuan-Pei Lin, *T-CAS2 Mar 98* 340-351
Vaidyanathan, P.P., see Fliege, N.J., *T-CAS2 Aug 98* 929-931
Vaidyanathan, P.P., and A. Kirac. Results on optimal biorthogonal filter banks; *T-CAS2 Aug 98* 932-947
Van der Woerd, A.C., see Mulder, J., *T-CAS2 Sep 98* 1199-1204
Van Roermund, A.H.M., see Otte, R., *T-CAS2 Jul 98* 901-903
Van Roermund, A.H.M., see Mulder, J., *T-CAS2 Sep 98* 1199-1204
Venetsanopoulos, A.N., see Plataniotis, K.N., *T-CAS2 Oct 98* 1414-1419
Villa, F., see Samori, C., *T-CAS2 Jul 98* 781-790
Vital, J.C., see Goes, J., *T-CAS2 Dec 98* 1513-1526
Vitor, P., see Tam, K.W., *T-CAS2 May 98* 632-634
Vlassis, S., see Siskos, S., *T-CAS2 Jul 98* 913-918

W

Wai-Kit Lam Ringo, see Ringo Wai-Kit Lam, *T-CAS2 Mar 98* 387-391
Walsh, M., see Dalton, D., *T-CAS2 Nov 98* 1433-1444
Wambacq, P., G.E. Gielen, and W. Sansen. Symbolic network analysis methods for practical analog integrated circuits: a survey; *T-CAS2 Oct 98* 1331-1341
Wambacq, P., P. Dobrovolny, G.G.E. Gielen, and W. Sansen. Symbolic analysis of large analog circuits using a sensitivity-driven enumeration of common spanning trees; *T-CAS2 Oct 98* 1342-1350
Wan-Chi Siu, see Choy, C.S.-T., *T-CAS2 Nov 98* 1494-1502
Wang, M.Y., see Chou, E.Y., *T-CAS2 Jun 98* 709-719
Wang, M.Y., see Chou, E.Y., *T-CAS2 Jul 98* 848-856
Wang Chorng-Kuang, see Shyh-Jye Jou, *T-CAS2 Nov 98* 1487-1494
Wang Chun, see Edmonson, W., *T-CAS2 Mar 98* 379-384
Wang Lipo, see Lipo Wang, *T-CAS2 Jun 98* 729-738
Wang Lipo, see Lipo Wang, *T-CAS2 Jun 98* 747-749
Wei Dong, see Dong Wei, *T-CAS2 Aug 98* 988-1001
Wen-Rong Wu, and Po-Cheng Chen. Subband Kalman filtering for speech enhancement; *T-CAS2 Aug 98* 1072-1083
Wen-Sing Yang, see Soo-Chang Pei, *T-CAS2 Feb 98* 232-237
Werter, M.J. An improved chaotic digital encoder; *T-CAS2 Feb 98* 227-229
Wey Chin-Long, see Renyuan Huang, *T-CAS2 Mar 98* 395-399
Weyten, L., see Rombouts, P., *T-CAS2 Sep 98* 1321-1323
Willis, A.P., D. Griffiths, and P.B. Atanackovic. The use of unipolar loop signals in the error diffusion modulator; *T-CAS2 Dec 98* 1597-1599
Wolf, S., see Meyer-Base, U., *T-CAS2 Jul 98* 885-890
Wong, C.K., see Li, Y.Y., *T-CAS2 May 98* 563-574
Won-Ha Kim, Yu-Hen Hu, and T.Q. Nguyen. Wavelet-based image coder with entropy-constrained lattice vector quantizer (ECLVQ); *T-CAS2 Aug 98* 1015-1030
Wonyong Sung, see Seehyun Kim, *T-CAS2 Nov 98* 1455-1464

Worapishet, A., and C. Toumazou. f_T integrator-a new class of tuneable low-distortion instantaneous companding integrators for very high-frequency applications; *T-CAS2 Sep 98* 1212-1219
Wu, S.M., G.A. Ybarra, and W.E. Alexander. A complex optimal signal-processing algorithm for frequency-stepped CW data; *T-CAS2 Jun 98* 754-757
Wu, S.Q., *see* Ching, P.C., *T-CAS2 Aug 98* 1102-1106
Wu, T.-D., *see* Sun, M.-T., *T-CAS2 May 98* 644-648
Wu Chung-Yu, *see* Chih-Cheng Chen, *T-CAS2 Jan 98* 28-40
Wu Chung-Yu, *see* Jenn-Chyou Bor, *T-CAS2 Jan 98* 96-107
Wu Ja-Ling, *see* Chion-Ting Hsu, *T-CAS2 Aug 98* 1097-1101
Wu Jie, *see* Jie Wu, *T-CAS2 Nov 98* 1445-1454
Wu-Sheng Lu, and S.-C. Pei. On optimal low-rank approximation of multidimensional discrete signals; *T-CAS2 Mar 98* 417-422
Wu-Sheng Lu, Hua Xu, and A. Antoniou. A new method for the design of FIR quadrature mirror-image filter banks; *T-CAS2 Jul 98* 922-926
Wu-Sheng Lu, A. Antoniou, and Hua Xu. A direct method for the design of 2-D nonseparable filter banks; *T-CAS2 Aug 98* 1146-1150
Wu-Sheng Lu Design of recursive digital filters with prescribed stability margin: a parameterization approach; *T-CAS2 Sep 98* 1289-1298
Wu Shou-Yang, *see* Shyh-Jye Jou, *T-CAS2 Nov 98* 1487-1494
Wu Wen-Rong, *see* Wen-Rong Wu, *T-CAS2 Aug 98* 1072-1083

X

Xiao, Y., Y. Tadokoro, and Y. Kobayashi. A new memoryless nonlinear gradient algorithm for a second-order adaptive IIR notch filter and its performance analysis; *T-CAS2 Apr 98* 462-472
Xiao Chengshan, *see* Chengshan Xiao, *T-CAS2 Sep 98* 1279-1288
Xu Guo-Fang, *see* Bose, T., *T-CAS2 Jul 98* 839-847
Xu Hua, *see* Wu-Sheng Lu, *T-CAS2 Jul 98* 922-926
Xu Hua, *see* Wu-Sheng Lu, *T-CAS2 Aug 98* 1146-1150

Y

Yamaguchi, S., *see* Miyake, J., *T-CAS2 Sep 98* 1272-1278
Yang Ching-Chao, *see* Ching-Chao Yang, *T-CAS2 Jul 98* 908-913
Yang Jar-Ferr, *see* Chih-Peng Fan, *T-CAS2 Mar 98* 429-432
Yang Wen-Sing, *see* Soo-Chang Pei, *T-CAS2 Feb 98* 232-237
Yano, J., *see* Miyake, J., *T-CAS2 Sep 98* 1272-1278
Yan Qiu Chen, *see* Guoan Bi, *T-CAS2 Jun 98* 685-690
Yan Shing-Tak, *see* Shing-Tak Yan, *T-CAS2 Jul 98* 876-880
Ybarra, G.A., *see* Wu, S.M., *T-CAS2 Jun 98* 754-757
Yeh Min-Hung, *see* Soo-Chang Pei, *T-CAS2 Jun 98* 665-675
Yih-Chuan Lin, and Shen-Chuan Tai. A fast Linde-Buzo-Gray algorithm in image vector quantization; *T-CAS2 Mar 98* 432-435
Yokoyama, N., *see* Ogawa, K., *T-CAS2 Sep 98* 1307-1311
Yong Hoon Lee, *see* Joon Tae Kim, *T-CAS2 Aug 98* 1031-1043
Yoo Hoi-Jun, *see* Hoi-Jun Yoo, *T-CAS2 Sep 98* 1263-1271
Yoon, K.S., *see* Kim, J.H., *T-CAS2 Dec 98* 1605-1609
Younis, A.A., *see* Shah, J.C., *T-CAS2 Oct 98* 1372-1382
Yu, N.M., T. Shibata, and T. Ohmi. A real-time center-of-mass tracker circuit implemented by neuron MOS technology; *T-CAS2 Apr 98* 495-503
Yu, X., *see* Chuang, S., *T-CAS2 May 98* 535-546
Yuan-Pei Lin, and P.P. Vaidyanathan. Periodically nonuniform sampling of bandpass signals; *T-CAS2 Mar 98* 340-351
Yu-Hen Hu, *see* Won-Ha Kim, *T-CAS2 Aug 98* 1015-1030

Z

Zakhor, A., *see* Motamed, M., *T-CAS2 Jan 98* 144-147
Zappa, F., *see* Samori, C., *T-CAS2 Jul 98* 781-790
Zerubia, J., *see* Unser, M., *T-CAS2 Aug 98* 959-969
Zhang, Q., and Y.-W. Leung. Convergence of a Hebbian-type learning algorithm; *T-CAS2 Dec 98* 1599-1601
Zheng-She Liu, and Jian Li. A QR-based least mean squares algorithm for adaptive parameter estimation; *T-CAS2 Mar 98* 321-329
Zhu, W.-P., M.O. Ahmad, and M.N.S. Swamy. An efficient approach for the design of nearly perfect-reconstruction QMF banks; *T-CAS2 Aug 98* 1161-1165

SUBJECT INDEX

A

Active circuits
inverting integrator with extended HF range, stabil. *Al-Alaoui, M.A., T-CAS2 Mar 98* 399-402
Active circuits; cf. Active filters; Current conveyors; Oscillators; Switched capacitor circuits
Active filters
GaAs MMIC X-band act. filter, tuned transversal element. *Tam, K.W., + , T-CAS2 May 98* 632-634
Gm-C filters, noise. *Efthivoulidis, G., + , T-CAS2 Mar 98* 295-302
LC act. bandpass filter, lin. integrated type, Q-enhance. *Gao, W., + , T-CAS2 May 98* 635-639
log-domain ccts., design-oriented anal. *Fox, R.M., T-CAS2 Jul 98* 918-921
log-domain filters, state-space synthesis. *Frey, D.R., T-CAS2 Sep 98* 1205-1211
lossless act. LC ladder filters, act. transconductance-capacitor cct. *Schaumann, R., T-CAS2 Mar 98* 407-410
RC and MOSFET-C filters, noise anal. *Efthivoulidis, G., + , T-CAS2 Sep 98* 1311-1315
Active filters; cf. Switched capacitor filters
Adaptive equalizers
blind equalization struct. for deep-null commun. channels. *Lambotharan, S., + , T-CAS2 Jan 98* 108-114
pipelined DFE archits., delayed coeff. adaptation. *Perry, R., + , T-CAS2 Jul 98* 868-873
Adaptive estimation
IIR adaptive filter based on estim. of all-pass syst. *Kobayashi, M., + , T-CAS2 Jun 98* 676-684
QR-based LMS algm., adaptive param. estim. *Zheng-She Liu, + , T-CAS2 Mar 98* 321-329
Adaptive filters
adaptive tech. for modeling second-order Volterra systs. with sparse kernels. *Tan, L., + , T-CAS2 Dec 98* 1610-1615
digital images, impulse noise, noise-exclusive adaptive filtering framework. *Kong, H., + , T-CAS2 Mar 98* 422-428
IIR adaptive filter based on estim. of all-pass syst. *Kobayashi, M., + , T-CAS2 Jun 98* 676-684
IIR filtering, global LMS algm. *Edmonson, W., + , T-CAS2 Mar 98* 379-384
max. and min. tracking performs. of filtering algms. *Eweda, E., T-CAS2 Jan 98* 123-132
multi-band decomp. of error sig., adaptive filter algms. *Resende, F.G.V., Jr., + , T-CAS2 May 98* 592-599
pipelined DFE archits., delayed coeff. adaptation. *Perry, R., + , T-CAS2 Jul 98* 868-873
pyramid-based multiresolution adaptive filters for image noise. *Aiazzi, B., + , T-CAS2 Aug 98* 1092-1097
second-order adaptive IIR notch filter, memoryless nonlin. gradient algm. *Xiao, Y., + , T-CAS2 Apr 98* 462-472
sign algm. for FIR filter adaption, tracking anal. *Eweda, E., T-CAS2 Jan 98* 115-122
subband adaptive filter with statist. optimum anal. filter bank. *Higa, Y., + , T-CAS2 Aug 98* 1150-1154
vector directional filters for color and multichannel image proc. *Plataniotis, K.N., + , T-CAS2 Oct 98* 1414-1419
Adaptive filters; cf. Tracking filters
Adaptive signal processing
color and multichannel image proc. using vector directional filters. *Plataniotis, K.N., + , T-CAS2 Oct 98* 1414-1419
filtering algms., max. and min. tracking performs. *Eweda, E., T-CAS2 Jan 98* 123-132
sign algm. for FIR filter adaption, tracking anal. *Eweda, E., T-CAS2 Jan 98* 115-122
space-freq. adaptive subband image coding. *Nuri, V., T-CAS2 Aug 98* 1168-1173
time-adaptive vector ADC using backward unsupervised learning rule. *Martinez, D., T-CAS2 Oct 98* 1420-1424
Adders
integer multiplier design, min. no. of adders. *Dempster, A.G., + , T-CAS2 Feb 98* 242-243
multiple-input neuron CMOS op amp for voltage-mode multivalued full adders. *Ogawa, K., + , T-CAS2 Sep 98* 1307-1311
residue-to-binary arith. converter, algm. and adder implement. *Hiasat, A.A., + , T-CAS2 Feb 98* 204-209
residue to binary no. syst. converter, high speed realization. *Dhurkadas, A., T-CAS2 Mar 98* 446-447
Algebra; cf. Polynomials; Vectors
Algorithms; cf. Parallel algorithms
All pass circuits
blind equalization struct. for deep-null commun. channels. *Lambotharan, S., + , T-CAS2 Jan 98* 108-114
comb filter design, fractional-sample delay. *Soo-Chang Pei, + , T-CAS2 May 98* 649-653
integrable 60-Hz notch filter. *Casper, B.K., + , T-CAS2 Dec 98* 1621-1625
SC all-pass filter, low sensitivity, capacitance ratio errors/finite amp. gains. *Petraglia, A., + , T-CAS2 Jul 98* 890-894
Amplifiers; cf. Broadband amplifiers; CMOSFET amplifiers; Differential amplifiers; Feedback amplifiers; Power amplifiers; UHF amplifiers
Analog circuits
multiple fault location in low testability analog ccts., symbolic techs. appl. *Fedi, G., + , T-CAS2 Oct 98* 1383-1388
Analog circuits; cf. Analog integrated circuits; Analog processing circuits; Oscillators
Analog-digital conversion
CMOS flash ADC, disk drive PRML read channel, prog. nonlin. transfer fn. *Dalton, D., + , T-CAS2 Nov 98* 1433-1444
high-speed differential A/D converters, harmonic distortion. *Boni, A., + , T-CAS2 Mar 98* 403-406
low-power CMOS current-mode cyclic ADCs, 1.5 V, design techs. *Chih-Cheng Chen, + , T-CAS2 Jan 98* 28-40
Nyquist rate converters, resoln. extension, oversampling. *Harjani, R., + , T-CAS2 Apr 98* 482-494
oversampling current sample/hold structs. for CMOS proc. implement. *Mehr, I., + , T-CAS2 Feb 98* 196-203
pipelined ADC, digital error-averaging tech. *Rombouts, P., + , T-CAS2 Sep 98* 1321-1323
systematic design for optim. of high-speed self-calibrated pipelined A/D converters. *Goes, J., + , T-CAS2 Dec 98* 1513-1526

+ Check author entry for coauthors

time-adaptive vector ADC using backward unsupervised learning rule. *Martinez, D., T-CAS2 Oct 98* 1420-1424
use of unipolar loop signals in error diffusion modulator. *Willis, A.P., + , T-CAS2 Dec 98* 1597-1599
Analog-digital conversion; cf. Sigma-delta modulation
Analog integrated circuits
act. RC and MOSFET-C filters, noise anal. *Efthivoulidis, G., + , T-CAS2 Sep 98* 1311-1315
deterministic Boltzmann machines, analog VLSI hardware. *Schneider, R.S., + , T-CAS2 Mar 98* 352-360
EPSILON, analog VLSI MLP, fault tolerance, wt. noise. *Edwards, P.J., + , T-CAS2 Sep 98* 1255-1262
high-speed analog ICs, sig. meas. using undersampling tech. *Mason, R., + , T-CAS2 Nov 98* 1502-1504
large analog ICs, symbolic anal., num. ref. generation problem. *Fernandez, F.V., + , T-CAS2 Oct 98* 1351-1361
low testability analog ccts., symbolic techs. appl. to multiple fault location. *Fedi, G., + , T-CAS2 Oct 98* 1383-1388
nonlin. analog ccts., symbolic behavioral model generation. *Borchers, C., T-CAS2 Oct 98* 1362-1371
RF ICs, LV design tech. *Manku, T., + , T-CAS2 Oct 98* 1408-1413
symbolic anal. of large analog ccts. using enumeration of common spanning trees. *Wambacq, P., + , T-CAS2 Oct 98* 1342-1350
symbolic circuit analysis techniques, selected papers from SMACD'96 (special section). *T-CAS2 Oct 98* 1330-1388
symbolic circuit analysis techniques, selected papers Fr SMACD'96, special section intro. *Gielen, G.G.E., + , T-CAS2 Oct 98* 1330-1331
symbolic network anal. methods for analog ICs, survey. *Wambacq, P., + , T-CAS2 Oct 98* 1331-1341
testing analog and mixed-sig. cct., review. *Milor, L.S., T-CAS2 Oct 98* 1389-1407
Analog integrated circuits; cf. Bipolar analog integrated circuits; CMOS analog integrated circuits; Mixed analog-digital integrated circuits
Analog memories
CMOS SI ccts., clock-feedthrough compensation scheme. *Byung-Moo Min, + , T-CAS2 Nov 98* 1508-1511
Analog multipliers
CMOS four-quadrant S^2I switched-current multiplier. *Manganaro, G., + , T-CAS2 Jul 98* 791-799
CMOS transconductance multipliers, tutorial. *Han, G., + , T-CAS2 Dec 98* 1550-1563
Analog processing circuits
classical conditioning with pulsed integrated neural nets, on-chip learning. *Lehmann, T., T-CAS2 Jun 98* 720-728
CMOS differential difference operational floating amp. *Mahmoud, S.A., + , T-CAS2 Jan 98* 148-158
CMOS SI ccts., clock-feedthrough compensation scheme. *Byung-Moo Min, + , T-CAS2 Nov 98* 1508-1511
CMOS tunable Gaussian/sq. fn. computation cct. for analog neural networks. *Shang-Yi Lin, + , T-CAS2 Mar 98* 441-446
CMOS VLSI PRML detectors, compact neural net scalable archit. *Chou, E.Y., + , T-CAS2 Jun 98* 709-719
companding sig. proc., noise and interf. *Toth, L., + , T-CAS2 Sep 98* 1242-1249
EPSILON, analog VLSI MLP, fault tolerance, wt. noise. *Edwards, P.J., + , T-CAS2 Sep 98* 1255-1262
fast min/max filtering, analog implement. *Siskos, S., + , T-CAS2 Jul 98* 913-918
instantaneous companding in analog signal processing (special section). *T-CAS2 Sep 98* 1179-1232
instantaneous companding in analog signal processing, special section intro. *Payne, A., + , T-CAS2 Sep 98* 1179-1180
ISCAS'97, selected papers (special issue). *T-CAS2 May 98* 533-660
ISCAS'97, selected papers, special issue intro. *Maloberti, F., + , T-CAS2 May 98* 533
multiple-input neuron CMOS op amp for voltage-mode multivalued full adders. *Ogawa, K., + , T-CAS2 Sep 98* 1307-1311
object-based selection within analog VLSI visual attention syst. *Morris, T.G., + , T-CAS2 Dec 98* 1564-1572
rail-to-rail multiple-input min/max cct., CMOS implement. *Opris, I.E., T-CAS2 Jan 98* 137-140
speech recogn. syst., analog VLSI chip, async. interface, auditory feature extraction. *Kumar, N., + , T-CAS2 May 98* 600-606
Application specific integrated circuits
real-time DSP, ASICS, hardware interface codesign approach. *Baganne, A., + , T-CAS2 May 98* 584-591
Approximation methods
IIR digital filter design, magnitude response approx. *Hegde, R., + , T-CAS2 Nov 98* 1476-1486
multilayer feedforward neural nets., fast RLS training algm. *Bilski, J., + , T-CAS2 Jun 98* 749-753
multiwavelet anal. and sig. proc. appl. *Cotronei, M., + , T-CAS2 Aug 98* 970-987
multiwavelet prefilters, orthogonal type preserving approx. order. *Hardin, D.P., + , T-CAS2 Aug 98* 1106-1112
power/ground networks in VLSI ccts., event-driven simul. algm. *Shah, J.C., + , T-CAS2 Oct 98* 1372-1382
sig. approx. by Gaussian fns. *Jorge, P.J.S.G., T-CAS2 Feb 98* 250-251
Approximation methods; cf. Interpolation; Least squares methods; Linear approximation
Arithmetic; cf. Digital arithmetic
Arithmetic codes
CMOS design, low delay-power product, one-hot residue coding. *Chren, W.A., Jr., T-CAS2 Mar 98* 303-313
multilevel images, arith. coding, VLSI archit. *Boo, M., + , T-CAS2 Jan 98* 163-168
space-freq. adaptive subband image coding. *Nuri, V., T-CAS2 Aug 98* 1168-1173
Array signal processing
broadband beamformers, near field design, Chebyshev optim. *Nordholm, S.E., + , T-CAS2 Jan 98* 141-143
Artificial intelligence; cf. Learning systems
ART neural networks
Arabic characters, thinning algm., ART2 neural net. *Altuwaijri, M.M., + , T-CAS2 Feb 98* 260-264
Associative memories
spatio-temporal seqs., learning/retrieving, associative neural net. *Lipo Wang, T-CAS2 Jun 98* 729-738
synthesis procedure for class of cellular neural networks with space-invariant cloning template. *Lu, Z., + , T-CAS2 Dec 98* 1601-1605
Associative processing
spatio-temporal seqs., learning/retrieving, associative neural net. *Lipo Wang, T-CAS2 Jun 98* 729-738
Asymptotic stability
2D discrete systs., periodic coeffs., stabil. *Bose, T., + , T-CAS2 Jul 98* 839-847
Asynchronous logic circuits
weightless neural net for discrete relax. problems. *Alnuweiri, H.M., + , T-CAS2 Feb 98* 210-216
Auditory system
speech recogn. syst., analog VLSI chip, async. interface, auditory feature extraction. *Kumar, N., + , T-CAS2 May 98* 600-606
Automatic testing
analog and mixed-sig. cct. testing, review. *Milor, L.S., T-CAS2 Oct 98* 1389-1407
burst errors, test pattern generation and signature anal. *Katti, R.S., T-CAS2 Mar 98* 410-414
low testability analog ccts., symbolic techs. appl. to multiple fault location. *Fedi, G., + , T-CAS2 Oct 98* 1383-1388
Automation; cf. Automatic testing; Design automation
Autoregressive processes
2D symmetric noncausal FIR filtering and AR modeling algm. *Othon Glentis, G., + , T-CAS2 Feb 98* 251-256
subband Kalman filtering for speech enhancement. *Wen-Rong Wu, + , T-CAS2 Aug 98* 1072-1083

B

Bandpass filters
BiCMOS VHF log-domain bandpass filters. *El-Gamal, M., + , T-CAS2 Sep 98* 1188-1198
CMOS transconductor based low power wide-band analog systs. *Ning Guo, + , T-CAS2 Sep 98* 1299-1303
current-mode ladder filter design using coupled-biquads, CMOS OTAs. *Jie Wu, + , T-CAS2 Nov 98* 1445-1454
GaAs MMIC X-band act. filter, tuned transversal element. *Tam, K.W., + , T-CAS2 May 98* 632-634
LC act. bandpass filter, lin. integrated type, Q-enhance. *Gao, W., + , T-CAS2 May 98* 635-639
multirate specs., alias-component matrices. *Shenoy, R.G., T-CAS2 Mar 98* 314-320
two-channel perfect-reconstruction lin.-phase FIR filter banks, design. *Goh, C.K., + , T-CAS2 Aug 98* 1141-1146
Bandpass filters; cf. Tracking filters
Bandstop filters; cf. Notch filters
Bayes procedures
equalization, fuzzy filters. *Patra, S.K., + , T-CAS2 Jul 98* 812-820
Bibliographies
analog and mixed-sig. cct. testing. *Milor, L.S., T-CAS2 Oct 98* 1389-1407
BiCMOS analog integrated circuits
BiCMOS ccts. for analog Viterbi decoders. *Shakiba, M.H., + , T-CAS2 Dec 98* 1527-1537
low power wide-band analog systs. using CMOS transconductor. *Ning Guo, + , T-CAS2 Sep 98* 1299-1303
speech recogn. syst., analog VLSI chip, async. interface, auditory feature extraction. *Kumar, N., + , T-CAS2 May 98* 600-606
translinear PLL. *Payne, A., + , T-CAS2 Sep 98* 1220-1231
VHF log-domain bandpass filters. *El-Gamal, M., + , T-CAS2 Sep 98* 1188-1198
Bioelectric potentials
speech recogn. syst., analog VLSI chip, async. interface, auditory feature extraction. *Kumar, N., + , T-CAS2 May 98* 600-606
Biological systems; cf. Auditory system
Bipolar analog integrated circuits
LC act. bandpass filter, lin. integrated type, Q-enhance. *Gao, W., + , T-CAS2 May 98* 635-639
lin. transit. freq. integrator, tuneable VHF companding cct. *Worapishet, A., + , T-CAS2 Sep 98* 1212-1219

Bipolar analog integrated circuits; cf. BiCMOS analog integrated circuits
Bipolar transistor circuits
phase noise reduction. *Takagi, K.*, + , *T-CAS2 Nov 98* 1505-1507
Biquadratic filters
BiCMOS VHF log-domain bandpass filters. *El-Gamal, M.*, + , *T-CAS2 Sep 98* 1188-1198
CMOS transconductor based low power wide-band analog systs. *Ning Guo*, + , *T-CAS2 Sep 98* 1299-1303
current-mode ladder filter design using coupled-biquads, CMOS OTAs. *Jie Wu*, + , *T-CAS2 Nov 98* 1445-1454
DSP systs., scheduling/retiming. *Denk, T.C.*, + , *T-CAS2 Jul 98* 821-838
G_m-C biquad filters, current-mode vs. voltage-mode config. *Mahattanakul, J.*, + , *T-CAS2 Feb 98* 173-186
II-based adjoint of op-amp-based ccts., biquad appl., PSPICE simul. *Papazoglou, C.A.*, + , *T-CAS2 Jul 98* 894-898
Boltzmann machines
deterministic Boltzmann machines, analog VLSI hardware. *Schneider, R.S.*, + , *T-CAS2 Mar 98* 352-360
Broadband amplifiers
CMOS variable gain amp., LV low-power cct. *Motamed, A.*, + , *T-CAS2 Jul 98* 800-811
dyn. nonlin. wideband amps., IMD, THD. *Sjoland, H.*, + , *T-CAS2 Jul 98* 873-875
high-gain current-mode comparator and amp. archit. *Lee, C.-H.*, + , *T-CAS2 May 98* 626-631
Built-in testing; cf. Self-testing

C

Calibration
systematic design for optim. of high-speed self-calibrated pipelined A/D converters. *Goes, J.*, + , *T-CAS2 Dec 98* 1513-1526
Capacitance
CMOS 1-V op amp design, std. digital technol. *Blalock, B.J.*, + , *T-CAS2 Jul 98* 769-780
SC all-pass filter, low sensitivity, capacitance ratio errors/finite amp. gains. *Petraglia, A.*, + , *T-CAS2 Jul 98* 890-894
Cascade circuits
two-channel perfect-reconstruction lin.-phase FIR filter banks, design. *Goh, C.K.*, + , *T-CAS2 Aug 98* 1141-1146
Cellular neural networks
synthesis procedure for class of cellular neural networks with space-invariant cloning template. *Lu, Z.*, + , *T-CAS2 Dec 98* 1601-1605
Chaos
digital encoder/decoder pair improvement. *Werter, M.J.*, *T-CAS2 Feb 98* 227-229
second-order sigma-delta modulators, integrator outputs bounding. *Farrell, R.*, + , *T-CAS2 Jun 98* 691-702
Character recognition
Arabic characters, thinning algm., ART2 neural net. *Altuwaijri, M.M.*, + , *T-CAS2 Feb 98* 260-264
Character recognition; cf. Optical character recognition
Circuit analysis
bipolar transistor ccts., phase noise reduction. *Takagi, K.*, + , *T-CAS2 Nov 98* 1505-1507
switched-current ccts., clock-feedthrough compensation. *Helfenstein, M.*, + , *T-CAS2 Jun 98* 739-743
symbolic circuit analysis techniques, selected papers from SMACD'96 (special section). *T-CAS2 Oct 98* 1330-1388
symbolic circuit analysis techniques, selected papers from SMACD'96, special section intro. *Gielen, G.G.E.*, + , *T-CAS2 Oct 98* 1330-1331
Circuit modeling; cf. Integrated circuit modeling
Circuit noise
bipolar transistor ccts., phase noise reduction. *Takagi, K.*, + , *T-CAS2 Nov 98* 1505-1507
companding sig. proc., noise and interf. *Toth, L.*, + , *T-CAS2 Sep 98* 1242-1249
cryst.-like LC tanks, phase-noise perform. in VCOs. *Lacaita, A.L.*, + , *T-CAS2 Jul 98* 898-900
dyn. nonlin. wideband amps., IMD, THD. *Sjoland, H.*, + , *T-CAS2 Jul 98* 873-875
Gm-C filters, noise. *Efthivoulidis, G.*, + , *T-CAS2 Mar 98* 295-302
LC tuned oscillators, spectrum folding and phase noise. *Samori, C.*, + , *T-CAS2 Jul 98* 781-790
oscillator modelled as pos. feedback syst., noise anal. *Dec, A.*, + , *T-CAS2 Jun 98* 757-760
switched-current ccts., clock-feedthrough compensation. *Helfenstein, M.*, + , *T-CAS2 Jun 98* 739-743
translinear filters, noise. *Mulder, J.*, + , *T-CAS2 Sep 98* 1199-1204
Circuit noise; cf. Filter noise; Integrated circuit noise
Circuit optimization
FIR quadrature mirror-image filter banks, design. *Wu-Sheng Lu*, + , *T-CAS2 Jul 98* 922-926
LC tuned oscillators, spectrum folding and phase noise. *Samori, C.*, + , *T-CAS2 Jul 98* 781-790
low drop-out regulators, optimized freq. shaping cct. topologies. *Rincon-Mora, G.A.*, + , *T-CAS2 Jun 98* 703-708
parametric IC yield estim., variance reduction techs., stratified sampling. *Keramat, M.*, + , *T-CAS2 May 98* 575-583
recursive digital filters with prescribed stabil. margin, design. *Wu-Sheng Lu*, *T-CAS2 Sep 98* 1289-1298
sigma-delta modulator topologies, optimal params. *Marques, A.*, + , *T-CAS2 Sep 98* 1232-1241
systematic design for optim. of high-speed self-calibrated pipelined A/D converters. *Goes, J.*, + , *T-CAS2 Dec 98* 1513-1526
Circuit optimization; cf. Circuit tuning
Circuits; cf. Active circuits; Adders; Analog circuits; Bipolar transistor circuits; Coupling circuits; Delay circuits; Equivalent circuits; Feedback circuits; Filters; Linear circuits; Logic circuits; Multiplying circuits; Nonlinear circuits; RC circuits; Rectifiers; Sample and hold circuits; Sampled data circuits; Switching circuits; Time-varying circuits; Timing circuits; VHF circuits
Circuits and Systems, 1997 International Symposium on
selected papers (special issue). *T-CAS2 May 98* 533-660
selected papers, special issue intro. *Maloberti, F.*, + , *T-CAS2 May 98* 533
Circuit simulation
charge-pump PLLs, simulator core. *Larsson, P.*, *T-CAS2 Sep 98* 1323-1326
CMOS transconductor based low power wide-band analog systs. *Ning Guo*, + , *T-CAS2 Sep 98* 1299-1303
large analog ccts., symbolic anal. using enumeration of common spanning trees. *Wambacq, P.*, + , *T-CAS2 Oct 98* 1342-1350
large analog ICs, symbolic anal., num. ref. generation problem. *Fernandez, F.V.*, + , *T-CAS2 Oct 98* 1351-1361
low testability analog ccts., symbolic techs. appl. to multiple fault location. *Fedi, G.*, + , *T-CAS2 Oct 98* 1383-1388
nonlin. analog ccts., symbolic behavioral model generation. *Borchers, C.*, *T-CAS2 Oct 98* 1362-1371
RLC clock tree constr., moment-based techs. *Lehther, D.*, + , *T-CAS2 Jan 98* 69-79
symbolic network anal. methods for analog ICs, survey. *Wambacq, P.*, + , *T-CAS2 Oct 98* 1331-1341
Circuit stability
2D discrete systs., periodic coeffs., stabil. *Bose, T.*, +, *T-CAS2 Jul 98* 839-847
CMOS LV ccts., act. bootstrapped gain enhancement. *Seevinck, E.*, + , *T-CAS2 Sep 98* 1250-1254
CMOS oversampling switched-current sample/hold cct., feedforward approach. *Renyuan Huang*, + , *T-CAS2 Mar 98* 395-399
inverting integrator with extended HF range, stabil. *Al-Alaoui, M.A.*, *T-CAS2 Mar 98* 399-402
recursive digital filters with prescribed stabil. margin, design. *Wu-Sheng Lu*, *T-CAS2 Sep 98* 1289-1298
Circuit synthesis
AGC cct. design, const. settling time. *Khoury, J.M.*, *T-CAS2 Mar 98* 283-294
lin. phase variable 2D digital filters, real-complex decomp. *Tian-Bo Deng*, *T-CAS2 Mar 98* 330-339
Circuit synthesis; cf. High-level synthesis
Circuit testing; cf. Integrated circuit testing
Circuit topology
SC all-pass filter, low sensitivity, capacitance ratio errors/finite amp. gains. *Petraglia, A.*, + , *T-CAS2 Jul 98* 890-894
sigma-delta modulator topologies, optimal params. *Marques, A.*, + , *T-CAS2 Sep 98* 1232-1241
Circuit tuning
CMOS tunable Gaussian/sq. fn. computation cct. for analog neural networks. *Shang-Yi Lin*, + , *T-CAS2 Mar 98* 441-446
GaAs MMIC X-band act. filter, tuned transversal element. *Tam, K.W.*, + , *T-CAS2 May 98* 632-634
LC act. bandpass filter, lin. integrated type, Q-enhance. *Gao, W.*, + , *T-CAS2 May 98* 635-639
lin. transit. freq. integrator, tuneable VHF companding cct. *Worapishet, A.*, + , *T-CAS2 Sep 98* 1212-1219
C language
fixed-point optim. utility for C and C++ based DSP programs. *Seehyun Kim*, + , *T-CAS2 Nov 98* 1455-1464
Clocks
RLC clock tree constr., moment-based techs. *Lehther, D.*, + , *T-CAS2 Jan 98* 69-79
CMOS analog integrated circuits
1-V op amp design, std. digital technol. *Blalock, B.J.*, +, *T-CAS2 Jul 98* 769-780
class AB CMOS current output stages, linearity perform., harmonic distort. *Palmisano, G.*, + , *T-CAS2 Feb 98* 243-250
CMOS transconductance multipliers, tutorial. *Han, G.*, + , *T-CAS2 Dec 98* 1550-1563
fast min/max filtering, analog implement. *Siskos, S.*, +, *T-CAS2 Jul 98* 913-918
four-quadrant S^2I switched-current multiplier. *Manganaro, G.*, + , *T-CAS2 Jul 98* 791-799
low drop-out regulators, optimized freq. shaping cct. topologies. *Rincon-Mora, G.A.*, + , *T-CAS2 Jun 98* 703-708
low power wide-band analog systs. using CMOS transconductor. *Ning Guo*, + , *T-CAS2 Sep 98* 1299-1303
LV ccts., act. bootstrapped gain enhancement. *Seevinck, E.*, + , *T-CAS2 Sep 98* 1250-1254
multiple-input neuron CMOS op amp for voltage-mode multivalued full adders. *Ogawa, K.*, + , *T-CAS2 Sep 98* 1307-1311
oversampling switched-current sample/hold cct., feedforward approach. *Renyuan Huang*, + , *T-CAS2 Mar 98* 395-399

rail-to-rail multiple-input min/max cct., CMOS implement. *Opris, I.E., T-CAS2 Jan 98* 137-140
SI ccts., clock-feedthrough compensation scheme. *Byung-Moo Min, + , T-CAS2 Nov 98* 1508-1511
tunable Gaussian/sq. fn. computation cct. for analog neural networks. *Shang-Yi Lin, + , T-CAS2 Mar 98* 441-446
variable gain amp., LV low-power cct. *Motamed, A., + , T-CAS2 Jul 98* 800-811
VCO, 3 V, 1.3-1.8 GHz, 0.3 ps jitter. *Shing-Tak Yan, + , T-CAS2 Jul 98* 876-880

CMOS analog integrated circuits; cf. BiCMOS analog integrated circuits; CMOSFET amplifiers

CMOS digital integrated circuits
8-bit CMOS 3.3-V-65-MHz digital-to-analog converter with symmetric two-stage current cell matrix archit. *Kim, J.H., + , T-CAS2 Dec 98* 1605-1609
asynchronous weightless neural net for discrete relax. problems. *Alnuweiri, H.M., + , T-CAS2 Feb 98* 210-216
design, low delay-power product, one-hot residue coding. *Chren, W.A., Jr., T-CAS2 Mar 98* 303-313
full-search block-matching VLSI archit., CMOS implement. *Seung Hyun Nam, + , T-CAS2 Apr 98* 508-512
IF digital freq. downconverter, low-power multirate archit. *Shyh-Jye Jou, + , T-CAS2 Nov 98* 1487-1494
on-chip DC/DC voltage down converter for low-power digital syst. *Shyh-Jye Jou, + , T-CAS2 May 98* 617-625
resistive interconnect in CMOS ccts., repeater design for delay/power reduction. *Adler, V., + , T-CAS2 May 98* 607-616
RSA cryptosystem hardware design based on Montgomery's algm. *Ching-Chao Yang, + , T-CAS2 Jul 98* 908-913
temp. insensitive CMOS digital cct. operation, supply voltage scaling. *Bellaouar, A., + , T-CAS2 Mar 98* 415-417
video sig. proc., prog. systolic array. *Miyake, J., + , T-CAS2 Sep 98* 1272-1278

CMOS digital integrated circuits; cf. CMOS memory integrated circuits

CMOSFET amplifiers
differential difference operational floating amp. *Mahmoud, S.A., + , T-CAS2 Jan 98* 148-158

CMOSFET circuits; cf. CMOS integrated circuits

CMOSFET logic devices
clock-controlled neuron-MOS logic gates, refreshing scheme. *Kotani, K., + , T-CAS2 Apr 98* 518-522
DVST logic, sync. DRAM, subthreshold current. *Hoi-Jun Yoo, T-CAS2 Sep 98* 1263-1271
on-chip DC/DC voltage down converter for low-power digital syst. *Shyh-Jye Jou, + , T-CAS2 May 98* 617-625

CMOS integrated circuits
bandpass delta-sigma modulators, half-delay integrators. *Chuang, S., + , T-CAS2 May 98* 535-546
built-in current sens. based on current-mode design. *Kuen-Jong Lee, + , T-CAS2 Jan 98* 133-137
classical conditioning with pulsed integrated neural nets, on-chip learning. *Lehmann, T., T-CAS2 Jun 98* 720-728
flash ADC, disk drive PRML read channel, prog. nonlin. transfer fn. *Dalton, D., + , T-CAS2 Nov 98* 1433-1444
fourth-order double-sampled SC bandpass sigma-delta modulator, 160-MHz. *Bazarjani, S., + , T-CAS2 May 98* 547-555
low-power CMOS current-mode cyclic ADCs, 1.5 V, design techs. *Chih-Cheng Chen, + , T-CAS2 Jan 98* 28-40
oversampling current sample/hold structs. for CMOS proc. implement. *Mehr, I., + , T-CAS2 Feb 98* 196-203
PWM neural network with on-chip learning, realization. *Jenn-Chyou Bor, + , T-CAS2 Jan 98* 96-107
real-time image center-of-mass tracker cct., neuron MOS technol. implement. *Yu, N.M., + , T-CAS2 Apr 98* 495-503
systematic design for optim. of high-speed self-calibrated pipelined A/D converters. *Goes, J., + , T-CAS2 Dec 98* 1513-1526
VLSI PRML detectors, compact neural net scalable archit. *Chou, E.Y., + , T-CAS2 Jun 98* 709-719

CMOS integrated circuits; cf. CMOS analog integrated circuits; CMOS digital integrated circuits

CMOS memory integrated circuits
DVST logic, sync. DRAM, subthreshold current. *Hoi-Jun Yoo, T-CAS2 Sep 98* 1263-1271

Code converters
residue-to-binary arith. converter, algm. and adder implement. *Hiasat, A.A., + , T-CAS2 Feb 98* 204-209

Codecs; cf. Video codecs

Code division multiaccess
neural-network-based CDMA receiver, gradient-descent optim. tech. *Chen, D.C., + , T-CAS2 Mar 98* 384-387

Codes; cf. Arithmetic codes; Entropy codes; Trellis codes

Color
adaptive vector directional filters for color and multichannel image proc. *Plataniotis, K.N., + , T-CAS2 Oct 98* 1414-1419

Combinatorial mathematics; cf. Graph theory

Communication channels
deep-null commun. channels, blind equalization struct. *Lambotharan, S., + , T-CAS2 Jan 98* 108-114

Communication channels; cf. Fading channels

Communication equipment; cf. Receivers

Communication standards
pipelined parallel CORDIC archit. for motion estim. in MPEG stds. *Chen, J., + , T-CAS2 May 98* 653-660

Communication systems; cf. Data communication; Digital communication; Teleconferencing; UHF radio communication

Communication system software
CMOS VLSI PRML detectors, compact neural net scalable archit. *Chou, E.Y., + , T-CAS2 Jun 98* 709-719

Companding
instantaneous companding in analog signal processing (special section). *T-CAS2 Sep 98* 1179-1232
instantaneous companding in analog signal processing, special section intro. *Payne, A., + , T-CAS2 Sep 98* 1179-1180
lin. transit. freq. integrator, tuneable VHF companding cct. *Worapishet, A., + , T-CAS2 Sep 98* 1212-1219
sig. proc., noise and interf. *Toth, L., + , T-CAS2 Sep 98* 1242-1249
translinear filters, noise. *Mulder, J., + , T-CAS2 Sep 98* 1199-1204

Comparators
CMOS flash ADC, disk drive PRML read channel, prog. nonlin. transfer fn. *Dalton, D.; + , T-CAS2 Nov 98* 1433-1444
wideband high-gain current-mode comparator and amp. archit. *Lee, C.-H., + , T-CAS2 May 98* 626-631

Compensation
CMOS SI ccts., clock-feedthrough compensation scheme. *Byung-Moo Min, + , T-CAS2 Nov 98* 1508-1511
high-speed differential A/D converters, harmonic distortion. *Boni, A., + , T-CAS2 Mar 98* 403-406
low drop-out regulators, optimized freq. shaping cct. topologies. *Rincon-Mora, G.A., + , T-CAS2 Jun 98* 703-708
Nyquist rate converters, resoln. extension, oversampling. *Harjani, R., + , T-CAS2 Apr 98* 482-494
$\Sigma\Delta$ modulation, digital compen. for determin. nonideal characts. *Thao, N.T., T-CAS2 Sep 98* 1315-1321
switched-current ccts., clock-feedthrough compensation. *Helfenstein, M., + , T-CAS2 Jun 98* 739-743
wideband high-gain current-mode comparator and amp. archit. *Lee, C.-H., + , T-CAS2 May 98* 626-631

Compensation; cf. Error compensation; Motion compensation

Complementary circuits; cf. CMOS integrated circuits

Complexity theory
Arabic characters, thinning algm., ART2 neural net. *Altuwaijri, M.M., + , T-CAS2 Feb 98* 260-264
Bayesian equalization, fuzzy filters. *Patra, S.K., + , T-CAS2 Jul 98* 812-820
DFTs of length $N=q*2^m$, fast split-radix algm. *Guoan Bi, + , T-CAS2 Jun 98* 685-690
DFT vector computation, fast algms. *Sundararajan, D., + , T-CAS2 Apr 98* 449-461
feature-domain 2D motion estim. based on Hough transform, hardware design. *Hsiang-Ling Li, + , T-CAS2 Jan 98* 80-95
Linde-Buzo-Gray algm. in image VQ. *Yih-Chuan Lin, + , T-CAS2 Mar 98* 432-435
moving-window DFT algms. *Rosendo Macias, J.A., + , T-CAS2 Feb 98* 256-260
region-based wavelet transform for image compression. *Jong-Han Kim, + , T-CAS2 Aug 98* 1137-1140
sig. recovery, partial Fourier domain inform., wavelet-based algm. *Rabadi, W.A., + , T-CAS2 Aug 98* 1134-1136
subband Kalman filtering for speech enhancement. *Wen-Rong Wu, + , T-CAS2 Aug 98* 1072-1083

Computer applications; cf. Design automation

Computer architecture; cf. Neural network architecture; Parallel architectures

Computer fault tolerance
EPSILON, analog VLSI MLP, fault tolerance, wt. noise. *Edwards, P.J., + , T-CAS2 Sep 98* 1255-1262

Computer networks; cf. Wide area networks

Continuous time filters
BiCMOS VHF log-domain bandpass filters. *El-Gamal, M., + , T-CAS2 Sep 98* 1188-1198
translinear filters, noise. *Mulder, J., + , T-CAS2 Sep 98* 1199-1204

Continuous time systems
CMOS differential difference operational floating amp. *Mahmoud, S.A., + , T-CAS2 Jan 98* 148-158

Convergence of numerical methods
asynchronous weightless neural net for discrete relax. problems. *Alnuweiri, H.M., + , T-CAS2 Feb 98* 210-216
convergence of Hebbian-type learning algm. *Zhang, Q., + , T-CAS2 Dec 98* 1599-1601
equiripple FIR filters, design, feedback neural net. *Bhattacharya, D., + , T-CAS2 Apr 98* 527-531
IIR adaptive filter based on estim. of all-pass syst. *Kobayashi, M., + , T-CAS2 Jun 98* 676-684

Converters
on-chip DC/DC voltage down converter for low-power digital syst. *Shyh-Jye Jou, + , T-CAS2 May 98* 617-625
reverse converters, (2n-1, 2n, 2n+1) moduli set. *Premkumar, A.B., + , T-CAS2 Jul 98* 903-908

+ Check author entry for coauthors

Converters; cf. Code converters; Frequency conversion
Convolution
FIR quadrature mirror-image filter banks, design. *Wu-Sheng Lu, +, T-CAS2 Jul 98* 922-926
flat structuring element morph. operations, algm. *Ringo Wai-Kit Lam, + , T-CAS2 Mar 98* 387-391
lossless and lossy image compression using biorthogonal wavelet transforms. *HyungJun Kim, + , T-CAS2 Aug 98* 1113-1118
Correlation
multi-band decomp. of error sig., adaptive filter algms. *Resende, F.G.V., Jr., + , T-CAS2 May 98* 592-599
Cosine transforms; cf. Discrete cosine transforms
Coupling circuits
current-mode ladder filter design using coupled-biquads, CMOS OTAs. *Jie Wu, + , T-CAS2 Nov 98* 1445-1454
Covariance analysis
Markov-based single-tone freq. estim. *Handel, P., T-CAS2 Feb 98* 230-232
Covariance matrices
adaptive filtering algms., max. and min. tracking performs. *Eweda, E., T-CAS2 Jan 98* 123-132
Cryptography; cf. Public key cryptography
Current conveyors
class AB CMOS current output stages,linearity perform., harmonic distort. *Palmisano, G., + , T-CAS2 Feb 98* 243-250
current-controlled multiphase sinusoidal oscillator, translinear current conveyors. *Abuelmatti, M.T., + , T-CAS2 Jul 98* 881-885
fast min/max filtering, analog implement. *Siskos, S., + , T-CAS2 Jul 98* 913-918
G_m-C biquad filters, current-mode vs. voltage-mode config. *Mahattanakul, J., + , T-CAS2 Feb 98* 173-186
ll-based adjoint of op-amp-based ccts., biquad appl., PSPICE simul. *Papazoglou, C.A., + , T-CAS2 Jul 98* 894-898
wideband high-gain current-mode comparator and amp. archit. *Lee, C.-H., + , T-CAS2 May 98* 626-631
Current measurement
built-in current sens. based on current-mode design. *Kuen-Jong Lee, + , T-CAS2 Jan 98* 133-137
CW radar
freq.-stepped CW data, complex optimal sig. proc. algm. *Wu, S.M., + , T-CAS2 Jun 98* 754-757

D

Darlington, Sidney
obituary. *Kuh, E.S., + , T-CAS2 Jan 98* 1-2
Data communication
small sidelobe filter bank design for multitone data commun. appls. *Martin, K.W., T-CAS2 Aug 98* 1155-1161
Data compression
biorthogonal filter banks, optim. *Vaidyanathan, P.P., + , T-CAS2 Aug 98* 932-947
center weighted Hadamard transform algms., real-time sig. proc. *Chih-Peng Fan, + , T-CAS2 Mar 98* 429-432
full-search block-matching VLSI archit., CMOS implement. *Seung Hyun Nam, + , T-CAS2 Apr 98* 508-512
image compression, entropy measure based on wavelet transform and noise modeling. *Starck, J.-L., + , T-CAS2 Aug 98* 1118-1124
JPEG decoded images, sing. detect. for deblocking. *Tai-Chiu Hsung, + , T-CAS2 May 98* 640-644
lossless and lossy image compression using biorthogonal wavelet transforms. *HyungJun Kim, + , T-CAS2 Aug 98* 1113-1118
M4R shape coding, pipelined archits., changing pixels. *Stroming, J.W., + , T-CAS2 May 98* 556-562
multidimensional discrete sigs., optimal low-rank approx. *Wu-Sheng Lu, + , T-CAS2 Mar 98* 417-422
multiwavelet anal. and sig. proc. appl. *Cotronei, M., + , T-CAS2 Aug 98* 970-987
pipelined parallel CORDIC archit. for motion estim. in MPEG stds. *Chen, J., + , T-CAS2 May 98* 653-660
region-based wavelet transform for image compression. *Jong-Han Kim, + , T-CAS2 Aug 98* 1137-1140
space-freq. adaptive subband image coding. *Nuri, V., T-CAS2 Aug 98* 1168-1173
time-adaptive vector ADC using backward unsupervised learning rule. *Martinez, D., T-CAS2 Oct 98* 1420-1424
Data compression; cf. Source coding
Data conversion
format converters, design, 2D register allocation. *Majumdar, M., + , T-CAS2 Apr 98* 504-508
Data conversion; cf. Analog-digital conversion; Digital-analog conversion
Data flow graphs
DSP systs., scheduling/retiming. *Denk, T.C., + , T-CAS2 Jul 98* 821-838
Data handling; cf. Table lookup
Data processing
analog ICs, survey of symbolic network anal. methods. *Wambacq, P., + , T-CAS2 Oct 98* 1331-1341
large analog ccts., symbolic anal. using enumeration of common spanning trees. *Wambacq, P., + , T-CAS2 Oct 98* 1342-1350
large analog ICs, symbolic anal., num. ref. generation problem. *Fernandez, F.V., + , T-CAS2 Oct 98* 1351-1361
low testability analog ccts., symbolic techs. appl. to multiple fault location. *Fedi, G., + , T-CAS2 Oct 98* 1383-1388
nonlin. analog ccts., symbolic behavioral model generation. *Borchers, C., T-CAS2 Oct 98* 1362-1371
power/ground networks in VLSI ccts., event-driven simul. algm. *Shah, J.C., + , T-CAS2 Oct 98* 1372-1382
Data processing; cf. Associative processing
Data security
chaotic digital encoder/decoder pair improvement. *Werter, M.J., T-CAS2 Feb 98* 227-229
multiresolution watermarking tech. for digital images. *Chion-Ting Hsu, + , T-CAS2 Aug 98* 1097-1101
Data structures
time-adaptive vector ADC using backward unsupervised learning rule. *Martinez, D., T-CAS2 Oct 98* 1420-1424
DC-DC power conversion
class E vs. quasi-reson. switch topologies, generalized methodology. *Tomescu, B., T-CAS2 Jun 98* 763-766
Decision feedback equalizers
pipelined DFE archits., delayed coeff. adaptation. *Perry, R., + , T-CAS2 Jul 98* 868-873
Decision-making; cf. Pattern classification
Decoding
chaotic digital encoder/decoder pair improvement. *Werter, M.J., T-CAS2 Feb 98* 227-229
JPEG decoded images, sing. detect. for deblocking. *Tai-Chiu Hsung, + , T-CAS2 May 98* 640-644
M4R shape coding, pipelined archits., changing pixels. *Stroming, J.W., + , T-CAS2 May 98* 556-562
modulated and tree-struct. filter banks, MMSE design. *Gosse, K., + , T-CAS2 Aug 98* 1044-1056
ΣΔ modulation, digital compen. for determin. nonideal characts. *Thao, N.T., T-CAS2 Sep 98* 1315-1321
Deconvolution
discrete orthogonal basis restoration, freq.-domain algm. *Moody, E.B., T-CAS2 Apr 98* 522-525
Delay circuits
CMOS fourth-order double-sampled SC bandpass sigma-delta modulator, 160-MHz. *Bazarjani, S., + , T-CAS2 May 98* 547-555
comb filter design, fractional-sample delay. *Soo-Chang Pei, + , T-CAS2 May 98* 649-653
lin. phase variable 2D digital filters, real-complex decomp. *Tian-Bo Deng, T-CAS2 Mar 98* 330-339
two-channel perfect-reconstruction lin.-phase FIR filter banks, design. *Goh, C.K., + , T-CAS2 Aug 98* 1141-1146
Delay circuits; cf. Delay filters
Delay effects
CMOS design, low delay-power product, one-hot residue coding. *Chren, W.A., Jr., T-CAS2 Mar 98* 303-313
freq.-stepped CW data, complex optimal sig. proc. algm. *Wu, S.M., + , T-CAS2 Jun 98* 754-757
max. flat low-pass FIR filters, reduced delay. *Selesnick, I.W., + , T-CAS2 Jan 98* 53-68
multidimensional FIR filters over lattices, lin. phase and symms. *Coulombe, S., + , T-CAS2 Apr 98* 473-481
pipelined DFE archits., delayed coeff. adaptation. *Perry, R., + , T-CAS2 Jul 98* 868-873
resistive interconnect in CMOS ccts., repeater design for delay/power reduction. *Adler, V., + , T-CAS2 May 98* 607-616
temp. insensitive CMOS digital cct. operation, supply voltage scaling. *Bellaouar, A., + , T-CAS2 Mar 98* 415-417
Delay filters
adaptive tech. for modeling second-order Volterra systs. with sparse kernels. *Tan, L., + , T-CAS2 Dec 98* 1610-1615
Delay filters; cf. Linear phase filters
Delay lines
switched-current ccts., clock-feedthrough compensation. *Helfenstein, M., + , T-CAS2 Jun 98* 739-743
Delta modulation; cf. Sigma-delta modulation
Design automation
current-mode ladder filter design using coupled-biquads, CMOS OTAs. *Jie Wu, + , T-CAS2 Nov 98* 1445-1454
data format converters, design, 2D register allocation. *Majumdar, M., + , T-CAS2 Apr 98* 504-508
ISCAS'97, selected papers (special issue). *T-CAS2 May 98* 533-660
ISCAS'97, selected papers, special issue intro. *Maloberti, F., + , T-CAS2 May 98* 533
lossless act. LC ladder filters, act. transconductance-capacitor cct. *Schaumann, R., T-CAS2 Mar 98* 407-410
parametric IC yield estim., variance reduction techs., stratified sampling. *Keramat, M; + , T-CAS2 May 98* 575-583
RLC clock tree constr., moment-based techs. *Lehther, D., + , T-CAS2 Jan 98* 69-79
VLSI chips, wiring considerations, Steiner min. tree constr. *Li, Y.Y., + , T-CAS2 May 98* 563-574

+ Check author entry for coauthors

Design automation; cf. High-level synthesis
Design automation software; cf. SPICE
Design for testability
analog and mixed-sig. cct. testing, review. *Milor, L.S., T-CAS2 Oct 98* 1389-1407
high-speed analog IC's, sig. meas. using undersampling tech. *Mason, R., + , T-CAS2 Nov 98* 1502-1504
Detectors
built-in current sens. based on current-mode design. *Kuen-Jong Lee, + , T-CAS2 Jan 98* 133-137
Differential amplifiers
CMOS 1-V op amp design, std. digital technol. *Blalock, B.J., + , T-CAS2 Jul 98* 769-780
CMOS differential difference operational floating amp. *Mahmoud, S.A., + , T-CAS2 Jan 98* 148-158
on-chip DC/DC voltage down converter for low-power digital syst. *Shyh-Jye Jou, + , T-CAS2 May 98* 617-625
wideband high-gain current-mode comparator and amp. archit. *Lee, C.-H., + , T-CAS2 May 98* 626-631
Differential equations
charge-pump PLLs, simulator core. *Larsson, P., T-CAS2 Sep 98* 1323-1326
constrained anti-Hebbian learning algm., converg. and divergence anal. *Choy, C.S.-T., + , T-CAS2 Nov 98* 1494-1502
convergence of Hebbian-type learning algm. *Zhang, Q., + , T-CAS2 Dec 98* 1599-1601
Diffusion processes
bipolar transistor ccts., phase noise reduction. *Takagi, K., + , T-CAS2 Nov 98* 1505-1507
Digital-analog conversion
8-bit CMOS 3.3-V-65-MHz digital-to-analog converter with symmetric two-stage current cell matrix archit. *Kim, J.H., + , T-CAS2 Dec 98* 1605-1609
anal. of partial randomization dyn. element matching tech. *Jensen, H.T., + , T-CAS2 Dec 98* 1538-1549
low-complexity dyn. element matching DAC for DDS. *Jensen, H.T., + , T-CAS2 Jan 98* 13-27
reducing baseband tones in sigma-delta modulators employing data weighted averaging algm. without adding dither. *Chen, K.-D., + , T-CAS2 Dec 98* 1615-1621
Digital arithmetic
2D IIR filters with approx. lin. phase, design and implement. *Chengshan Xiao, + , T-CAS2 Sep 98* 1279-1288
feature-domain 2D motion estim. based on Hough transform, hardware design. *Hsiang-Ling Li, + , T-CAS2 Jan 98* 80-95
FIR digital filters implemented using log. arith., error anal. *Chandra, D.V.S., T-CAS2 Jun 98* 744-747
IIR digital filter design, min. adder multiplier blocks. *Dempster, A.G., + , T-CAS2 Jun 98* 761-763
integer multiplier design, min. no. of adders. *Dempster, A.G., + , T-CAS2 Feb 98* 242-243
RSA cryptosystem hardware design based on Montgomery's algm. *Ching-Chao Yang, + , T-CAS2 Jul 98* 908-913
Digital arithmetic; cf. Pipeline arithmetic; Radix conversion; Redundant number systems; Residue arithmetic
Digital circuits; cf. Digital filters; Digital integrated circuits
Digital communication
blind equalization struct. for deep-null commun. channels. *Lambotharan, S., + , T-CAS2 Jan 98* 108-114
CMOS VLSI PRML detectors, compact neural net scalable archit. *Chou, E.Y., + , T-CAS2 Jun 98* 709-719
Digital communication; cf. Digital radio; ISDN
Digital filters
adaptive IIR filtering, global LMS algm. *Edmonson, W., + , T-CAS2 Mar 98* 379-384
Bayesian equalization, fuzzy filters. *Patra, S.K., + , T-CAS2 Jul 98* 812-820
digital images, impulse noise, noise-exclusive adaptive filtering framework. *Kong, H., + , T-CAS2 Mar 98* 422-428
equiripple FIR filters, design, feedback neural net. *Bhattacharya, D., + , T-CAS2 Apr 98* 527-531
FIR digital filters implemented using log. arith., error anal. *Chandra, D.V.S., T-CAS2 Jun 98* 744-747
generalized coiflets with nonzero-centered vanishing moments. *Dong Wei, + , T-CAS2 Aug 98* 988-1001
IF digital freq. downconverter, low-power multirate archit. *Shyh-Jye Jou, + , T-CAS2 Nov 98* 1487-1494
IIR digital filter design, magnitude response approx. *Hegde, R., + , T-CAS2 Nov 98* 1476-1486
IIR digital filter design, min. adder multiplier blocks. *Dempster, A.G., + , T-CAS2 Jun 98* 761-763
integer multiplier design, min. no. of adders. *Dempster, A.G., + , T-CAS2 Feb 98* 242-243
interpolated freq.-hopping SS transceiver. *Filiol, N.M., + , T-CAS2 Jan 98* 3-12
lattice filters, lossy synthesis. *Sellami, L., + , T-CAS2 Apr 98* 512-518
max. flat low-pass FIR filters, reduced delay. *Selesnick, I.W., + , T-CAS2 Jan 98* 53-68
multirate building structs. with appl. to nonuniform filter banks. *Tongwen Chen, + , T-CAS2 Aug 98* 948-958
multirate specs., alias-component matrices. *Shenoy, R.G., T-CAS2 Mar 98* 314-320
oversampled cosine modulated filter banks with perfect reconstr. *Bolcskei, H., + , T-CAS2 Aug 98* 1057-1071
pipelined DFE archits., delayed coeff. adaptation. *Perry, R., + , T-CAS2 Jul 98* 868-873
subband adaptive filter with statist. optimum anal. filter bank. *Higa, Y., + , T-CAS2 Aug 98* 1150-1154
two-channel perfect-reconstruction lin.-phase FIR filter banks, design. *Goh, C.K., + , T-CAS2 Aug 98* 1141-1146
Digital filters; cf. FIR digital filters; IIR digital filters; Multidimensional digital filters; Quadrature mirror filters; Recursive digital filters; Wave digital filters
Digital filter wordlength effects
direct-form IIR filters, delta operator realizations. *Kauraniemi, J., + , T-CAS2 Jan 98* 41-52
Digital integrated circuits
data format converters, design, 2D register allocation. *Majumdar, M., + , T-CAS2 Apr 98* 504-508
power/ground networks in VLSI ccts., event-driven simul. algm. *Shah, J.C., + , T-CAS2 Oct 98* 1372-1382
Digital integrated circuits; cf. CMOS digital integrated circuits; Mixed analog-digital integrated circuits
Digital modulation; cf. Partial response signaling
Digital radio
IF digital freq. downconverter, low-power multirate archit. *Shyh-Jye Jou, + , T-CAS2 Nov 98* 1487-1494
Digital radio; cf. Spread spectrum communication
Digital signal processors
CMOS video sig. proc., prog. systolic array. *Miyake, J., + , T-CAS2 Sep 98* 1272-1278
fixed-point optim. utility for C and C++ based DSP programs. *Seehyun Kim, + , T-CAS2 Nov 98* 1455-1464
full-search block-matching VLSI archit., CMOS implement. *Seung Hyun Nam, + , T-CAS2 Apr 98* 508-512
ISCAS'97, selected papers (special issue). *T-CAS2 May 98* 533-660
ISCAS'97, selected papers, special issue intro. *Maloberti, F., + , T-CAS2 May 98* 533
pipelined DFE archits., delayed coeff. adaptation. *Perry, R., + , T-CAS2 Jul 98* 868-873
pipelined parallel CORDIC archit. for motion estim. in MPEG stds. *Chen, J., + , T-CAS2 May 98* 653-660
real-time DSP, ASICS, hardware interface codesign approach. *Baganne, A., + , T-CAS2 May 98* 584-591
RETIMAC, real-time motion anal. chip. *Nesi, P., + , T-CAS2 Mar 98* 361-375
RSA cryptosystem hardware design based on Montgomery's algm. *Ching-Chao Yang, + , T-CAS2 Jul 98* 908-913
scheduling/retiming. *Denk, T.C., + , T-CAS2 Jul 98* 821-838
systematic design of high-speed and low-power digital-serial multipliers. *Chang, Y.-N., + , T-CAS2 Dec 98* 1585-1596
Directed graphs; cf. Flow graphs
Discrete cosine transforms
fixed-point optim. utility for C and C++ based DSP programs. *Seehyun Kim, + , T-CAS2 Nov 98* 1455-1464
pipelined parallel CORDIC archit. for motion estim. in MPEG stds. *Chen, J., + , T-CAS2 May 98* 653-660
short-time discrete trigonometric transforms, recursive formulations. *Macias, J.A.R., + , T-CAS2 Apr 98* 525-527
Discrete event simulation
charge-pump PLLs, simulator core. *Larsson, P., T-CAS2 Sep 98* 1323-1326
power/ground networks in VLSI ccts., event-driven simul. algm. *Shah, J.C., + , T-CAS2 Oct 98* 1372-1382
Discrete Fourier transforms
fast split-radix algm. for DFTs of length $N=q*2^m$. *Guoan Bi, + , T-CAS2 Jun 98* 685-690
moving-window DFT algms. *Rosendo Macias, J.A., + , T-CAS2 Feb 98* 256-260
oversampled cosine modulated filter banks with perfect reconstr. *Bolcskei, H., + , T-CAS2 Aug 98* 1057-1071
vector computation, fast algms. *Sundararajan, D., + , T-CAS2 Apr 98* 449-461
Discrete time filters; cf. Sampled data filters; Switched capacitor filters
Discrete time systems
continuous-state Hopfield neural nets, dyn. *Lipo Wang, T-CAS2 Jun 98* 747-749
Discrete time systems; cf. Sampled data systems
Discrete transforms; cf. Discrete cosine transforms; Discrete Fourier transforms
Distortion
BiCMOS VHF log-domain bandpass filters. *El-Gamal, M., + , T-CAS2 Sep 98* 1188-1198
generalized coiflets with nonzero-centered vanishing moments. *Dong Wei, + , T-CAS2 Aug 98* 988-1001
lin. transit. freq. integrator, tuneable VHF companding cct. *Worapishet, A., + , T-CAS2 Sep 98* 1212-1219
Distortion; cf. Jitter; Rate distortion theory
Distributed computing; cf. Processor scheduling
DRAM chips
CMOS DVST logic, sync. DRAM, subthreshold current. *Hoi-Jun Yoo, T-CAS2 Sep 98* 1263-1271

+ Check author entry for coauthors

Dynamic response; cf. Transient response

E

Eigenvalues and eigenfunctions
adaptive filtering algms., max. and min. tracking performs. *Eweda, E., T-CAS2 Jan 98* 123-132
discrete fractional Hartley and FT. *Soo-Chang Pei, +, T-CAS2 Jun 98* 665-675.
FIR filter designs, lin. constraints, eigenfilter approach. *Soo-Chang Pei, +, T-CAS2 Feb 98* 232-237
Electric variables; cf. Capacitance; Q factor
Electric variables control; cf. Gain control; Voltage control
Electric variables measurement; cf. Current measurement
Electronics; cf. Power electronics
Electrooptic devices; cf. Self-electrooptic-effect devices
Elliptic filters
DSP systs., scheduling/retiming. *Denk, T.C., +, T-CAS2 Jul 98* 821-838
Encoding
biorthogonal filter banks, optim. *Vaidyanathan, P.P., +, T-CAS2 Aug 98* 932-947
chaotic digital encoder/decoder pair improvement. *Werter, M.J., T-CAS2 Feb 98* 227-229
ISCAS'97, selected papers (special issue). *T-CAS2 May 98* 533-660
ISCAS'97, selected papers, special issue intro. *Maloberti, F., +, T-CAS2 May 98* 533
multilayer feedforward neural nets., fast RLS training algm. *Bilski, J., +, T-CAS2 Jun 98* 749-753
Encoding; cf. Image coding; Linear predictive coding; Source coding; Speech coding; Vector quantization
Entropy
image compression, entropy measure based on wavelet transform and noise modeling. *Starck, J.-L., +, T-CAS2 Aug 98* 1118-1124
Entropy codes
image coder, wavelet-based, entropy-constrained lattice vector quantizer. *Won-Ha Kim, +, T-CAS2 Aug 98* 1015-1030
Equalizers
Bayesian equalization, fuzzy filters. *Patra, S.K., +, T-CAS2 Jul 98* 812-820
Equalizers; cf. Adaptive equalizers; Decision feedback equalizers
Equations; cf. Differential equations
Equiripple filters; cf. Elliptic filters
Equivalent circuits
bipolar transistor ccts., phase noise reduction. *Takagi, K., +, T-CAS2 Nov 98* 1505-1507
log-domain ccts., design-oriented anal. *Fox, R.M., T-CAS2 Jul 98* 918-921
power/ground networks in VLSI ccts., event-driven simul. algm. *Shah, J.C., +, T-CAS2 Oct 98* 1372-1382
Error analysis
burst errors, test pattern generation and signature anal. *Katti, R.S., T-CAS2 Mar 98* 410-414
CMOS SI ccts., clock-feedthrough compensation scheme. *Byung-Moo Min, +, T-CAS2 Nov 98* 1508-1511
direct-form IIR filters, delta operator realizations. *Kauraniemi, J., +, T-CAS2 Jan 98* 41-52
FIR digital filters implemented using log. arith., error anal. *Chandra, D.V.S., T-CAS2 Jun 98* 744-747
nonlin. analog ccts., symbolic behavioral model generation. *Borchers, C., T-CAS2 Oct 98* 1362-1371
QR-based LMS algm., adaptive param. estim. *Zheng-She Liu, +, T-CAS2 Mar 98* 321-329
waveform restoration, approx. sampling theorem and wavelet denoising. *Ching, P.C., +, T-CAS2 Aug 98* 1102-1106
Error compensation
accumulator-based freq. synthesizer, error compensation. *Meyer-Base, U., +, T-CAS2 Jul 98* 885-890
pipelined ADC, digital error-averaging tech. *Rombouts, P., +, T-CAS2 Sep 98* 1321-1323
Estimation; cf. Adaptive estimation; Least squares methods; Parameter estimation; Yield estimation

F

Fading channels
interpolated freq.-hopping SS transceiver. *Filiol, N.M., +, T-CAS2 Jan 98* 3-12
Fault diagnosis
analog and mixed-sig. cct. testing, review. *Milor, L.S., T-CAS2 Oct 98* 1389-1407
low testability analog ccts., symbolic techs. appl. to multiple fault location. *Fedi, G., +, T-CAS2 Oct 98* 1383-1388
multiple fault location in low testability analog ccts., symbolic techs. appl. *Fedi, G., +, T-CAS2 Oct 98* 1383-1388
Fault tolerance; cf. Computer fault tolerance
Feature extraction
OCR feature extraction, ring-projection-wavelet-fractal signatures. *Tang, Y.Y., +, T-CAS2 Aug 98* 1130-1134
speech recogn. syst., analog VLSI chip, async. interface, auditory feature extraction. *Kumar, N., +, T-CAS2 May 98* 600-606
Feedback
equiripple FIR filters, design, feedback neural net. *Bhattacharya, D., +, T-CAS2 Apr 98* 527-531
oscillator modelled as pos. feedback syst., noise anal. *Dec, A., +, T-CAS2 Jun 98* 757-760
Feedback amplifiers
wideband high-gain current-mode comparator and amp. archit. *Lee, C.-H., +, T-CAS2 May 98* 626-631
Feedback amplifiers; cf. Operational amplifiers
Feedback circuits
anal. of feedback ccts./systs., SFGs and driving-point imped. *Ochoa, A., Jr., T-CAS2 Feb 98* 187-195
asynchronous weightless neural net for discrete relax. problems. *Alnuweiri, H.M., +, T-CAS2 Feb 98* 210-216
burst errors, test pattern generation and signature anal. *Katti, R.S., T-CAS2 Mar 98* 410-414
CMOS LV ccts., act. bootstrapped gain enhancement. *Seevinck, E., +, T-CAS2 Sep 98* 1250-1254
CMOS oversampling switched-current sample/hold cct., feedforward approach. *Renyuan Huang, +, T-CAS2 Mar 98* 395-399
CMOS VCO, 3 V, 1.3-1.8 GHz, 0.3 ps jitter. *Shing-Tak Yan, +, T-CAS2 Jul 98* 876-880
Il-based adjoint of op-amp-based ccts., biquad appl., PSPICE simul. *Papazoglou, C.A., +, T-CAS2 Jul 98* 894-898
LFSR, low power design. *Hamid, M.E., +, T-CAS2 Sep 98* 1304-1307
on-chip DC/DC voltage down converter for low-power digital syst. *Shyh-Jye Jou, +, T-CAS2 May 98* 617-625
oversampling current sample/hold structs. for CMOS proc. implement. *Mehr, I., +, T-CAS2 Feb 98* 196-203
pipelined DFE archits., delayed coeff. adaptation. *Perry, R., +, T-CAS2 Jul 98* 868-873
Feedback circuits; cf. Feedback amplifiers
Feedforward neural networks
CMOS PWM neural network with on-chip learning, realization. *Jenn-Chyou Bor, +, T-CAS2 Jan 98* 96-107
multilayer feedforward neural nets., fast RLS training algm. *Bilski, J., +, T-CAS2 Jun 98* 749-753
Feedforward neural networks; cf. Multilayer perceptrons
Feedforward systems
CMOS oversampling switched-current sample/hold cct., feedforward approach. *Renyuan Huang, +, T-CAS2 Mar 98* 395-399
high-speed differential A/D converters, harmonic distortion. *Boni, A., +, T-CAS2 Mar 98* 403-406
Nyquist rate converters, resoln. extension, oversampling. *Harjani, R., +, T-CAS2 Apr 98* 482-494
pipelined DFE archits., delayed coeff. adaptation. *Perry, R., +, T-CAS2 Jul 98* 868-873
wideband high-gain current-mode comparator and amp. archit. *Lee, C.-H., +, T-CAS2 May 98* 626-631
Feedforward systems; cf. Feedforward neural networks
FET integrated circuits; cf. MESFET integrated circuits
Field programmable gate arrays
oversampling-based analog multitone sig. generator, sinusoids. *Lu, A.K., +, T-CAS2 Mar 98* 391-394
Filtering
2D IIR filters with approx. lin. phase, design and implement. *Chengshan Xiao, +, T-CAS2 Sep 98* 1279-1288
2D nonseparable diamond-shaped filter banks, design. *Wu-Sheng Lu, +, T-CAS2 Aug 98* 1146-1150
2D symmetric noncausal FIR filtering and AR modeling algm. *Othon Glentis, G., +, T-CAS2 Feb 98* 251-256
adaptive filtering algms., max. and min. tracking performs. *Eweda, E., T-CAS2 Jan 98* 123-132
adaptive vector directional filters for color and multichannel image proc. *Plataniotis, K.N., +, T-CAS2 Oct 98* 1414-1419
biorthogonal filter banks, optim. *Vaidyanathan, P.P., +, T-CAS2 Aug 98* 932-947
comb filter design, fractional-sample delay. *Soo-Chang Pei, +, T-CAS2 May 98* 649-653
digital lattice filters, lossy synthesis. *Sellami, L., +, T-CAS2 Apr 98* 512-518
direct-form IIR filters, delta operator realizations. *Kauraniemi, J., +, T-CAS2 Jan 98* 41-52
discrete fractional Hartley and FT. *Soo-Chang Pei, +, T-CAS2 Jun 98* 665-675
equiripple FIR filters, design, feedback neural net. *Bhattacharya, D., +, T-CAS2 Apr 98* 527-531
FIR filter designs, lin. constraints, eigenfilter approach. *Soo-Chang Pei, +, T-CAS2 Feb 98* 232-237
generalized coiflets with nonzero-centered vanishing moments. *Dong Wei, +, T-CAS2 Aug 98* 988-1001
IIR adaptive filter based on estim. of all-pass syst. *Kobayashi, M., +, T-CAS2 Jun 98* 676-684
IIR digital filter design, magnitude response approx. *Hegde, R., +, T-CAS2 Nov 98* 1476-1486
IIR digital filter design, min. adder multiplier blocks. *Dempster, A.G., +, T-CAS2 Jun 98* 761-763
lossless and lossy image compression using biorthogonal wavelet transforms. *HyungJun Kim, +, T-CAS2 Aug 98* 1113-1118

max. flat low-pass FIR filters, reduced delay. *Selesnick, I.W., + , T-CAS2 Jan 98* 53-68
modulated and tree-struct. filter banks, MMSE design. *Gosse, K., + , T-CAS2 Aug 98* 1044-1056
multi-band decomp. of error sig., adaptive filter algms. *Resende, F.G.V., Jr., + , T-CAS2 May 98* 592-599
multidimensional FIR filters over lattices, lin. phase and symms. *Coulombe, S., + , T-CAS2 Apr 98* 473-481
multirate building structs. with appl. to nonuniform filter banks. *Tongwen Chen, + , T-CAS2 Aug 98* 948-958
multirate systems, filter banks, wavelets, and applications (special issue). *T-CAS2 Aug 98* 929-1173
multirate systems, filter banks, wavelets, and applications, special issue intro. *Fliege, N.J., + , T-CAS2 Aug 98* 929-931
multiwavelet prefilters, orthogonal type preserving approx. order. *Hardin, D.P., + , T-CAS2 Aug 98* 1106-1112
nearly perfect-reconstruction QMF banks, design. *Zhu, W.-P., + , T-CAS2 Aug 98* 1161-1165
noisy random sigs., wavelet estim. and decomp., Kalman filtering tech. *Hong, L., + , T-CAS2 Feb 98* 237-241
orthogonal wavelet transforms, parameterization and implement. *Rieder, P., + , T-CAS2 Feb 98* 217-226
oversampled cosine modulated filter banks with perfect reconstr. *Bolcskei, H., + , T-CAS2 Aug 98* 1057-1071
pyramid-based multiresolution adaptive filters for image noise. *Aiazzi, B., + , T-CAS2 Aug 98* 1092-1097
recursive digital filters with prescribed stabil. margin, design. *Wu-Sheng Lu, T-CAS2 Sep 98* 1289-1298
sampling theory, generalized without band-limiting constraints. *Unser, M., + , T-CAS2 Aug 98* 959-969
second-order adaptive IIR notch filter, memoryless nonlin. gradient algm. *Xiao, Y., + , T-CAS2 Apr 98* 462-472
sign algm. for FIR filter adaption, tracking anal. *Eweda, E., T-CAS2 Jan 98* 115-122
small sidelobe filter bank design for multitone data commun. appls. *Martin, K.W., T-CAS2 Aug 98* 1155-1161
subband adaptive filter with statist. optimum anal. filter bank. *Higa, Y., + , T-CAS2 Aug 98* 1150-1154
subband Kalman filtering for speech enhancement. *Wen-Rong Wu, + , T-CAS2 Aug 98* 1072-1083

Filtering; cf. Kalman filtering

Filter noise
sign algm. for FIR filter adaption, tracking anal. *Eweda, E., T-CAS2 Jan 98* 115-122

Filter noise; cf. Digital filter wordlength effects

Filters
instantaneous companding in analog signal processing (special section). *T-CAS2 Sep 98* 1179-1232
instantaneous companding in analog signal processing, special section intro. *Payne, A., + , T-CAS2 Sep 98* 1179-1180

Filters; cf. Active filters; Adaptive filters; Bandpass filters; Continuous time filters; Delay filters; Digital filters; Elliptic filters; Equalizers; Ladder filters; Lattice filters; Low-pass filters; Microwave filters; Nonlinear filters; Notch filters; UHF filters

Finite wordlength effects; cf. Digital filter wordlength effects; Roundoff errors

FIR digital filters
2D symmetric noncausal FIR filtering and AR modeling algm. *Othon Glentis, G., + , T-CAS2 Feb 98* 251-256
blind equalization struct. for deep-null commun. channels. *Lambotharan, S., + , T-CAS2 Jan 98* 108-114
broadband beamformers, near field design, Chebyshev optim. *Nordholm, S.E., + , T-CAS2 Jan 98* 141-143
comb filter design, fractional-sample delay. *Soo-Chang Pei, + , T-CAS2 May 98* 649-653
designs, lin. constraints, eigenfilter approach. *Soo-Chang Pei, + , T-CAS2 Feb 98* 232-237
digital filters implemented using log. arith., error anal. *Chandra, D.V.S., T-CAS2 Jun 98* 744-747
equiripple FIR filters, design, feedback neural net. *Bhattacharya, D., + , T-CAS2 Apr 98* 527-531
freq.-response masking approach for synthesis of sharp 2D diamond-shaped filters. *Lim, Y.C., + , T-CAS2 Dec 98* 1573-1584
generalized coiflets with nonzero-centered vanishing moments. *Dong Wei, + , T-CAS2 Aug 98* 988-1001
IF digital freq. downconverter, low-power multirate archit. *Shyh-Jye Jou, + , T-CAS2 Nov 98* 1487-1494
lin. phase FIR filter design, magnitude response approx. *Hegde, R., + , T-CAS2 Nov 98* 1476-1486
max. flat low-pass FIR filters, reduced delay. *Selesnick, I.W., + , T-CAS2 Jan 98* 53-68
multidimensional FIR filters over lattices, lin. phase and symms. *Coulombe, S., + , T-CAS2 Apr 98* 473-481
nearly perfect-reconstruction QMF banks, design. *Zhu, W.-P., + , T-CAS2 Aug 98* 1161-1165
oversampled cosine modulated filter banks with perfect reconstr. *Bolcskei, H., + , T-CAS2 Aug 98* 1057-1071
quadrature mirror-image filter banks, design. *Wu-Sheng Lu, + , T-CAS2 Jul 98* 922-926
sign algm. for FIR filter adaption, tracking anal. *Eweda, E., T-CAS2 Jan 98* 115-122
two-channel perfect-reconstruction lin.-phase FIR filter banks, design. *Goh, C.K., + , T-CAS2 Aug 98* 1141-1146

Flow graphs
symbolic network anal. methods for analog ICs, survey. *Wambacq, P., + , T-CAS2 Oct 98* 1331-1341

Flow graphs; cf. Data flow graphs; Signal flow graphs

Fourier transforms
discrete fractional Hartley and FT. *Soo-Chang Pei, + , T-CAS2 Jun 98* 665-675
small sidelobe filter bank design for multitone data commun. appls. *Martin, K.W., T-CAS2 Aug 98* 1155-1161

Fourier transforms; cf. Discrete Fourier transforms

Fractals
OCR feature extraction, ring-projection-wavelet-fractal signatures. *Tang, Y.Y., + , T-CAS2 Aug 98* 1130-1134

Frequency
high-speed analog ICs, sig. meas. using undersampling tech. *Mason, R., + , T-CAS2 Nov 98* 1502-1504

Frequency conversion
IF digital freq. downconverter, low-power multirate archit. *Shyh-Jye Jou, + , T-CAS2 Nov 98* 1487-1494

Frequency domain analysis
discrete orthogonal basis restoration, freq.-domain algm. *Moody, E.B., T-CAS2 Apr 98* 522-525
power/ground networks in VLSI ccts., event-driven simul. algm. *Shah, J.C., + , T-CAS2 Oct 98* 1372-1382

Frequency estimation
Markov-based single-tone freq. estim. *Handel, P., T-CAS2 Feb 98* 230-232
second-order adaptive IIR notch filter, memoryless nonlin. gradient algm. *Xiao, Y., + , T-CAS2 Apr 98* 462-472

Frequency hop communication
CMOS design, low delay-power product, one-hot residue coding. *Chren, W.A., Jr., T-CAS2 Mar 98* 303-313
interpolated freq.-hopping SS transceiver. *Filiol, N.M., + , T-CAS2 Jan 98* 3-12

Frequency response
freq.-response masking approach for synthesis of sharp 2D diamond-shaped filters. *Lim, Y.C., + , T-CAS2 Dec 98* 1573-1584
lin. phase variable 2D digital filters, real-complex decomp. *Tian-Bo Deng, T-CAS2 Mar 98* 330-339
low drop-out regulators, optimized freq. shaping cct. topologies. *Rincon-Mora, G.A., + , T-CAS2 Jun 98* 703-708
wideband high-gain current-mode comparator and amp. archit. *Lee, C.-H., + , T-CAS2 May 98* 626-631

Frequency synthesizers
accumulator-based freq. synthesizer, error compensation. *Meyer-Base, U., + , T-CAS2 Jul 98* 885-890
CMOS design, low delay-power product, one-hot residue coding. *Chren, W.A., Jr., T-CAS2 Mar 98* 303-313
interpolated freq.-hopping SS transceiver. *Filiol, N.M., + , T-CAS2 Jan 98* 3-12
low-complexity dyn. element matching DAC for DDS. *Jensen, H.T., + , T-CAS2 Jan 98* 13-27

Functions
Gaussian fns., sig. approx. *Jorge, P.J.S.G., T-CAS2 Feb 98* 250-251
sampling theory, generalized without band-limiting constraints. *Unser, M., + , T-CAS2 Aug 98* 959-969

Functions; cf. Spline functions; Transfer functions

Fuzzy sets
adaptive vector directional filters for color and multichannel image proc. *Plataniotis, K.N., + , T-CAS2 Oct 98* 1414-1419

Fuzzy systems
Bayesian equalization, fuzzy filters. *Patra, S.K., + , T-CAS2 Jul 98* 812-820

G

Gain control
cct. design, const. settling time. *Khoury, J.M., T-CAS2 Mar 98* 283-294

Gallium compounds
GaAs MMIC X-band act. filter, tuned transversal element. *Tam, K.W., + , T-CAS2 May 98* 632-634

Gaussian noise
waveform restoration, approx. sampling theorem and wavelet denoising. *Ching, P.C., + , T-CAS2 Aug 98* 1102-1106

Gradient methods; cf. Least mean square methods

Graph theory
symbolic network anal. methods for analog ICs, survey. *Wambacq, P., + , T-CAS2 Oct 98* 1331-1341

Graph theory; cf. Flow graphs; Trees (graphs)

H

Hadamard transforms
center weighted Hadamard transform algms., real-time sig. proc. *Chih-Peng Fan, + , T-CAS2 Mar 98* 429-432
weighted Hadamard transform, reverse jacket matrix, PCS sig. proc. *Seung-Rae Lee, + , T-CAS2 Mar 98* 436-441

Harmonic analysis
moving-window DFT algms. *Rosendo Macias, J.A., + , T-CAS2 Feb 98* 256-260

Harmonic distortion
anal. of partial randomization dyn. element matching tech. *Jensen, H.T., + , T-CAS2 Dec 98* 1538-1549
class AB CMOS current output stages,linearity perform., harmonic distort. *Palmisano, G., + , T-CAS2 Feb 98* 243-250
dyn. nonlin. wideband amps., IMD, THD. *Sjoland, H., + , T-CAS2 Jul 98* 873-875
high-speed differential A/D converters, harmonic distortion. *Boni, A., + , T-CAS2 Mar 98* 403-406
low-complexity dyn. element matching DAC for DDS. *Jensen, H.T., + , T-CAS2 Jan 98* 13-27
Hartley transforms
discrete fractional Hartley and FT. *Soo-Chang Pei, + , T-CAS2 Jun 98* 665-675
short-time discrete trigonometric transforms, recursive formulations. *Macias, J.A.R., + , T-CAS2 Apr 98* 525-527
HDTV
multiresolution coding, OBMC, DWT-LOT. *Liangchi Hsu, + , T-CAS2 Aug 98* 1002-1014
Hebbian learning
classical conditioning with pulsed integrated neural nets, on-chip learning. *Lehmann, T., T-CAS2 Jun 98* 720-728
convergence of Hebbian-type learning algm. *Zhang, Q., + , T-CAS2 Dec 98* 1593-1601
Hessian matrices
recursive digital filters with prescribed stabil. margin, design. *Wu-Sheng Lu, T-CAS2 Sep 98* 1289-1298
High-level languages; cf. C language
High-level synthesis
DSP systs., scheduling/retiming. *Denk, T.C., + , T-CAS2 Jul 98* 821-838
real-time DSP, ASICS, hardware interface codesign approach. *Baganne, A., + , T-CAS2 May 98* 584-591
2@T = High-speed integrated circuits
systematic design for optim. of high-speed self-calibrated pipelined A/D converters. *Goes, J., + , T-CAS2 Dec 98* 1513-1526
systematic design of high-speed and low-power digital-serial multipliers. *Chang, Y.-N., + , T-CAS2 Dec 98* 1585-1596
Hopfield networks
discrete-time continuous-state Hopfield neural nets, dyn. *Lipo Wang, T-CAS2 Jun 98* 747-749
Hough transforms
feature-domain 2D motion estim. based on Hough transform, hardware design. *Hsiang-Ling Li, + , T-CAS2 Jan 98* 80-95

I

Identification
2D symmetric noncausal FIR filtering and AR modeling algm. *Othon Glentis, G., + , T-CAS2 Feb 98* 251-256
Identification; cf. Parameter estimation
IIR digital filters
2D IIR filters with approx. lin. phase, design and implement. *Chengshan Xiao, + , T-CAS2 Sep 98* 1279-1288
adaptive filter based on estim. of all-pass syst. *Kobayashi, M., + , T-CAS2 Jun 98* 676-684
adaptive IIR filtering, global LMS algm. *Edmonson, W., + , T-CAS2 Mar 98* 379-384
blind equalization struct. for deep-null commun. channels. *Lambotharan, S., + , T-CAS2 Jan 98* 108-114
comb filter design, fractional-sample delay. *Soo-Chang Pei, + , T-CAS2 May 98* 649-653
digital filter design, min. adder multiplier blocks. *Dempster, A.G., + , T-CAS2 Jun 98* 761-763
digital filters, magnitude response approx. *Hegde, R., + , T-CAS2 Nov 98* 1476-1486
direct-form IIR filters, delta operator realizations. *Kauraniemi, J., + , T-CAS2 Jan 98* 41-52
nearly perfect-reconstruction QMF banks, design. *Zhu, W.-P., + , T-CAS2 Aug 98* 1161-1165
second-order adaptive IIR notch filter, memoryless nonlin. gradient algm. *Xiao, Y., + , T-CAS2 Apr 98* 462-472
Image analysis; cf. Image edge analysis; Image sequence analysis
Image coding
compression, entropy measure based on wavelet transform and noise modeling. *Starck, J.-L., + , T-CAS2 Aug 98* 1118-1124
digital images, impulse noise, noise-exclusive adaptive filtering framework. *Kong, H., + , T-CAS2 Mar 98* 422-428
full-search block-matching VLSI archit., CMOS implement. *Seung Hyun Nam, + , T-CAS2 Apr 98* 508-512
Linde-Buzo-Gray algm. in image VQ. *Yih-Chuan Lin, + , T-CAS2 Mar 98* 432-435
lossless and lossy image compression using biorthogonal wavelet transforms. *HyungJun Kim, + , T-CAS2 Aug 98* 1113-1118
M4R shape coding, pipelined archits., changing pixels. *Stroming, J.W., + , T-CAS2 May 98* 556-562
multilevel images, arith. coding, VLSI archit. *Boo, M., + , T-CAS2 Jan 98* 163-168
multirate systems, filter banks, wavelets, and applications (special issue). *T-CAS2 Aug 98* 929-1173
multirate systems, filter banks, wavelets, and applications, special issue intro. *Fliege, N.J., + , T-CAS2 Aug 98* 929-931
region-based wavelet transform for image compression. *Jong-Han Kim, + , T-CAS2 Aug 98* 1137-1140
space-freq. adaptive subband image coding. *Nuri, V., T-CAS2 Aug 98* 1168-1173
wavelet-based, entropy-constrained lattice vector quantizer. *Won-Ha Kim, + , T-CAS2 Aug 98* 1015-1030
Image coding; cf. Video coding
Image edge analysis
multiscale edge detect. on range images via normal changes. *Chwen-Jye Sze, + , T-CAS2 Aug 98* 1087-1092
Image enhancement
JPEG decoded images, sing. detect. for deblocking. *Tai-Chiu Hsung, + , T-CAS2 May 98* 640-644
pyramid-based multiresolution adaptive filters for image noise. *Aiazzi, B., + , T-CAS2 Aug 98* 1092-1097
Image matching
full-search block-matching VLSI archit., CMOS implement. *Seung Hyun Nam, + , T-CAS2 Apr 98* 508-512
Image processing
2D symmetric noncausal FIR filtering and AR modeling algm. *Othon Glentis, G., + , T-CAS2 Feb 98* 251-256
adaptive vector directional filters for color and multichannel image proc. *Plataniotis, K.N., + , T-CAS2 Oct 98* 1414-1419
flat structuring element morph. operations, algm. *Ringo Wai-Kit Lam, + , T-CAS2 Mar 98* 387-391
generalized coiflets with nonzero-centered vanishing moments. *Dong Wei, + , T-CAS2 Aug 98* 988-1001
multirate systems, filter banks, wavelets, and applications (special issue). *T-CAS2 Aug 98* 929-1173
multirate systems, filter banks, wavelets, and applications, special issue intro. *Fliege, N.J., + , T-CAS2 Aug 98* 929-931
object-based selection within analog VLSI visual attention syst. *Morris, T.G., + , T-CAS2 Dec 98* 1564-1572
Image processing; cf. Image coding; Image enhancement; Image matching; Image recognition; Image reconstruction; Image resolution; Image restoration; Image segmentation; Video signal processing
Image recognition
Arabic characters, thinning algm., ART2 neural net. *Altuwaijri, M.M., + , T-CAS2 Feb 98* 260-264
Image reconstruction
FIR quadrature mirror-image filter banks, design. *Wu-Sheng Lu, + , T-CAS2 Jul 98* 922-926
region-based wavelet transform for image compression. *Jong-Han Kim, + , T-CAS2 Aug 98* 1137-1140
Image representations
multiresolution watermarking tech. for digital images. *Chion-Ting Hsu, + , T-CAS2 Aug 98* 1097-1101
Image resolution
HDTV, multiresolution coding, OBMC, DWT-LOT. *Liangchi Hsu, + , T-CAS2 Aug 98* 1002-1014
multiresolution watermarking tech. for digital images. *Chion-Ting Hsu, + , T-CAS2 Aug 98* 1097-1101
pyramid-based multiresolution adaptive filters for image noise. *Aiazzi, B., + , T-CAS2 Aug 98* 1092-1097
Image restoration
image compression, entropy measure based on wavelet transform and noise modeling. *Starck, J.-L., + , T-CAS2 Aug 98* 1118-1124
Image segmentation
object-based selection within analog VLSI visual attention syst. *Morris, T.G., + , T-CAS2 Dec 98* 1564-1572
Image sensors
real-time image center-of-mass tracker cct., neuron MOS technol. implement. *Yu, N.M., + , T-CAS2 Apr 98* 495-503
Image sequence analysis
multidimensional discrete sigs., optimal low-rank approx. *Wu-Sheng Lu, + , T-CAS2 Mar 98* 417-422
RETIMAC, real-time motion anal. chip. *Nesi, P., + , T-CAS2 Mar 98* 361-375
Impedance matching
class AB CMOS current output stages,linearity perform., harmonic distort. *Palmisano, G., + , T-CAS2 Feb 98* 243-250
Information theory
approximated sampling theorem and wavelet denoising for waveform restoration. *Ching, P.C., + , T-CAS2 Aug 98* 1102-1106
generalized sampling theory without band-limiting constraints. *Unser, M., + , T-CAS2 Aug 98* 959-969
Information theory; cf. Decoding; Encoding
Integrated circuit design
CMOS design, low delay-power product, one-hot residue coding. *Chren, W.A., Jr., T-CAS2 Mar 98* 303-313
CMOS transconductor based low power wide-band analog systs. *Ning Guo, + , T-CAS2 Sep 98* 1299-1303
low-power CMOS current-mode cyclic ADCs, 1.5 V, design techs. *Chih-Cheng Chen, + , T-CAS2 Jan 98* 28-40
parametric IC yield estim., variance reduction techs., stratified sampling. *Keramat, M., + , T-CAS2 May 98* 575-583

+ Check author entry for coauthors

real-time DSP, ASICS, hardware interface codesign approach. *Baganne, A.*, +, *T-CAS2 May 98* 584-591
resistive interconnect in CMOS ccts., repeater design for delay/power reduction. *Adler, V.*, +, *T-CAS2 May 98* 607-616
RF ICs, LV design tech. *Manku, T.*, +, *T-CAS2 Oct 98* 1408-1413
temp. insensitive CMOS digital cct. operation, supply voltage scaling. *Bellaouar, A.*, +, *T-CAS2 Mar 98* 415-417
Integrated circuit design; cf. Integrated circuit layout
Integrated circuit interconnections
resistive interconnect in CMOS ccts., repeater design for delay/power reduction. *Adler, V.*, +, *T-CAS2 May 98* 607-616
RLC clock tree constr., moment-based techs. *Lehner, D.*, +, *T-CAS2 Jan 98* 69-79
Integrated circuit layout
data format converters, design, 2D register allocation. *Majumdar, M.*, +, *T-CAS2 Apr 98* 504-508
VLSI chips, wiring considerations, Steiner min. tree constr. *Li, Y.Y.*, +, *T-CAS2 May 98* 563-574
Integrated circuit measurements
high-speed analog ICs, sig. meas. using undersampling tech. *Mason, R.*, +, *T-CAS2 Nov 98* 1502-1504
Integrated circuit modeling
nonlin. analog ccts., symbolic behavioral model generation. *Borchers, C.*, *T-CAS2 Oct 98* 1362-1371
Integrated circuit noise
act. RC and MOSFET-C filters, noise anal. *Efthivoulidis, G.*, +, *T-CAS2 Sep 98* 1311-1315
CMOS VCO, 3 V, 1.3-1.8 GHz, 0.3 ps jitter. *Shing-Tak Yan*, +, *T-CAS2 Jul 98* 876-880
EPSILON, analog VLSI MLP, fault tolerance, wt. noise. *Edwards, P.J.*, +, *T-CAS2 Sep 98* 1255-1262
RF ICs, LV design tech. *Manku, T.*, +, *T-CAS2 Oct 98* 1408-1413
Integrated circuit packaging; cf. Multichip modules
Integrated circuits; cf. Analog integrated circuits; Application specific integrated circuits; CMOS integrated circuits; Digital integrated circuits; High-speed integrated circuits; MESFET integrated circuits; Monolithic integrated circuits; Power integrated circuits; UHF integrated circuits; Very-large-scale integration
Integrated circuit testing
analog and mixed-sig. cct. testing, review. *Milor, L.S.*, *T-CAS2 Oct 98* 1389-1407
built-in current sens. based on current-mode design. *Kuen-Jong Lee*, +, *T-CAS2 Jan 98* 133-137
burst errors, test pattern generation and signature anal. *Katti, R.S.*, *T-CAS2 Mar 98* 410-414
high-speed analog ICs, sig. meas. using undersampling tech. *Mason, R.*, +, *T-CAS2 Nov 98* 1502-1504
low testability analog ccts., symbolic techs. appl. to multiple fault location. *Fedi, G.*, +, *T-CAS2 Oct 98* 1383-1388
mixed-sig. BIST, arbitrary-precision sig. generation. *Haurie, X.*, +, *T-CAS2 Nov 98* 1425-1432
Integrated voice-data communication; cf. ISDN
Integrators
BiCMOS VHF log-domain bandpass filters. *El-Gamal, M.*, +, *T-CAS2 Sep 98* 1188-1198
CMOS bandpass delta-sigma modulators, half-delay integrators. *Chuang, S.*, +, *T-CAS2 May 98* 535-546
externally lin. integrators. *Tsividis, Y.P.*, *T-CAS2 Sep 98* 1181-1187
inverting integrator with extended HF range, stabil. *Al-Alaoui, M.A.*, *T-CAS2 Mar 98* 399-402
lin. transit. freq. integrator, tuneable VHF companding cct. *Worapishet, A.*, +, *T-CAS2 Sep 98* 1212-1219
second-order sigma-delta modulators, integrator outputs bounding. *Farrell, R.*, +, *T-CAS2 Jun 98* 691-702
Interconnected circuits; cf. Cascade circuits
Interconnections; cf. Integrated circuit interconnections
Interference
companding sig. proc., noise and interf. *Toth, L.*, +, *T-CAS2 Sep 98* 1242-1249
Interference suppression
bipolar transistor ccts., phase noise reduction. *Takagi, K.*, +, *T-CAS2 Nov 98* 1505-1507
comb filter design, fractional-sample delay. *Soo-Chang Pei*, +, *T-CAS2 May 98* 649-653
digital images, impulse noise, noise-exclusive adaptive filtering framework. *Kong, H.*, +, *T-CAS2 Mar 98* 422-428
pyramid-based multiresolution adaptive filters for image noise. *Aiazzi, B.*, +, *T-CAS2 Aug 98* 1092-1097
Intermodulation distortion
dyn. nonlin. wideband amps., IMD, THD. *Sjoland, H.*, +, *T-CAS2 Jul 98* 873-875
Interpolation
charge-pump PLLs, simulator core. *Larsson, P.*, *T-CAS2 Sep 98* 1323-1326
freq.-hopping SS transceiver. *Filiol, N.M.*, +, *T-CAS2 Jan 98* 3-12
IF digital freq. downconverter, low-power multirate archit. *Shyh-Jye Jou*, +, *T-CAS2 Nov 98* 1487-1494
large analog ICs, symbolic anal., num. ref. generation problem. *Fernandez, F.V.*, +, *T-CAS2 Oct 98* 1351-1361
multiwavelet prefilters, orthogonal type preserving approx. order. *Hardin, D.P.*, +, *T-CAS2 Aug 98* 1106-1112
Interpolation; cf. Spline functions
Inverse problems
discrete orthogonal basis restoration, freq.-domain algm. *Moody, E.B.*, *T-CAS2 Apr 98* 522-525
Inverse problems; cf. Deconvolution; Image reconstruction; Matrix inversion
ISDN
multipoint videoconf., dyn. bit allocation in video combining. *Sun, M.-T.*, +, *T-CAS2 May 98* 644-648
Iterative methods
equiripple FIR filters, design, feedback neural net. *Bhattacharya, D.*, +, *T-CAS2 Apr 98* 527-531
FIR quadrature mirror-image filter banks, design. *Wu-Sheng Lu*, +, *T-CAS2 Jul 98* 922-926
freq.-stepped CW data, complex optimal sig. proc. algm. *Wu, S.M.*, +, *T-CAS2 Jun 98* 754-757
multidimensional discrete sigs., optimal low-rank approx. *Wu-Sheng Lu*, +, *T-CAS2 Mar 98* 417-422

J

Jitter
CMOS VCO, 3 V, 1.3-1.8 GHz, 0.3 ps jitter. *Shing-Tak Yan*, +, *T-CAS2 Jul 98* 876-880
indoor wireless opt. transm. systs., PPM pulsewidth reduction, slot sync. *Otte, R.*, +, *T-CAS2 Jul 98* 901-903

K

Kalman filtering
noisy random sigs., wavelet estim. and decomp., Kalman filtering tech. *Hong, L.*, +, *T-CAS2 Feb 98* 237-241
subband Kalman filtering for speech enhancement. *Wen-Rong Wu*, +, *T-CAS2 Aug 98* 1072-1083

L

Ladder filters
BiCMOS VHF log-domain bandpass filters. *El-Gamal, M.*, +, *T-CAS2 Sep 98* 1188-1198
current-mode ladder filter design using coupled-biquads, CMOS OTAs. *Jie Wu*, +, *T-CAS2 Nov 98* 1445-1454
lossless act. LC ladder filters, act. transconductance-capacitor cct. *Schaumann, R.*, *T-CAS2 Mar 98* 407-410
Land mobile radio equipment
interpolated freq.-hopping SS transceiver. *Filiol, N.M.*, +, *T-CAS2 Jan 98* 3-12
Large-scale integration; cf. Very-large-scale integration
Lattice filters
digital lattice filters, lossy synthesis. *Sellami, L.*, +, *T-CAS2 Apr 98* 512-518
orthogonal wavelet transforms, parameterization and implement. *Rieder, P.*, +, *T-CAS2 Feb 98* 217-226
VLSI QMF lattice, discrete wavelet transform. *Joon Tae Kim*, +, *T-CAS2 Aug 98* 1031-1043
Layout; cf. Integrated circuit layout
Learning systems
CMOS PWM neural network with on-chip learning, realization. *Jenn-Chyou Bor*, +, *T-CAS2 Jan 98* 96-107
constrained anti-Hebbian learning algm., converg. and divergence anal. *Choy, C.S.-T.*, +, *T-CAS2 Nov 98* 1494-1502
deterministic Boltzmann machines, analog VLSI hardware. *Schneider, R.S.*, +, *T-CAS2 Mar 98* 352-360
EPSILON, analog VLSI MLP, fault tolerance, wt. noise. *Edwards, P.J.*, +, *T-CAS2 Sep 98* 1255-1262
multilayer feedforward neural nets., fast RLS training algm. *Bilski, J.*, +, *T-CAS2 Jun 98* 749-753
spatio-temporal seqs., learning/retrieving, associative neural net. *Lipo Wang*, *T-CAS2 Jun 98* 729-738
time-adaptive vector ADC using backward unsupervised learning rule. *Martinez, D.*, *T-CAS2 Oct 98* 1420-1424
Learning systems; cf. Hebbian learning; Neural networks
Least mean square methods
2D symmetric noncausal FIR filtering and AR modeling algm. *Othon Glenis, G.*, +, *T-CAS2 Feb 98* 251-256
adaptive filtering algms., max. and min. tracking performs. *Eweda, E.*, *T-CAS2 Jan 98* 123-132
adaptive IIR filtering, global LMS algm. *Edmonson, W.*, +, *T-CAS2 Mar 98* 379-384
pipelined DFE archits., delayed coeff. adaptation. *Perry, R.*, +, *T-CAS2 Jul 98* 868-873
QR-based LMS algm., adaptive param. estim. *Zheng-She Liu*, +, *T-CAS2 Mar 98* 321-329
sign algm. for FIR filter adaption, tracking anal. *Eweda, E.*, *T-CAS2 Jan 98* 115-122
subband Kalman filtering for speech enhancement. *Wen-Rong Wu*, +, *T-CAS2 Aug 98* 1072-1083
Least squares methods
constrained anti-Hebbian learning algm., converg. and divergence anal. *Choy, C.S.-T.*, +, *T-CAS2 Nov 98* 1494-1502

+ Check author entry for coauthors

equiripple FIR filters, design, feedback neural net. *Bhattacharya, D.*, + , *T-CAS2 Apr 98* 527-531
multi-band decomp. of error sig., adaptive filter algms. *Resende, F.G.V., Jr.*, + , *T-CAS2 May 98* 592-599
multilayer feedforward neural nets., fast RLS training algm. *Bilski, J.*, + , *T-CAS2 Jun 98* 749-753
nearly perfect-reconstruction QMF banks, design. *Zhu, W.-P.*, + , *T-CAS2 Aug 98* 1161-1165

Limit cycles
2D IIR filters with approx. lin. phase, design and implement. *Chengzhan Xiao*, + , *T-CAS2 Sep 98* 1279-1288
IIR digital filter design, min. adder multiplier blocks. *Dempster, A.G.*, + , *T-CAS2 Jun 98* 761-763

Linear algebra; cf. Eigenvalues and eigenfunctions; Matrices

Linear approximation
LC act. bandpass filter, lin. integrated type, Q-enhance. *Gao, W.*, + , *T-CAS2 May 98* 635-639

Linear circuits
act. RC and MOSFET-C filters, noise anal. *Efthivoulidis, G.*, + , *T-CAS2 Sep 98* 1311-1315
feedback ccts./systs., anal., SFGs and driving-point imped. *Ochoa, A., Jr.*, *T-CAS2 Feb 98* 187-195
G_m-C biquad filters, current-mode vs. voltage-mode config. *Mahattanakul, J.*, + , *T-CAS2 Feb 98* 173-186
log-domain filters, state-space synthesis. *Frey, D.R., T-CAS2 Sep 98* 1205-1211

Linear phase filters
freq.-response masking approach for synthesis of sharp 2D diamond-shaped filters. *Lim, Y.C.*, + , *T-CAS2 Dec 98* 1573-1584

Linear predictive coding
Japanese text-to-speech synthesis, wavelet anal. *Kobayashi, M.*, + , *T-CAS2 Aug 98* 1125-1129

Linear systems
discrete orthogonal basis restoration, freq.-domain algm. *Moody, E.B., T-CAS2 Apr 98* 522-525

Logic; cf. Multivalued logic

Logic circuits
residue-to-binary arith. converter, algm. and adder implement. *Hiasat, A.A.*, + , *T-CAS2 Feb 98* 204-209

Logic circuits; cf. Asynchronous logic circuits; CMOSFET logic devices; Multivalued logic circuits

Logic circuit testing
burst errors, test pattern generation and signature anal. *Katti, R.S., T-CAS2 Mar 98* 410-414

Logic design
LFSR, low power design. *Hamid, M.E.*, + , *T-CAS2 Sep 98* 1304-1307

Logic design; cf. High-level synthesis

Low-pass filters
CMOS transconductor based low power wide-band analog systs. *Ning Guo*, + , *T-CAS2 Sep 98* 1299-1303
current-mode ladder filter design using coupled-biquads, CMOS OTAs. *Jie Wu*, + , *T-CAS2 Nov 98* 1445-1454
direct-form IIR filters, delta operator realizations. *Kauraniemi, J.*, + , *T-CAS2 Jan 98* 41-52
generalized coiflets with nonzero-centered vanishing moments. *Dong Wei*, + , *T-CAS2 Aug 98* 988-1001

M

Machine vision
multiscale edge detect. on range images via normal changes. *Chwen-Jye Sze*, + , *T-CAS2 Aug 98* 1087-1092
RETIMAC, real-time motion anal. chip. *Nesi, P.*, + , *T-CAS2 Mar 98* 361-375

Machine vision; cf. Robot vision systems

Manufacturing testing
analog and mixed-sig. cct. testing, review. *Milor, L.S., T-CAS2 Oct 98* 1389-1407

Markov processes
single-tone freq. estim., Markov-based. *Handel, P., T-CAS2 Feb 98* 230-232

Mathematics; cf. Eigenvalues and eigenfunctions; Functions; Fuzzy sets; Graph theory; Matrices; Morphological operations; Optimization methods; Series (mathematics)

Matrices
discrete fractional Hartley and FT. *Soo-Chang Pei*, + , *T-CAS2 Jun 98* 665-675
multirate specs., alias-component matrices. *Shenoy, R.G., T-CAS2 Mar 98* 314-320
multiwavelet anal. and sig. proc. appl. *Cotronei, M.*, + , *T-CAS2 Aug 98* 970-987

Matrices; cf. Covariance matrices; Hessian matrices; Scattering matrices; Toeplitz matrices

Matrix decomposition
3D computational pipelining with min. latency and max. throughput, L-U factorization. *Paul, J.M.*, + , *T-CAS2 Nov 98* 1465-1475
center weighted Hadamard transform algms., real-time sig. proc. *Chih-Peng Fan*, + , *T-CAS2 Mar 98* 429-432
QR-based LMS algm., adaptive param. estim. *Zheng-She Liu*, + , *T-CAS2 Mar 98* 321-329

Matrix decomposition; cf. Singular value decomposition

Matrix inversion
weighted Hadamard transform, reverse jacket matrix, PCS sig. proc. *Seung-Rae Lee*, + , *T-CAS2 Mar 98* 436-441

Maximum likelihood decoding; cf. Viterbi decoding

Maximum likelihood detection
CMOS flash ADC, disk drive PRML read channel, prog. nonlin. transfer fn. *Dalton, D.*, + , *T-CAS2 Nov 98* 1433-1444
CMOS VLSI PRML detectors, compact neural net scalable archit. *Chou, E.Y.*, + , *T-CAS2 Jun 98* 709-719
PRML detectors, compact neural network algm. *Chou, E.Y.*, + , *T-CAS2 Jul 98* 848-856

Measurement; cf. Integrated circuit measurements

Memories; cf. Analog memories; Associative memories

MESFET integrated circuits
GaAs MMIC X-band act. filter, tuned transversal element. *Tam, K.W.*, + , *T-CAS2 May 98* 632-634

Microprocessors; cf. Digital signal processors

Microwave circuits; cf. Microwave filters

Microwave FET integrated circuits
GaAs MMIC X-band act. filter, tuned transversal element. *Tam, K.W.*, + , *T-CAS2 May 98* 632-634

Microwave filters
GaAs MMIC X-band act. filter, tuned transversal element. *Tam, K.W.*, + , *T-CAS2 May 98* 632-634

Microwave integrated circuits; cf. Microwave FET integrated circuits; MMICs

MIMO systems
multirate specs., alias-component matrices. *Shenoy, R.G., T-CAS2 Mar 98* 314-320

Minimization methods
FIR quadrature mirror-image filter banks, design. *Wu-Sheng Lu*, + , *T-CAS2 Jul 98* 922-926
LFSR, low power design. *Hamid, M.E.*, + , *T-CAS2 Sep 98* 1304-1307

Mixed analog-digital integrated circuits
BIST, arbitrary-precision sig. generation. *Haifie, X.*, + , *T-CAS2 Nov 98* 1425-1432
classical conditioning with pulsed integrated neural nets, on-chip learning. *Lehmann, T., T-CAS2 Jun 98* 720-728
CMOS PWM neural network with on-chip learning, realization. *Jenn-Chyou Bor*, + , *T-CAS2 Jan 98* 96-107
CMOS VLSI PRML detectors, compact neural net scalable archit. *Chou, E.Y.*, + , *T-CAS2 Jun 98* 709-719
high-speed ICs, sig. meas. using undersampling tech. *Mason, R.*, + , *T-CAS2 Nov 98* 1502-1504
oversampling-based analog multitone sig. generator, sinusoids. *Lu, A.K.*, + , *T-CAS2 Mar 98* 391-394
real-time image center-of-mass tracker cct., neuron MOS technol. implement. *Yu, N.M.*, + , *T-CAS2 Apr 98* 495-503
testing analog and mixed-sig. cct., review. *Milor, L.S., T-CAS2 Oct 98* 1389-1407

Mixers; cf. UHF mixers

MMICs
GaAs MMIC X-band act. filter, tuned transversal element. *Tam, K.W.*, + , *T-CAS2 May 98* 632-634

Modeling; cf. Integrated circuit modeling; Signal representations

Modulation
freq.-stepped CW data, complex optimal sig. proc. algm. *Wu, S.M.*, + , *T-CAS2 Jun 98* 754-757
sampling theory, generalized without band-limiting constraints. *Unser, M.*, + , *T-CAS2 Aug 98* 959-969

Modulation; cf. Optical modulation; Partial response signaling

Moment methods
RLC clock tree constr., moment-based techs. *Lehther, D.*, + , *T-CAS2 Jan 98* 69-79

Monolithic integrated circuits
low-complexity dyn. element matching DAC for DDS. *Jeksen, H.T.*, + , *T-CAS2 Jan 98* 13-27

Monolithic integrated circuits; cf. MMICs

Monte Carlo methods
noisy random sigs., wavelet estim. and decomp., Kalman filtering tech. *Hong, L.*, + , *T-CAS2 Feb 98* 237-241
parametric IC yield estim., variance reduction techs., stratified sampling. *Keramat, M.*, + , *T-CAS2 May 98* 575-583

Morphological operations
flat structuring element morph. operations, algm. *Ringo Wai-Kit Lam*, + , *T-CAS2 Mar 98* 387-391

MOS analog integrated circuits; cf. CMOS analog integrated circuits

MOS digital integrated circuits; cf. CMOS digital integrated circuits

MOSFET amplifiers; cf. CMOSFET amplifiers

MOSFET logic devices; cf. CMOSFET logic devices

MOS integrated circuits; cf. CMOS integrated circuits

MOS memory integrated circuits; cf. CMOS memory integrated circuits

Motion analysis
feature-domain 2D motion estim. based on Hough transform, hardware design. *Hsiang-Ling Li*, + , *T-CAS2 Jan 98* 80-95
pipelined parallel CORDIC archit. for motion estim. in MPEG stds. *Chen, J.*, + , *T-CAS2 May 98* 653-660
RETIMAC, real-time motion anal. chip. *Nesi, P.*, + , *T-CAS2 Mar 98* 361-375

Motion compensation
HDTV, multiresolution coding, OBMC, DWT-LOT. *Liangchi Hsu, + , T-CAS2 Aug 98* 1002-1014
Motion measurement; cf. Tracking
Multiaccess communication; cf. Code division multiaccess; Subscriber loops
Multichip modules
RLC clock tree constr., moment-based techs. *Lehther, D., + , T-CAS2 Jan 98* 69-79
Multidimensional digital filters
broadband beamformers, near field design, Chebyshev optim. *Nordholm, S.E., + , T-CAS2 Jan 98* 141-143
discrete systs., periodic coeffs., stabil. *Bose, T., + , T-CAS2 Jul 98* 839-847
FIR filters over lattices, lin. phase and symms. *Coulombe, S., + , T-CAS2 Apr 98* 473-481
freq.-response masking approach for synthesis of sharp 2D diamond-shaped filters. *Lim, Y.C., + , T-CAS2 Dec 98* 1573-1584
IIR filters with approx. lin. phase, design and implement. *Chengshan Xiao, + , T-CAS2 Sep 98* 1279-1288
lin. phase variable 2D digital filters, real-complex decomp. *Tian-Bo Deng, T-CAS2 Mar 98* 330-339
nonseparable diamond-shaped filter banks, design. *Wu-Sheng Lu, + , T-CAS2 Aug 98* 1146-1150
symmetric noncausal FIR filtering and AR modeling algm. *Othon Glentis, G., + , T-CAS2 Feb 98* 251-256
Multidimensional systems
2D stabil. margin computation. *Mastorakis, N.E., T-CAS2 Mar 98* 376-379
2D symmetric noncausal FIR filtering and AR modeling algm. *Othon Glentis, G., + , T-CAS2 Feb 98* 251-256
Multilayer perceptrons
EPSILON, analog VLSI MLP, fault tolerance, wt. noise. *Edwards, P.J., + , T-CAS2 Sep 98* 1255-1262
Multiplication; cf. Analog multipliers
Multiplying circuits
IIR digital filter design, min. adder multiplier blocks. *Dempster, A.G., + , T-CAS2 Jun 98* 761-763
integer multiplier design, min. no. of adders. *Dempster, A.G., + , T-CAS2 Feb 98* 242-243
systematic design of high-speed and low-power digital-serial multipliers. *Chang, Y.-N., + , T-CAS2 Dec 98* 1585-1596
Multiprocessing; cf. Neural networks; Systolic arrays
Multivalued logic
multiple-input neuron CMOS op amp for voltage-mode multivalued full adders. *Ogawa, K., + , T-CAS2 Sep 98* 1307-1311
Multivalued logic circuits
clock-controlled neuron-MOS logic gates, refreshing scheme. *Kotani, K., + , T-CAS2 Apr 98* 518-523
Multivariable systems; cf. MIMO systems

N

Networks; cf. Neural networks
Neural network architecture
asynchronous weightless neural net for discrete relax. problems. *Alnuweiri, H.M., + , T-CAS2 Feb 98* 210-216
CMOS VLSI PRML detectors, compact neural net scalable archit. *Chou, E.Y., + , T-CAS2 Jun 98* 709-719
deterministic Boltzmann machines, analog VLSI hardware. *Schneider, R.S., + , T-CAS2 Mar 98* 352-360
spatio-temporal segs., learning/retrieving, associative neural net. *Lipo Wang, T-CAS2 Jun 98* 729-738
Neural network hardware
asynchronous weightless neural net for discrete relax. problems. *Alnuweiri, H.M., + , T-CAS2 Feb 98* 210-216
classical conditioning with pulsed integrated neural nets, on-chip learning. *Lehmann, T., T-CAS2 Jun 98* 720-728
CMOS PWM neural network with on-chip learning, realization. *Jenn-Chyou Bor, + , T-CAS2 Jan 98* 96-107
CMOS tunable Gaussian/sq. fn. computation cct. for analog neural networks. *Shang-Yi Lin, + , T-CAS2 Mar 98* 441-446
CMOS VLSI PRML detectors, compact neural net scalable archit. *Chou, E.Y., + , T-CAS2 Jun 98* 709-719
deterministic Boltzmann machines, analog VLSI hardware. *Schneider, R.S., + , T-CAS2 Mar 98* 352-360
EPSILON, analog VLSI MLP, fault tolerance, wt. noise. *Edwards, P.J., + , T-CAS2 Sep 98* 1255-1262
ISCAS'97, selected papers (special issue). *T-CAS2 May 98* 533-660
ISCAS'97, selected papers, special issue intro. *Maloberti, F., + , T-CAS2 May 98* 533
PRML detectors, compact neural network algm. *Chou, E.Y., + , T-CAS2 Jul 98* 848-856
speech recogn. syst., analog VLSI chip, async. interface, auditory feature extraction. *Kumar, N., + , T-CAS2 May 98* 600-606
Neural networks
CDMA receiver, gradient-descent optim. tech. *Chen, D.C., + , T-CAS2 Mar 98* 384-387
equiripple FIR filters, design, feedback neural net. *Bhattacharya, D., + , T-CAS2 Apr 98* 527-531
Neural networks; cf. ART neural networks; Boltzmann machines; Cellular neural networks; Feedforward neural networks; Hopfield networks; Perceptrons; Self-organizing feature maps
Noise
freq.-stepped CW data, complex optimal sig. proc. algm. *Wu, S.M., + , T-CAS2 Jun 98* 754-757
pyramid-based multiresolution adaptive filters for image noise. *Aiazzi, B., + , T-CAS2 Aug 98* 1092-1097
Noise; cf. Circuit noise; Phase noise; Random noise; Semiconductor device noise; White noise
Nonlinear circuits
analog ccts., symbolic behavioral model generation. *Borchers, C., T-CAS2 Oct 98* 1362-1371
class E vs. quasi-reson. switch topologies, generalized methodology. *Tomescu, B., T-CAS2 Jun 98* 763-766
CMOS four-quadrant S^2I switched-current multiplier. *Manganaro, G., + , T-CAS2 Jul 98* 791-799
log-domain ccts., design-oriented anal. *Fox, R.M., T-CAS2 Jul 98* 918-921
oscillator modelled as pos. feedback syst., noise anal. *Dec, A., + , T-CAS2 Jun 98* 757-760
Nonlinear circuits; cf. Cellular neural networks; Nonlinear filters
Nonlinear distortion; cf. Harmonic distortion; Intermodulation distortion
Nonlinear equations; cf. Polynomials
Nonlinear filters
adaptive tech. for modeling second-order Volterra systs. with sparse kernels. *Tan, L., + , T-CAS2 Dec 98* 1610-1615
adaptive vector directional filters for color and multichannel image proc. *Plataniotis, K.N., + , T-CAS2 Oct 98* 1414-1419
fast min/max filtering, analog implementations. *Gasteratos, S., + , T-CAS2 Jul 98* 913-918
rail-to-rail multiple-input min/max cct. [illegible]S implement. *Opris, I.E., T-CAS2 Jan 98* 137-140
Nonlinear filters; cf. Biquadratic filters
Nonlinear programming; cf. Quadratic programming
Nonlinear systems
adaptive tech. for modeling second-order Volterra systs. with sparse kernels. *Tan, L., + , T-CAS2 Dec 98* 1610-1615
Notch filters
integrable 60-Hz notch filter. *Casper, B.K., + , T-CAS2 Dec 98* 1621-1625
second-order adaptive IIR notch filter, memoryless nonlin. gradient algm. *Xiao, Y., + , T-CAS2 Apr 98* 462-472
Numerical analysis; cf. Approximation methods; Convergence of numerical methods; Iterative methods; Moment methods; Monte Carlo methods; Relaxation methods; Variational methods
Numerical stability
discrete orthogonal basis restoration, freq.-domain algm. *Moody, E.B., T-CAS2 Apr 98* 522-525
QR-based LMS algm., adaptive param. estim. *Zheng-She Liu, + , T-CAS2 Mar 98* 321-329
second-order adaptive IIR notch filter, memoryless nonlin. gradient algm. *Xiao, Y., + , T-CAS2 Apr 98* 462-472

O

Obituaries
Sidney Darlington. *Kuh, E.S., + , T-CAS2 Jan 98* 1-2
Operational amplifiers
class AB CMOS current output stages,linearity perform., harmonic distort. *Palmisano, G., + , T-CAS2 Feb 98* 243-250
CMOS 1-V op amp design, std. digital technol. *Blalock, B.J., + , T-CAS2 Jul 98* 769-780
CMOS differential difference operational floating amp. *Mahmoud, S.A., + , T-CAS2 Jan 98* 148-158
CMOS LV ccts., act. bootstrapped gain enhancement. *Seevinck, E., + , T-CAS2 Sep 98* 1250-1254
current-mode ladder filter design using coupled-biquads, CMOS OTAs. *Jie Wu, + , T-CAS2 Nov 98* 1445-1454
II-based adjoint of op-amp-based ccts., biquad appl., PSPICE simul. *Papazoglou, C.A., + , T-CAS2 Jul 98* 894-898
inverting integrator with extended HF range, stabil. *Al-Alaoui, M.A., T-CAS2 Mar 98* 399-402
multiple-input neuron CMOS op amp for voltage-mode multivalued full adders. *Ogawa, K., + , T-CAS2 Sep 98* 1307-1311
SC all-pass filter, low sensitivity, capacitance ratio errors/finite amp. gains. *Petraglia, A., + , T-CAS2 Jul 98* 890-894
Optical character recognition
feature extraction, ring-projection-wavelet-fractal signatures. *Tang, Y.Y., + , T-CAS2 Aug 98* 1130-1134
Optical imaging; cf. Robot vision systems
Optical modulation
indoor wireless opt. transm. systs., PPM pulsewidth reduction, slot sync. *Otte, R., + , T-CAS2 Jul 98* 901-903
Optical signal processing
use of unipolar loop signals in error diffusion modulator. *Willis, A.P., + , T-CAS2 Dec 98* 1597-1599
Optimization methods
Arabic characters, thinning algm., ART2 neural net. *Alnuwaijri, M.M., + , T-CAS2 Feb 98* 260-264

+ Check author entry for coauthors

biorthogonal filter banks, optim. *Vaidyanathan, P.P., + , T-CAS2 Aug 98* 932-947
broadband beamformers, near field design, Chebyshev optim. *Nordholm, S.E., + , T-CAS2 Jan 98* 141-143
equiripple FIR filters, design, feedback neural net. *Bhattacharya, D., + , T-CAS2 Apr 98* 527-531
freq.-stepped CW data, complex optimal sig. proc. algm. *Wu, S.M., + , T-CAS2 Jun 98* 754-757
modulated and tree-struct. filter banks, MMSE design. *Gosse, K., + , T-CAS2 Aug 98* 1044-1056
multirate building structs. with appl. to nonuniform filter banks. *Tongwen Chen, + , T-CAS2 Aug 98* 948-958
neural-network-based CDMA receiver, gradient-descent optim. tech. *Chen, D.C., + , T-CAS2 Mar 98* 384-387
second-order adaptive IIR notch filter, memoryless nonlin. gradient algm. *Xiao, Y., + , T-CAS2 Apr 98* 462-472
Optimization methods; cf. Circuit optimization; Least squares methods; Minimization methods; Quadratic programming; Simulated annealing
Oscillators
LC tuned oscillators, spectrum folding and phase noise. *Samori, C., + , T-CAS2 Jul 98* 781-790
noise anal. of oscillator modelled, pos. feedback syst. *Dec, A., + , T-CAS2 Jun 98* 757-760
Oscillators; cf. UHF oscillators; Voltage controlled oscillators

P

Parallel algorithms
asynchronous weightless neural net for discrete relax. problems. *Alnuweiri, H.M., + , T-CAS2 Feb 98* 210-216
mixed-radix conversion algm. *Miller, D.F., + , T-CAS2 Jan 98* 158-162
Parallel architectures
asynchronous weightless neural net for discrete relax. problems. *Alnuweiri, H.M., + , T-CAS2 Feb 98* 210-216
CMOS VLSI PRML detectors, compact neural net scalable archit. *Chou, E.Y., + , T-CAS2 Jun 98* 709-719
LFSR, low power design. *Hamid, M.E., + , T-CAS2 Sep 98* 1304-1307
pipelined parallel CORDIC archit. for motion estim. in MPEG stds. *Chen, J., + , T-CAS2 May 98* 653-660
Parallel processing; cf. Pipeline processing
Parallel programming; cf. Parallel algorithms
Parameter estimation
QR-based LMS algm., adaptive param. estim. *Zheng-She Liu, + , T-CAS2 Mar 98* 321-329
subband Kalman filtering for speech enhancement. *Wen-Rong Wu, + , T-CAS2 Aug 98* 1072-1083
Parameter estimation; cf. Frequency estimation
Partial response signaling
CMOS flash ADC, disk drive PRML read channel, prog. nonlin. transfer fn. *Dalton, D., + , T-CAS2 Nov 98* 1433-1444
CMOS VLSI PRML detectors, compact neural net scalable archit. *Chou, E.Y., + , T-CAS2 Jun 98* 709-719
PRML detectors, compact neural network algm. *Chou, E.Y., + , T-CAS2 Jul 98* 848-856
Pattern classification
CMOS PWM neural network with on-chip learning, realization. *Jenn-Chyou Bor, + , T-CAS2 Jan 98* 96-107
OCR feature extraction, ring-projection-wavelet-fractal signatures. *Tang, Y.Y., + , T-CAS2 Aug 98* 1130-1134
Pattern matching; cf. Image matching
Pattern recognition; cf. Character recognition; Image recognition
Perceptrons
synthesis procedure for class of cellular neural networks with space-invariant cloning template. *Lu, Z., + , T-CAS2 Dec 98* 1601-1605
Perceptrons; cf. Multilayer perceptrons
Phase locked loops
accumulator-based freq. synthesizer, error compensation. *Meyer-Base, U., + , T-CAS2 Jul 98* 885-890
charge-pump PLLs, simulator core. *Larsson, P., T-CAS2 Sep 98* 1323-1326
interpol.ated freq.-hopping SS transceiver. *Filiol, N.M., + , T-CAS2 Jan 98* 3-12
translinear PLL. *Payne, A., + , T-CAS2 Sep 98* 1220-1231
Phase noise
bipolar transistor ccts., phase noise reduction. *Takagi, K., + , T-CAS2 Nov 98* 1505-1507
CMOS VCO, 3 V, 1.3-1.8 GHz, 0.3 ps jitter. *Shing-Tak Yan, + , T-CAS2 Jul 98* 876-880
cryst.-like LC tanks, phase-noise perform. in VCOs. *Lacaita, A.L., + , T-CAS2 Jul 98* 898-900
LC tuned oscillators, spectrum folding and phase noise. *Samori, C., + , T-CAS2 Jul 98* 781-790
oscillator modelled as pos. feedback syst., noise anal. *Dec, A., + , T-CAS2 Jun 98* 757-760
Pipeline arithmetic
parallel CORDIC archit. for motion estim. in MPEG stds. *Chen, J., + , T-CAS2 May 98* 653-660
parallel mixed-radix conversion algm. *Miller, D.F., + , T-CAS2 Jan 98* 158-162
residue-to-binary arith. converter, algm. and adder implement. *Hiasat, A.A., + , T-CAS2 Feb 98* 204-209
Pipeline processing
3D computational pipelining with min. latency and max. throughput, L-U factorization. *Paul, J.M., + , T-CAS2 Nov 98* 1465-1475
ADC, digital error-averaging tech. *Rombouts, P., + , T-CAS2 Sep 98* 1321-1323
bit-level pipelined digit-serial array proc. *Aggoun, A., + , T-CAS2 Jul 98* 857-868
DFE archits., delayed coeff. adaptation. *Perry, R., + , T-CAS2 Jul 98* 868-873
M4R shape coding, pipelined archits., changing pixels. *Stroming, J.W., + , T-CAS2 May 98* 556-562
systematic design for optim. of high-speed self-calibrated pipelined A/D converters. *Goes, J., + , T-CAS2 Dec 98* 1513-1526
Pipeline processing; cf. Systolic arrays; Vector processing
Pole assignment
double-loop sigma-delta modulator, spectral charact. *Motamed, M., + , T-CAS2 Jan 98* 144-147
Poles and zeros
feedback ccts./systs., anal., SFGs and driving-point imped. *Ochoa, A., Jr., T-CAS2 Feb 98* 187-195
IIR adaptive filter based on estim. of all-pass syst. *Kobayashi, M., + , T-CAS2 Jun 98* 676-684
low drop-out regulators, optimized freq. shaping cct. topologies. *Rincon-Mora, G.A., + , T-CAS2 Jun 98* 703-708
multidimensional FIR filters over lattices, lin. phase and symms. *Coulombe, S., + , T-CAS2 Apr 98* 473-481
Polynomials
IIR digital filter design, magnitude response approx. *Hegde, R., + , T-CAS2 Nov 98* 1476-1486
LFSR, low power design. *Hamid, M.E., + , T-CAS2 Sep 98* 1304-1307
lin. phase variable 2D digital filters, real-complex decomp. *Tian-Bo Deng, T-CAS2 Mar 98* 330-339
recursive digital filters with prescribed stabil. margin, design. *Wu-Sheng Lu, T-CAS2 Sep 98* 1289-1298
Power amplifiers
class AB CMOS current output stages,linearity perform., harmonic distort. *Palmisano, G., + , T-CAS2 Feb 98* 243-250
class E vs. quasi-reson. switch topologies, generalized methodology. *Tomescu, B., T-CAS2 Jun 98* 763-766
Power conversion; cf. DC-DC power conversion
Power electronics
class E vs. quasi-reson. switch topologies, generalized methodology. *Tomescu, B., T-CAS2 Jun 98* 763-766
Power integrated circuits
low drop-out regulators, optimized freq. shaping cct. topologies. *Rincon-Mora, G.A., + , T-CAS2 Jun 98* 703-708
Prediction methods
blind equalization struct. for deep-null commun. channels. *Lambotharan, S., + , T-CAS2 Jan 98* 108-114
Prediction methods; cf. Linear predictive coding
Probability
sign algm. for FIR filter adaption, tracking anal. *Eweda, E., T-CAS2 Jan 98* 115-122
Processor scheduling
DSP systs., scheduling/retiming. *Denk, T.C., + , T-CAS2 Jul 98* 821-838
Programmable logic arrays; cf. Field programmable gate arrays
Public key cryptography
RSA cryptosystem hardware design based on Montgomery's algm. *Ching-Chao Yang, + , T-CAS2 Jul 98* 908-913
Pulse position modulation
indoor wireless opt. transm. systs., PPM pulsewidth reduction, slot sync. *Otte, R., + , T-CAS2 Jul 98* 901-903
Pulse time modulation; cf. Pulse position modulation

Q

Q factor
cryst.-like LC tanks, phase-noise perform. in VCOs. *Lacaita, A.L., + , T-CAS2 Jul 98* 898-900
LC act. bandpass filter, lin. integrated type, Q-enhance. *Gao, W., + , T-CAS2 May 98* 635-639
Quadratic programming
2D nonseparable diamond-shaped filter banks, design. *Wu-Sheng Lu, + , T-CAS2 Aug 98* 1146-1150
Quadrature mirror filters
FIR quadrature mirror-image filter banks, design. *Wu-Sheng Lu, + , T-CAS2 Jul 98* 922-926
generalized coiflets with nonzero-centered vanishing moments. *Dong Wei, + , T-CAS2 Aug 98* 988-1001
nearly perfect-reconstruction QMF banks, design. *Zhu, W.-P., + , T-CAS2 Aug 98* 1161-1165
VLSI QMF lattice, discrete wavelet transform. *Joon Tae Kim, + , T-CAS2 Aug 98* 1031-1043
Quantization
direct-form IIR filters, delta operator realizations. *Kauraniemi, J., + , T-CAS2 Jan 98* 41-52
modulated and tree-struct. filter banks, MMSE design. *Gosse, K., + , T-CAS2 Aug 98* 1044-1056
space-freq. adaptive subband image coding. *Nuri, V., T-CAS2 Aug 98* 1168-1173

+ Check author entry for coauthors

use of unipolar loop signals in error diffusion modulator. *Willis, A.P.*, + , *T-CAS2 Dec 98* 1597-1599
Quantization; cf. Vector quantization
Quantum well devices; cf. Self-electrooptic-effect devices

R

Radar; cf. CW radar
Radar signal processing
freq.-stepped CW data, complex optimal sig. proc. algm. *Wu, S.M.*, + , *T-CAS2 Jun 98* 754-757
Radio communication; cf. Digital radio; UHF radio communication
Radio communication equipment; cf. Land mobile radio equipment; Radio receivers; Transceivers
Radio receivers
IF digital freq. downconverter, low-power multirate archit. *Shyh-Jye Jou*, + , *T-CAS2 Nov 98* 1487-1494
integrated receiver, analog front end, low-IF topol. *Crols, J.*, + , *T-CAS2 Mar 98* 269-282
Radix conversion
parallel mixed-radix conversion algm. *Miller, D.F.*, + , *T-CAS2 Jan 98* 158-162
Random access memories; cf. DRAM chips
Random noise
bipolar transistor ccts., phase noise reduction. *Takagi, K.*, + , *T-CAS2 Nov 98* 1505-1507
companding sig. proc., noise and interf. *Toth, L.*, + , *T-CAS2 Sep 98* 1242-1249
Random noise; cf. Gaussian noise
Random number generation
chaotic digital encoder/decoder pair improvement. *Werter, M.J., T-CAS2 Feb 98* 227-229
Rate distortion theory
space-freq. adaptive subband image coding. *Nuri, V., T-CAS2 Aug 98* 1168-1173
Rational matrices; cf. Scattering matrices
RC circuits
noise in act. RC and MOSFET-C filters, anal. *Efthivoulidis, G.*, + , *T-CAS2 Sep 98* 1311-1315
Real time systems
Arabic characters, thinning algm., ART2 neural net. *Altuwaijri, M.M.*, + , *T-CAS2 Feb 98* 260-264
center weighted Hadamard transform algms., real-time sig. proc. *Chih-Peng Fan*, + , *T-CAS2 Mar 98* 429-432
DSP, ASICS, hardware interface codesign approach. *Baganne, A.*, + , *T-CAS2 May 98* 584-591
image center-of-mass tracker cct., neuron MOS technol. implement. *Yu, N.M.*, + , *T-CAS2 Apr 98* 495-503
pipelined parallel CORDIC archit. for motion estim. in MPEG stds. *Chen, J.*, + , *T-CAS2 May 98* 653-660
RETIMAC, real-time motion anal. chip. *Nesi, P.*, + , *T-CAS2 Mar 98* 361-375
Receivers
neural-network-based CDMA receiver, gradient-descent optim. tech. *Chen, D.C.*, + , *T-CAS2 Mar 98* 384-387
Receivers; cf. Radio receivers
Rectifiers
rail-to-rail multiple-input min/max cct., CMOS implement. *Opris, I.E., T-CAS2 Jan 98* 137-140
Recursive digital filters
parameterization techs. for filter design with prescribed stabil. margin. *Wu-Sheng Lu, T-CAS2 Sep 98* 1289-1298
Recursive estimation; cf. Kalman filtering
Redundancy
IIR digital filter design, min. adder multiplier blocks. *Dempster, A.G.*, + , *T-CAS2 Jun 98* 761-763
Redundant number systems
multilevel images, arith. coding, VLSI archit. *Boo, M.*, + , *T-CAS2 Jan 98* 163-168
reverse converters, (2n-1, 2n, 2n+1) moduli set. *Premkumar, A.B.*, + , *T-CAS2 Jul 98* 903-908
Redundant systems
systematic design of high-speed and low-power digital-serial multipliers. *Chang, Y.-N.*, + , *T-CAS2 Dec 98* 1585-1596
Registers; cf. Shift registers
Relaxation methods
asynchronous weightless neural net for discrete relax. problems. *Alnuweiri, H.M.*, + , *T-CAS2 Feb 98* 210-216
Reliability; cf. Redundant systems
Residue arithmetic
binary no. syst. converter, high speed realization. *Dhurkadas, A., T-CAS2 Mar 98* 446-447
CMOS design, low delay-power product, one-hot residue coding. *Chren, W.A., Jr., T-CAS2 Mar 98* 303-313
parallel mixed-radix conversion algm. *Miller, D.F.*, + , *T-CAS2 Jan 98* 158-162
residue-to-binary arith. converter, algm. and adder implement. *Hiasat, A.A.*, + , *T-CAS2 Feb 98* 204-209
Robot vision systems
real-time image center-of-mass tracker cct., neuron MOS technol. implement. *Yu, N.M.*, + , *T-CAS2 Apr 98* 495-503
Roundoff errors
2D IIR filters with approx. lin. phase, design and implement. *Chengshan Xiao*, + , *T-CAS2 Sep 98* 1279-1288
direct-form IIR filters, delta operator realizations. *Kauraniemi, J.*, + , *T-CAS2 Jan 98* 41-52
FIR digital filters implemented using log. arith., error anal. *Chandra, D.V.S., T-CAS2 Jun 98* 744-747
Routing
RLC clock tree constr., moment-based techs. *Lehther, D.*, + , *T-CAS2 Jan 98* 69-79

S

Sample and hold circuits
CMOS oversampling switched-current sample/hold cct., feedforward approach. *Renyuan Huang*, + , *T-CAS2 Mar 98* 395-399
oversampling current sample/hold structs. for CMOS proc. implement. *Mehr, I.*, + , *T-CAS2 Feb 98* 196-203
speech recogn. syst., analog VLSI chip, async. interface, auditory feature extraction. *Kumar, N.*, + , *T-CAS2 May 98* 600-606
Sampled data circuits
CMOS four-quadrant S^2I switched-current multiplier. *Manganaro, G.*, + , *T-CAS2 Jul 98* 791-799
CMOS fourth-order double-sampled SC bandpass sigma-delta modulator, 160-MHz. *Bazarjani, S.*, + , *T-CAS2 May 98* 547-555
CMOS SI ccts., clock-feedthrough compensation scheme. *Byung-Moo Min*, + , *T-CAS2 Nov 98* 1508-1511
oversampling current sample/hold structs. for CMOS proc. implement. *Mehr, I.*, + , *T-CAS2 Feb 98* 196-203
switched-current ccts., clock-feedthrough compensation. *Helfenstein, M.*, + , *T-CAS2 Jun 98* 739-743
Sampled data filters
multirate specs., alias-component matrices. *Shenoy, R.G., T-CAS2 Mar 98* 314-320
Sampled data systems
nonuniformly sampled data, wavelet basis reconstruction. *Ford, C.*, + , *T-CAS2 Aug 98* 1165-1168
Scattering matrices
digital lattice filters, lossy synthesis. *Sellami, L.*, + , *T-CAS2 Apr 98* 512-518
Scheduling; cf. Processor scheduling
Security; cf. Data security
Self-electrooptic-effect devices
use of unipolar loop signals in error diffusion modulator. *Willis, A.P.*, + , *T-CAS2 Dec 98* 1597-1599
Self-organizing feature maps
digital images, impulse noise, noise-exclusive adaptive filtering framework. *Kong, H.*, + , *T-CAS2 Mar 98* 422-428
Self-testing
analog and mixed-sig. cct. testing, review. *Milor, L.S., T-CAS2 Oct 98* 1389-1407
built-in current sens. based on current-mode design. *Kuen-Jong Lee*, + , *T-CAS2 Jan 98* 133-137
mixed-sig. BIST, arbitrary-precision sig. generation. *Haurie, X.*, + , *T-CAS2 Nov 98* 1425-1432
Semiconductor device noise
bipolar transistor ccts., phase noise reduction. *Takagi, K.*, + , *T-CAS2 Nov 98* 1505-1507
Sensitivity
large analog ccts., symbolic anal. using enumeration of common spanning trees. *Wambacq, P.*, + , *T-CAS2 Oct 98* 1342-1350
SC all-pass filter, low sensitivity, capacitance ratio errors/finite amp. gains. *Petraglia, A.*, + , *T-CAS2 Jul 98* 890-894
Sequences
short-time discrete trigonometric transforms, recursive formulations. *Macias, J.A.R.*, + , *T-CAS2 Apr 98* 525-527
spatio-temporal seqs., learning/retrieving, associative neural net. *Lipo Wang, T-CAS2 Jun 98* 729-738
Sequential decoding; cf. Viterbi decoding
Series (mathematics)
second-order adaptive IIR notch filter, memoryless nonlin. gradient algm. *Xiao, Y.*, + , *T-CAS2 Apr 98* 462-472
Set theory; cf. Fuzzy sets; Morphological operations
Shift registers
burst errors, test pattern generation and signature anal. *Katti, R.S., T-CAS2 Mar 98* 410-414
LFSR, low power design. *Hamid, M.E.*, + , *T-CAS2 Sep 98* 1304-1307
Sigma-delta modulation
cct. topologies, optimal params. *Marques, A.*, + , *T-CAS2 Sep 98* 1232-1241
CMOS bandpass delta-sigma modulators, half-delay integrators. *Chuang, S.*, + , *T-CAS2 May 98* 535-546
CMOS fourth-order double-sampled SC bandpass sigma-delta modulator, 160-MHz. *Bazarjani, S.*, + , *T-CAS2 May 98* 547-555
digital compen. for determin. nonideal charcts. *Thao, N.T., T-CAS2 Sep 98* 1315-1321
double-loop sigma-delta modulator, spectral charact. *Motamed, M.*, + , *T-CAS2 Jan 98* 144-147
interpolated freq.-hopping SS transceiver. *Filiol, N.M.*, + , *T-CAS2 Jan 98* 3-12

+ Check author entry for coauthors

Nyquist rate converters, resoln. extension, oversampling. *Harjani, R., + , T-CAS2 Apr 98* 482-494
oversampling-based analog multitone sig. generator, sinusoids. *Lu, A.K., + , T-CAS2 Mar 98* 391-394
oversampling current sample/hold structs. for CMOS proc. implement. *Mehr, I., + , T-CAS2 Feb 98* 196-203
reducing baseband tones in sigma-delta modulators employing data weighted averaging algm. without adding dither. *Chen, K.-D., + , T-CAS2 Dec 98* 1615-1621
second-order sigma-delta modulators, integrator outputs bounding. *Farrell, R., + , T-CAS2 Jun 98* 691-702
Signal analysis; cf. Harmonic analysis; Spectral analysis
Signal detection; cf. Maximum likelihood detection
Signal flow graphs
feedback ccts./systs., anal., SFGs and driving-point imped. *Ochoa, A., Jr., T-CAS2 Feb 98* 187-195
symbolic network anal. methods for analog ICs, survey. *Wambacq, P., + , T-CAS2 Oct 98* 1331-1341
Signal generators
mixed-sig. BIST, arbitrary-precision sig. generation. *Haurie, X., + , T-CAS2 Nov 98* 1425-1432
oversampling-based analog multitone sig. generator, sinusoids. *Lu, A.K., + , T-CAS2 Mar 98* 391-394
Signal generators; cf. Oscillators
Signal processing
center weighted Hadamard transform algms., real-time sig. proc. *Chih-Peng Fan, + , T-CAS2 Mar 98* 429-432
companding sig. proc., noise and interf. *Toth, L., + , T-CAS2 Sep 98* 1242-1249
DFTs of length N=q*2^m, fast split-radix algm. *Guoan Bi, + , T-CAS2 Jun 98* 685-690
generalized coiflets with nonzero-centered vanishing moments. *Dong Wei, + , T-CAS2 Aug 98* 988-1001
multirate building structs. with appl. to nonuniform filter banks. *Tongwen Chen, + , T-CAS2 Aug 98* 948-958
multiwavelet anal. and sig. proc. appl. *Cotronei, M., + , T-CAS2 Aug 98* 970-987
noisy random sigs., wavelet estim. and decomp., Kalman filtering tech. *Hong, L., + , T-CAS2 Feb 98* 237-241
small sidelobe filter bank design for multitone data commun. appls. *Martin, K.W., T-CAS2 Aug 98* 1155-1161
use of unipolar loop signals in error diffusion modulator. *Willis, A.P., + , T-CAS2 Dec 98* 1597-1599
wavelet transform mod-max method, isolation criteria. *Bruce, L.M., T-CAS2 Aug 98* 1084-1087
weighted Hadamard transform, reverse jacket matrix, PCS sig. proc. *Seung-Rae Lee, + , T-CAS2 Mar 98* 436-441
Signal processing; cf. Adaptive signal processing; Array signal processing; Filtering; Filters; Image processing; Optical signal processing; Radar signal processing; Signal reconstruction; Signal restoration; Signal sampling; Speech processing; Video signal processing
Signal reconstruction
bandpass sigs., periodically nonuniform sampling. *Yuan-Pei Lin, + , T-CAS2 Mar 98* 340-351
modulated and tree-struct. filter banks, MMSE design. *Gosse, K., + , T-CAS2 Aug 98* 1044-1056
nonuniformly sampled data, wavelet basis reconstruction. *Ford, C., + , T-CAS2 Aug 98* 1165-1168
oversampled cosine modulated filter banks with perfect reconstr. *Bolcskei, H., + , T-CAS2 Aug 98* 1057-1071
partial Fourier domain inform., wavelet-based algm. *Rabadi, W.A., + , T-CAS2 Aug 98* 1134-1136
sampling theory, generalized without band-limiting constraints. *Unser, M., + , T-CAS2 Aug 98* 959-969
Signal reconstruction; cf. Image reconstruction
Signal representations
flat structuring element morph. operations, algm. *Ringo Wai-Kit Lam, + , T-CAS2 Mar 98* 387-391
Gaussian fns., sig. approx. *Jorge, P.J.S.G., T-CAS2 Feb 98* 250-251
Signal representations; cf. Image representations
Signal resolution
nonuniformly sampled data, wavelet basis reconstruction. *Ford, C., + , T-CAS2 Aug 98* 1165-1168
Signal resolution; cf. Image resolution
Signal restoration
approximated sampling theorem and wavelet denoising for waveform restor. *Ching, P.C., + , T-CAS2 Aug 98* 1102-1106
discrete orthogonal basis restoration, freq.-domain algm. *Moody, E.B., T-CAS2 Apr 98* 522-525
Signal restoration; cf. Image restoration
Signal sampling
bandpass sigs., periodically nonuniform sampling. *Yuan-Pei Lin, + , T-CAS2 Mar 98* 340-351
discrete orthogonal basis restoration, freq.-domain algm. *Moody, E.B., T-CAS2 Apr 98* 522-525
generalized sampling theory without band-limiting constraints. *Unser, M., + , T-CAS2 Aug 98* 959-969
high-speed analog ICs, sig. meas. using undersampling tech. *Mason, R., + , T-CAS2 Nov 98* 1502-1504
IF digital freq. downconverter, low-power multirate archit. *Shyh-Jye Jou, + , T-CAS2 Nov 98* 1487-1494
nonuniformly sampled data, wavelet basis reconstruction. *Ford, C., + , T-CAS2 Aug 98* 1165-1168
oversampled cosine modulated filter banks with perfect reconstr. *Bolcskei, H., + , T-CAS2 Aug 98* 1057-1071
oversamplgs-based analog multitone sig. generator, sinusoids. *Lu, A.K., + , T-CAS2 Mar 98* 391-394
oversampling current sample/hold structs. for CMOS proc. implement. *Mehr, I., + , T-CAS2 Feb 98* 196-203
waveform restoration, approx. sampling theorem and wavelet denoising. *Ching, P.C., + , T-CAS2 Aug 98* 1102-1106
Simulated annealing
VLSI chips, wiring considerations, Steiner min. tree constr. *Li, Y.Y., + , T-CAS2 May 98* 563-574
Simulation; cf. Circuit simulation; Discrete event simulation
Singular value decomposition
multidimensional discrete sigs., optimal low-rank approx. *Wu-Sheng Lu, + , T-CAS2 Mar 98* 417-422
Software; cf. Communication system software
Source coding
modulated and tree-struct. filter banks, MMSE design. *Gosse, K., + , T-CAS2 Aug 98* 1044-1056
Special issues and sections
instantaneous companding in analog signal processing (special section). *T-CAS2 Sep 98* 1179-1232
instantaneous companding in analog signal processing, special section intro. *Payne, A., + , T-CAS2 Sep 98* 1179-1180
ISCAS'97, selected papers (special issue). *T-CAS2 May 98* 533-660
ISCAS'97, selected papers, special issue intro. *Maloberti, F., + , T-CAS2 May 98* 533
multirate systems, filter banks, wavelets, and applications (special issue). *T-CAS2 Aug 98* 929-1173
multirate systems, filter banks, wavelets, and applications, special issue intro. *Fliege, N.J., + , T-CAS2 Aug 98* 929-931
symbolic circuit analysis techniques, selected papers From SMACD'96, special section intro. *Gielen, G.G.E., + , T-CAS2 Oct 98* 1330-1331
symbolic circuit analysis techniques, selected papers Fr SMACD'96 (special section). *T-CAS2 Oct 98* 1330-1388
Spectral analysis
moving-window DFT algms. *Rosendo Macias, J.A., + , T-CAS2 Feb 98* 256-260
Speech coding
Japanese text-to-speech synthesis, wavelet anal. *Kobayashi, M., + , T-CAS2 Aug 98* 1125-1129
Speech enhancement
subband Kalman filtering for speech enhancement. *Wen-Rong Wu, + , T-CAS2 Aug 98* 1072-1083
Speech processing
CMOS PWM neural network with on-chip learning, realization. *Jenn-Chyou Bor, + , T-CAS2 Jan 98* 96-107
flat structuring element morph. operations, algm. *Ringo Wai-Kit Lam, + , T-CAS2 Mar 98* 387-391
multirate systems, filter banks, wavelets, and applications (special issue). *T-CAS2 Aug 98* 929-1173
multirate systems, filter banks, wavelets, and applications, special issue intro. *Fliege, N.J., + , T-CAS2 Aug 98* 929-931
Speech processing; cf. Speech enhancement
Speech synthesis
Japanese text-to-speech synthesis, wavelet anal. *Kobayashi, M., + , T-CAS2 Aug 98* 1125-1129
SPICE
CMOS design, low delay-power product, one-hot residue coding. *Chren, W.A., Jr., T-CAS2 Mar 98* 303-313
CMOS DVST logic, sync. DRAM, subthreshold current. *Hoi-Jun Yoo, T-CAS2 Sep 98* 1263-1271
CMOS transconductor based low power wide-band analog systs. *Ning Guo, + , T-CAS2 Sep 98* 1299-1303
current-mode ladder filter design using coupled-biquads, CMOS OTAs. *Jie Wu, + , T-CAS2 Nov 98* 1445-1454
II-based adjoint of op-amp-based ccts., biquad appl., PSPICE simul. *Papazoglou, C.A., + , T-CAS2 Jul 98* 894-898
lin. transit. freq. integrator, tuneable VHF companding cct. *Worapishet, A., + , T-CAS2 Sep 98* 1212-1219
RLC clock tree constr., moment-based techs. *Lehther, D., + , T-CAS2 Jan 98* 69-79
Spline functions
sampling theory, generalized without band-limiting constraints. *Unser, M., + , T-CAS2 Aug 98* 959-969
Spread spectrum communication
interpolated freq.-hopping SS transceiver. *Filiol, N.M., + , T-CAS2 Jan 98* 3-12
neural-network-based CDMA receiver, gradient-descent optim. tech. *Chen, D.C., + , T-CAS2 Mar 98* 384-387
Spread spectrum communication; cf. Frequency hop communication
Stability
2D stabil. margin computation. *Mastorakis, N.E., T-CAS2 Mar 98* 376-379

Stability; cf. Asymptotic stability; Circuit stability; Numerical stability
Standards; cf. Communication standards
State estimation; cf. Kalman filtering
State space methods
2D discrete systs., periodic coeffs., stabil. *Bose, T., + , T-CAS2 Jul 98* 839-847
act. RC and MOSFET-C filters, noise anal. *Efthivoulidis, G., + , T-CAS2 Sep 98* 1311-1315
log-domain filters, state-space synthesis. *Frey, D.R., T-CAS2 Sep 98* 1205-1211
Statistics
parametric IC yield estim., variance reduction techs., stratified sampling. *Keramat, M., + , T-CAS2 May 98* 575-583
sampling theory, generalized without band-limiting constraints. *Unser, M., + , T-CAS2 Aug 98* 959-969
Stochastic processes
constrained anti-Hebbian learning algm., converg. and divergence anal. *Choy, C.S.-T., + , T-CAS2 Nov 98* 1494-1502
noisy random sigs., wavelet estim. and decomp., Kalman filtering tech. *Hong, L., + , T-CAS2 Feb 98* 237-241
Stochastic processes; cf. Autoregressive processes; Markov processes
Subscriber loops
small sidelobe filter bank design for multitone data commun. appls. *Martin, K.W., T-CAS2 Aug 98* 1155-1161
Switched capacitor circuits
CMOS fourth-order double-sampled SC bandpass sigma-delta modulator, 160-MHz. *Bazarjani, S., + , T-CAS2 May 98* 547-555
Switched capacitor circuits; cf. Switched capacitor filters
Switched capacitor filters
all-pass filter, low sensitivity, capacitance ratio errors/finite amp. gains. *Petraglia, A., + , T-CAS2 Jul 98* 890-894
Switched circuits
CMOS four-quadrant S^2I switched-current multiplier. *Manganaro, G., + , T-CAS2 Jul 98* 791-799
CMOS oversampling switched-current sample/hold cct., feedforward approach. *Renyuan Huang, + , T-CAS2 Mar 98* 395-399
CMOS SI ccts., clock-feedthrough compensation scheme. *Byung-Moo Min, + , T-CAS2 Nov 98* 1508-1511
fast min/max filtering, analog implement. *Siskos, S., + , T-CAS2 Jul 98* 913-918
two-step clock-feedthrough compensation. *Helfenstein, M., + , T-CAS2 Jun 98* 739-743
Switching circuits
charge-pump PLLs, simulator core. *Larsson, P., T-CAS2 Sep 98* 1323-1326
class E vs. quasi-reson. switch topologies, generalized methodology. *Tomescu, B., T-CAS2 Jun 98* 763-766
Symbolic Methods and Applications in Circuit Design, Fourth (1996) International Symposium on
selected papers (special section). *T-CAS2 Oct 98* 1330-1388
selected papers, special section intro. *Gielen, G.G.E., + , T-CAS2 Oct 98* 1330-1331
Synchronization
charge-pump PLLs, simulator core. *Larssom, P., T-CAS2 Sep 98* 1323-1326
indoor wireless opt. transm. systs., PPM pulsewidth reduction, slot sync. *Otte, R., + , T-CAS2 Jul 98* 901-903
RLC clock tree constr., moment-based techs. *Lehther, D., + , T-CAS2 Jan 98* 69-79
Systolic arrays
3D computational pipelining with min. latency and max. throughput, L-U factorization. *Paul, J.M., + , T-CAS2 Nov 98* 1465-1475
CMOS video sig. proc., prog. systolic array. *Miyake, J., + , T-CAS2 Sep 98* 1272-1278

T

Table lookup
parallel mixed-radix conversion algm. *Miller, D.F., + , T-CAS2 Jan 98* 158-162
Teleconferencing
multipoint videoconf., dyn. bit allocation in video combining. *Sun, M.-T., + , T-CAS2 May 98* 644-648
Testing; cf. Automatic testing; Integrated circuit testing; Logic circuit testing; Manufacturing testing
Time series; cf. Autoregressive processes
Time-varying circuits
charge-pump PLLs, simulator core. *Larssom, P., T-CAS2 Sep 98* 1323-1326
oscillator modelled as pos. feedback syst., noise anal. *Dec, A., + , T-CAS2 Jun 98* 757-760
Time-varying circuits; cf. Switched circuits
Time-varying systems
discrete orthogonal basis restoration, freq.-domain algm. *Moody, E.B., T-CAS2 Apr 98* 522-525
fixed-point optim. utility for C and C++ based DSP programs. *Seehyun Kim, + , T-CAS2 Nov 98* 1455-1464
multirate building structs. with appl. to nonuniform filter banks. *Tongwen Chen, + , T-CAS2 Aug 98* 948-958
Timing
clock-controlled neuron-MOS logic gates, refreshing scheme. *Kotani, K., + , T-CAS2 Apr 98* 518-522
CMOS SI ccts., clock-feedthrough compensation scheme. *Byung-Moo Min, + , T-CAS2 Nov 98* 1508-1511
DSP systs., scheduling/retiming. *Denk, T.C., + , T-CAS2 Jul 98* 821-838
real-time DSP, ASICS, hardware interface codesign approach. *Baganne, A., + , T-CAS2 May 98* 584-591
resistive interconnect in CMOS ccts., repeater design for delay/power reduction. *Adler, V., + , T-CAS2 May 98* 607-616
Timing circuits
RLC clock tree constr., moment-based techs. *Lehther, D., + , T-CAS2 Jan 98* 69-79
Toeplitz matrices
2D symmetric noncausal FIR filtering and AR modeling algm. *Othon Glenis, G., + , T-CAS2 Feb 98* 251-256
Topology; cf. Circuit topology
Tracking
multi-band decomp. of error sig., adaptive filter algms. *Resende, F.G.V., Jr., + , T-CAS2 May 98* 592-599
real-time image center-of-mass tracker cct., neuron MOS technol. implement. *Yu, N.M., + , T-CAS2 Apr 98* 495-503
Tracking filters
adaptive filtering algms., max. and min. tracking performs. *Eweda, E., T-CAS2 Jan 98* 123-132
Tracking loops; cf. Phase locked loops
Transceivers
interpolated freq.-hopping SS transceiver. *Filiol, N.M., + , T-CAS2 Jan 98* 3-12
Transfer functions
current-mode ladder filter design using coupled-biquads, CMOS OTAs. *Jie Wu, + , T-CAS2 Nov 98* 1445-1454
direct-form IIR filters, delta operator realizations. *Kauraniemi, J., + , T-CAS2 Jan 98* 41-52
IIR adaptive filter based on estim. of all-pass syst. *Kobayashi, M., + , T-CAS2 Jun 98* 676-684
IIR digital filter design, magnitude response approx. *Hegde, R., + , T-CAS2 Nov 98* 1476-1486
inverting integrator with extended HF range, stabil. *Al-Alaoui, M.A., T-CAS2 Mar 98* 399-402
power/ground networks in VLSI ccts., event-driven simul. algm. *Shah, J.C., + , T-CAS2 Oct 98* 1372-1382
recursive digital filters with prescribed stabil. margin, design. *Wu-Sheng Lu, T-CAS2 Sep 98* 1289-1298
$\Sigma\Delta$ modulation, digital compen. for determin. nonideal charcts. *Thao, N.T., T-CAS2 Sep 98* 1315-1321
Transforms
short-time discrete trigonometric transforms, recursive formulations. *Macias, J.A.R., + , T-CAS2 Apr 98* 525-527
Transforms; cf. Discrete cosine transforms; Fourier transforms; Hadamard transforms; Hartley transforms; Hough transforms; Wavelet transforms
Transient analysis
high-speed analog ICs, sig. meas. using undersampling tech. *Mason, R., + , T-CAS2 Nov 98* 1502-1504
power/ground networks in VLSI ccts., event-driven simul. algm. *Shah, J.C., + , T-CAS2 Oct 98* 1372-1382
Transient response
interpolated freq.-hopping SS transceiver. *Filiol, N.M., + , T-CAS2 Jan 98* 3-12
Transmission line theory
RLC clock tree constr., moment-based techs. *Lehther, D., + , T-CAS2 Jan 98* 69-79
Trees (graphs)
large analog ccts., symbolic anal. using enumeration of common spanning trees. *Wambacq, P., + , T-CAS2 Oct 98* 1342-1350
VLSI chips, wiring considerations, Steiner min. tree constr. *Li, Y.Y., + , T-CAS2 May 98* 563-574
Trellis codes
space-freq. adaptive subband image coding. *Nuri, V., T-CAS2 Aug 98* 1168-1173
Tuning; cf. Circuit tuning

U

UHF amplifiers
LV design tech. for RF ICs. *Manku, T., + , T-CAS2 Oct 98* 1408-1413
UHF circuits; cf. UHF amplifiers; UHF filters; UHF integrated circuits; UHF mixers; UHF oscillators
UHF communication; cf. UHF radio communication
UHF filters
LC act. bandpass filter, lin. integrated type, Q-enhance. *Gao, W., + , T-CAS2 May 98* 635-639
UHF frequency conversion; cf. UHF mixers
UHF generation; cf. UHF oscillators
UHF integrated circuits
CMOS VCO, 3 V, 1.3-1.8 GHz, 0.3 ps jitter. *Shing-Tak Yan, + , T-CAS2 Jul 98* 876-880
LC act. bandpass filter, lin. integrated type, Q-enhance. *Gao, W., + , T-CAS2 May 98* 635-639
LV design tech. *Manku, T., + , T-CAS2 Oct 98* 1408-1413
UHF mixers
LV design tech. for RF ICs. *Manku, T., + , T-CAS2 Oct 98* 1408-1413
UHF oscillators
CMOS VCO, 3 V, 1.3-1.8 GHz, 0.3 ps jitter. *Shing-Tak Yan, + , T-CAS2 Jul 98* 876-880

+ Check author entry for coauthors

UHF radio communication
interpolated freq.-hopping SS transceiver. *Filiol, N.M., + , T-CAS2 Jan 98* 3-12
Uncertain systems; cf. Fuzzy systems

V

Variational methods
second-order adaptive IIR notch filter, memoryless nonlin. gradient algm. *Xiao, Y., + , T-CAS2 Apr 98* 462-472
Vector processing
bit-level pipelined digit-serial array proc. *Aggoun, A., + , T-CAS2 Jul 98* 857-868
Vector quantization
image coder, wavelet-based, entropy-constrained lattice vector quantizer. *Won-Ha Kim, + , T-CAS2 Aug 98* 1015-1030
Linde-Buzo-Gray algm. in image VQ. *Yih-Chuan Lin, + , T-CAS2 Mar 98* 432-435
Vectors
DFT vector computation, fast algms. *Sundararajan, D., + , T-CAS2 Apr 98* 449-461
Very-large-scale integration
asynchronous weightless neural net for discrete relax. problems. *Alnuweiri, H.M., + , T-CAS2 Feb 98* 210-216
center weighted Hadamard transform algms., real-time sig. proc. *Chih-Peng Fan, + , T-CAS2 Mar 98* 429-432
classical conditioning with pulsed integrated neural nets, on-chip learning. *Lehmann, T., T-CAS2 Jun 98* 720-728
CMOS PWM neural network with on-chip learning, realization. *Jenn-Chyou Bor, + , T-CAS2 Jan 98* 96-107
CMOS transconductor based low power wide-band analog systs. *Ning Guo, + , T-CAS2 Sep 98* 1299-1303
CMOS VLSI PRML detectors, compact neural net scalable archit. *Chou, E.Y., + , T-CAS2 Jun 98* 709-719
current-mode ladder filter design using coupled-biquads, CMOS OTAs. *Jie Wu, + , T-CAS2 Nov 98* 1445-1454
data format converters, design, 2D register allocation. *Majumdar, M., + , T-CAS2 Apr 98* 504-508
deterministic Boltzmann machines, analog VLSI hardware. *Schneider, R.S., + , T-CAS2 Mar 98* 352-360
EPSILON, analog VLSI MLP, fault tolerance, wt. noise. *Edwards, P.J., + , T-CAS2 Sep 98* 1255-1262
full-search block-matching VLSI archit., CMOS implement. *Seung Hyun Nam, + , T-CAS2 Apr 98* 508-512
ISCAS'97, selected papers (special issue). *T-CAS2 May 98* 533-660
ISCAS'97, selected papers, special issue intro. *Maloberti, F., + , T-CAS2 May 98* 533
low-complexity dyn. element matching DAC for DDS. *Jensen, H.T., + , T-CAS2 Jan 98* 13-27
M4R shape coding, pipelined archits., changing pixels. *Stroming, J.W., + , T-CAS2 May 98* 556-562
multilevel images, arith. coding, VLSI archit. *Boo, M., + , T-CAS2 Jan 98* 163-168
object-based selection within analog VLSI visual attention syst. *Morris, T.G., + , T-CAS2 Dec 98* 1564-1572
on-chip DC/DC voltage down converter for low-power digital syst. *Shyh-Jye Jou, + , T-CAS2 May 98* 617-625
pipelined DFE archits., delayed coeff. adaptation. *Perry, R., + , T-CAS2 Jul 98* 868-873
pipelined parallel CORDIC archit. for motion estim. in MPEG stds. *Chen, J., + , T-CAS2 May 98* 653-660
power/ground networks in VLSI ccts., event-driven simul. algm. *Shah, J.C., + , T-CAS2 Oct 98* 1372-1382
PRML detectors, compact neural network algm. *Chou, E.Y., + , T-CAS2 Jul 98* 848-856
QMF lattice, discrete wavelet transform. *Joon Tae Kim, + , T-CAS2 Aug 98* 1031-1043
resistive interconnect in CMOS ccts., repeater design for delay/power reduction. *Adler, V., + , T-CAS2 May 98* 607-616
speech recogn. syst., analog VLSI chip, async. interface, auditory feature extraction. *Kumar, N., + , T-CAS2 May 98* 600-606
temp. insensitive CMOS digital cct. operation, supply voltage scaling. *Bellaouar, A., + , T-CAS2 Mar 98* 415-417
wiring considerations, Steiner min. tree constr. *Li, Y.Y., + , T-CAS2 May 98* 563-574
VHF circuits
BiCMOS VHF log-domain bandpass filters. *El-Gamal, M., + , T-CAS2 Sep 98* 1188-1198
lin. transit. freq. integrator, tuneable VHF companding cct. *Worapishet, A., + , T-CAS2 Sep 98* 1212-1219
Video codecs
pipelined parallel CORDIC archit. for motion estim. in MPEG stds. *Chen, J., + , T-CAS2 May 98* 653-660
Video coding
full-search block-matching VLSI archit., CMOS implement. *Seung Hyun Nam, + , T-CAS2 Apr 98* 508-512
HDTV, multiresolution coding, OBMC, DWT-LOT. *Liangchi Hsu, + , T-CAS2 Aug 98* 1002-1014
JPEG decoded images, sing. detect. for deblocking. *Tai-Chiu Hsung, + , T-CAS2 May 98* 640-644
multipoint videoconf., dyn. bit allocation in video combining. *Sun, M.-T., + , T-CAS2 May 98* 644-648
pipelined parallel CORDIC archit. for motion estim. in MPEG stds. *Chen, J., + , T-CAS2 May 98* 653-660
Video equipment; cf. Video codecs
Video signal processing
CMOS video sig. proc., prog. systolic array. *Miyake, J., + , T-CAS2 Sep 98* 1272-1278
Video signal processing; cf. Video coding
Viterbi decoding
BiCMOS ccts. for analog Viterbi decoders. *Shakiba, M.H., + , T-CAS2 Dec 98* 1527-1537
Voltage control
on-chip DC/DC voltage down converter for low-power digital syst. *Shyh-Jye Jou, + , T-CAS2 May 98* 617-625
Voltage controlled oscillators
cryst.-like LC tanks, phase-noise perform. in VCOs. *Lacaita, A.L., + , T-CAS2 Jul 98* 898-900

W

Wave digital filters
DSP systs., scheduling/retiming. *Denk, T.C., + , T-CAS2 Jul 98* 821-838
IIR digital filter design, min. adder multiplier blocks. *Dempster, A.G., + , T-CAS2 Jun 98* 761-763
Wavelet transforms
generalized coiflets with nonzero-centered vanishing moments. *Dong Wei, + , T-CAS2 Aug 98* 988-1001
HDTV, multiresolution coding, OBMC, DWT-LOT. *Liangchi Hsu, + , T-CAS2 Aug 98* 1002-1014
image coder, wavelet-based, entropy-constrained lattice vector quantizer. *Won-Ha Kim, + , T-CAS2 Aug 98* 1015-1030
image compression, entropy measure based on wavelet transform and noise modeling. *Starck, J.-L., + , T-CAS2 Aug 98* 1118-1124
isolation criteria for wavelet transform mod-max method. *Bruce, L.M., T-CAS2 Aug 98* 1084-1087
Japanese text-to-speech synthesis, wavelet anal. *Kobayashi, M., + , T-CAS2 Aug 98* 1125-1129
JPEG decoded images, sing. detect. for deblocking. *Tai-Chiu Hsung, + , T-CAS2 May 98* 640-644
lossless and lossy image compression using biorthogonal wavelet transforms. *Hyung-Ju Kim, + , T-CAS2 Aug 98* 1113-1118
multirate systems, filter banks, wavelets, and applications (special issue). *T-CAS2 Aug 98* 929-1173
multirate systems, filter banks, wavelets, and applications, special issue intro. *Fliege, N.J., + , T-CAS2 Aug 98* 929-931
multiresolution watermarking tech. for digital images. *Chion-Ting Hsu, + , T-CAS2 Aug 98* 1097-1101
multiwavelet anal. and sig. proc. appl. *Cotronei, M., + , T-CAS2 Aug 98* 970-987
multiwavelet prefilters, orthogonal type preserving approx. order. *Hardin, D.P., + , T-CAS2 Aug 98* 1106-1112
noisy random sigs., wavelet estim. and decomp., Kalman filtering tech. *Hong, L., + , T-CAS2 Feb 98* 237-241
nonuniformly sampled data, wavelet basis reconstruction. *Ford, C., + , T-CAS2 Aug 98* 1165-1168
OCR feature extraction, ring-projection-wavelet-fractal signatures. *Tang, Y.Y., + , T-CAS2 Aug 98* 1130-1134
orthogonal wavelet transforms, parameterization and implement. *Rieder, P., + , T-CAS2 Feb 98* 217-226
region-based wavelet transform for image compression. *Jong-Han Kim, + , T-CAS2 Aug 98* 1137-1140
sampling theory, generalized without band-limiting constraints. *Unser, M., + , T-CAS2 Aug 98* 959-969
sig. recovery, partial Fourier domain inform., wavelet-based algm. *Rabadi, W.A., + , T-CAS2 Aug 98* 1134-1136
space-freq. adaptive subband image coding. *Nuri, V., T-CAS2 Aug 98* 1168-1173
VLSI QMF lattice, discrete wavelet transform. *Joon Tae Kim, + , T-CAS2 Aug 98* 1031-1043
waveform restoration, approx. sampling theorem and wavelet denoising. *Ching, P.C., + , T-CAS2 Aug 98* 1102-1106
White noise
waveform restoration, approx. sampling theorem and wavelet denoising. *Ching, P.C., + , T-CAS2 Aug 98* 1102-1106
Wide area networks
multipoint videoconf., dyn. bit allocation in video combining. *Sun, M.-T., + , T-CAS2 May 98* 644-648
Wiring
VLSI chips, wiring considerations, Steiner min. tree constr. *Li, Y.Y., + , T-CAS2 May 98* 563-574

Y

Yield estimation
parametric IC yield estim., variance reduction techs., stratified sampling. *Keramat, M., + , T-CAS2 May 98* 575-583

+ Check author entry for coauthors